



PARAMOUNT
POOL PRODUCTS

PRICE LIST 2024

Contents:

PANEL POOL KITS

6

Kafko Panel Kits	7
Steps GRP	9
Insulation	9
UltraSwim Panel Pool Kit	10

TILESTONE

14

Tilestone Standard Skimmer Pools	16
Tilestone Trainer Pools	18
Tilestone Hydrotherapy	20
Tilestone Spa Shell Shells	22
Tilestone Spa Options	27

MISCELLANEOUS

Insulation	9
Step Units	9
White Goods	29
Coping - Kafko	30
Coping - Natural Stone	31
Plumbing & Sealants	28

LINERS

32

Kafko Latham Liners	33
Aquaflex Liners	34
Vinyl Vac	35

FILTERS

36

Waterco	37
SM Bobbin Wound Top Mount Filter	38
Micron Filament Wound Sand Filter	39
Commercial Filters	40
SMD Commercial Filters	41
Filter Media & MPV	43
Glass Pearls Microfine Media	44
Commercial Ultravac Filter Cart	46

PUMPS

47

Hydrostorm Plus	49
Aquamite	48
Lacronite	50
Lacronite Eco V Three Speed	51
Turbo Spa Pump	53

HEATING

54

Electro Heat Aquaflow XL Inverter Heat Pump	56
Electro Heat Ultra Inverter Heat Pump	58
Aquark Inverter Heat Pump	62
Covers Waterco - Heat Pump	61
Solar Heating	68
Gas, Oil & Electric Heating	70

LIGHTING 71

Seamaid Universal Flat Light	72
Seamaid Ecoproof replacement Par 56 LED Bulb	73
Seamaid Renovation Kit	73
Seamaid Mini - Lights	74
Seamaid Above Ground Pool Lighting	74
Seamaid Remote Control	75
Seamaid 1-4 Channel Radio Switch Box	75
Stainless LED Lighting	76
Watertec WT1 Push-Fit Led Light	78
Watertec WT1.5 Push-Fit Led Light	79
Watertec WT2 Thread-Fit Led Light	80
Watertec WT3 Push-Fit Led Light	82
Watertec WT4 Push-Fit Led Light	83
Watertec WT5 Thread-Fit Led Light	84
Watertec WT5 Push-Fit Led Light	85
Watertec Kaiflex Junction Box	88
Watertec Optional Items	93
Watertec Control Systems	94

STAINLESS STEEL 96

Skimmer	98
Shell Fittings	100
Surface Mount Buttons	108
Underwater Buttons	109
Hydro Air Seat Plates	110
Hydro Air Floor Plates	111
Hydro Air Lounger Plates	112
Hydro Air Body Stations	114
Water Fountains	116
Wall Fountains	120
Spa Fittings	122
Air Blowers	123

COUNTER CURRENT SWIM JET 124

Twin Super Swim Jet System	125
Ultraflow Counter Current Propulsion System	126

CLEANING 130

Aqua Fingers	131
Aquaflow	134
Aqua Cover Cleaner	132
Aqua Descaler	133

ACCESSORIES 135

Brush Heads	136
Vacuums	137
Nets & Rakes	137
Rollers	138
Thermometers	138

COVERS 139

Thermo-Blanket	140
Monaco Premier Roller	142
Monaco Commercial Roller	143
AquaCover Slatted Covers	145
Aquamatic Safety Covers	156
Aquamatic Manual Roller System	162
Aquamatic Insulated Safety Covers	164
Aquamatic Spares	166
Aquamatic Replacement Rope Kits	169



PARAMOUNT

POOL PRODUCTS

Introduction

Paramount Pools Ltd is an acting distributor supplying a range of products to a network of pool dealers nationally.

We aim to offer our customers a clear and concise understanding of our entire product range. All the products featured on our website are exclusively imported or made in the UK, ensuring you can trust in the quality and reliability of our entire catalogue. All our dealers are independently reviewed and approved, so you can benefit from the best product information regardless of who you're dealing with.

Making and improving safety is our number one priority. Our largest selling product, the Aquamatic safety cover, offers you an added safety mechanism for protecting your family and pets from drowning. There are a number of installation methods that can accommodate most pools whether they are new or existing.

HISTORY OF PARAMOUNT POOLS

Paramount Pools Ltd was founded in 1979 by Keith Martin. Keith worked from home before eventually moving into a garden centre premises based in Hartley Wintney, Hampshire, supplying GRP panel pool kits to the pool trade.

Keith's son Steve Martin joined the company in 1988 and was appointed the role of Managing Director in 2013. Having established a core network of loyal dealers, Paramount steadily set out to work with a number of brand manufacturers namely Aquamatic, Waterco, Latham, Marpiscine and Luxe pools, all of whose products, quality and service are recognised worldwide.

Our comprehensive dealer network consists of many regional installers throughout the UK and the Channel Isles, all of whom provide the best possible quality in after-sale service and advice.

IMPORTANT NOTICE

Prices may be subject to change without warning during the year to reflect any major changes from our suppliers. Please check with the sales team before committing to any order. The list prices on the following pages exclude VAT and are valid from 1st January 2024.

Featured products

Aquamatic Mr. Perfect Heat Pumps - page 62




Stainless Max Flow Skimmer - page 98




Constant Voltage LED Lighting - page 77



Aquatic Above Ground Roller - page 162



Composite Decking - page 161



Designer Inlets - page 100



Tilestone Spa Shells - page 22



Ultraflow Propulsion Unit - page 126



UltraSwim Panel Kit - page 10



Tilestone Pools - page 14



Slatted QUADRO Covers - page 145



Safety Covers - page 156





Panel Pool Kits

SECTION INDEX

Panel Pool Sets	7
Pool Step Units	9
Insulation	9
UltraSwim Plunge Pool	10

POOL KITS

4ft Polymer Pool Sets

Kafko Professional 'X-treme' Polymer pool panel in 4ft/1.22 depth with polymer bracing.

All panels prior to delivery, are pre-cut at our warehouse using a custom made jig to enable Skimmer(s), Light fitting(s) etc to be installed accurately and with ease. Colours may vary. Steel bracing option available to professional pool dealers only.



2ft radius Corner Available



INCLUDED

- Polymer Panel(s)
- Polymer Bracing
- Corner Post
- Hardware
- Steel Pins

IMPORTANT NOTE

X-treme panels have a much stronger internal rib support and can be used in conjunction with XPS extruded polystyrene. This panel system is ideal for installations that have to be Part L compliant.

EXTREME 4FT/1.22M PANEL SETS with Polymer Bracing

Pool Size		Price
24 x 12	7.32 x 3.66m	£7,141.00
28 x 14	8.55 x 4.27m	£8,661.00
30 x 14	9.15 x 4.27m	£9,340.00
30 x 15	9.15 x 4.57m	£9,599.00
32 x 16	9.37 x 4.88m	£9,582.00
33 x 16	10.00 x 4.88m	£10,203.00
36 X 18	10.98 x 5.49m	£11,101.00
40 X 20	12.20 x 6.10m	£12,022.00
Product Code: N		

EXTRAS

Product	Price
6" Radius Corner Insert (Set 4) for 4ft panels	£294.00
Inlet (2) Pre-fitted	£65.80
Skimmer (1) Pre-fitted per 450 sft	£267.00



POOL KITS

5ft Polymer Pool Sets

Kafko Professional 'X-treme' Polymer pool panel in 5ft/1.5m depth with polymer bracing.

All panels prior to delivery, are pre-cut at our warehouse using a custom made jig to enable Skimmer(s), Light fitting(s) etc to be installed accurately and with ease. Colours may vary. Steel bracing option available to professional pool dealers only.



2ft radius Corner Available



INCLUDED

- Polymer Panel(s)
- Polymer Bracing
- Corner Post
- Hardware
- Steel Pins

IMPORTANT NOTE

X-treme panels have a much stronger internal rib support and can be used in conjunction with XPS extruded polystyrene. This panel system is ideal for installations that have to be Part L compliant.

EXTREME 5FT / 1.50M PANEL SETS with Polymer Bracing

Pool Size		Price
24 x 12	7.32 x 3.66m	£8,778.00
28 x 14	8.55 x 4.27m	£10,663.00
30 x 14	9.15 x 4.27m	£11,517.00
30 x 15	9.15 x 4.57m	£11,834.00
32 x 16	9.37 x 4.88m	£11,780.00
33 x 16	10.00 x 4.88m	£12,560.00
36 X 18	10.98 x 5.49m	£13,665.00
40 X 20	12.20 x 6.10m	£14,872.00
Product Code: N		

EXTRAS

Product	Price
6" Radius Corner Insert (Set 4) for 5ft panels	£610.00
Inlet (2) Pre-fitted	£65.80
Skimmer (1) Pre-fitted per 450 sft	£267.00

Xtreme

POOL KITS

Pool Step Units

COUNTRY LEISURE STEPS

(Plain White Foamed)

Code	Product Name	Price
Plain Step 4' Depth		
BPP038-C	5' x 4' Rectangle Square Step	£2,827.00
BPP022-C	8ft' x 4' Roman End (4' Radius)	£3,167.00
BPP018-C	10ft Roman End (4' radius)	£3,816.00
BPP006-C	12ft Roman End (low profile 5' radius)	£4,295.00
BPP054-C	5' x 5' Internal Corner Step Unit	£3,059.00

Plain Step 5' Depth

BPP010-C	12ft Roman End (low profile 5' radius) (also available in 11')	£5,949.00
BPP058-C	6' x 6' Internal Corner Step	£4,243.00
BPP032-C	2000 x 1625 x 1500mm depth Square Step	£3,286.00

Other RAL 840HR colours are available subject to a 15% surcharge.
Above prices do not include delivery POA.

SPARES

Code	Product Name	Price
BPP123-V	White Plastic Cap Set (50)	£51.00
BPP124 6m-V	Foam Gasket - 6m	£66.00
BPP124 25m-V	Foam Gasket - 25m	£258.00



Square Step



10 or 12ft Roman End



Internal Corner Step

POOL KITS

XPS Insulation Boards

XPS Thermal Boarding is an Extruded Polystyrene closed cell board (XPS). The boards 1250 x 600 x 80mm will enable you to obtain minimal heat loss through the walls and floor of the pool (U-Value of 0.25 W/M2K).

Kingspan GG300 is manufactured to the highest quality standards under a quality management system which complies with the requirements of BS EN ISO 9001: 2000 (Quality management systems. Requirements).

GREENGUARD® GG300

Product	Price
1500-V XPS Thermal Board Pack (5) Each board = 0.75 sqm	£132.00 (£26.40 per board)
Price Subject to change - please check with head office.	
Delivery (Maximum 8 packs per pallet)	£90.00

IMPORTANT NOTE

All dealers & internet retailers, please note prices are subject to change - we advise contacting us prior to placing any orders.





UltraSwim Plunge Pool 5 x 2 x 1.2m

Above or Below Ground Shell System
Can accommodate any type swimjet system!

Ideal for small gardens or the ultimate exercise pool!

Comprising of a galvanised steel modular panel system that can incorporate the Ultraflow propulsion counter current unit or any other type swimjet system.

Ideal for limited garden space, the UltraSwim pool shell can be erected within one day – ABOVE OR BELOW GROUND!

NO
BRACING
REQUIRED!



ABOVE OR BELOW GROUND STEEL POOL SHELL SYSTEM

The complete kit delivered to your door!

Comprising of a galvanised steel modular insulated panel system, featuring the Ultraflow propulsion counter current unit or can be adapted to accommodate any other type of swimjet!

Galvanised steel panel sections simply bolted together to form the walls that are secured to a prepared 150mm depth reinforced concrete base. All panels are pre-cut to receive all the required pool shell fittings that connects to the filtration system. A pattern PVC liner membrane is applied to form a watertight sealed structure.

TWIN SUPER JET



ULTRAFLOW



POOL EQUIPMENT

- Steel Panels and beams
- Sand Filter (Waterco)
- Filter Pump (Waterco)
- All Pattern 30g Liner
- ABS Pool Fittings - White
- Hardware




WARRANTY

- 10 Years Pool Panels (Pro-rated)
- 7 Years Liner (Pro-rated)
- 2 Years Electrics

LINERS

- Plain Colours Included. Slate & Mosaic additional charge
- Liner colour may vary from publication
- Max Operating Temperature 32°C



PRICE LIST - ULTRASWIM KIT INCLUDING LINER, FILTRATION & SHELL FITTINGS

Code	Product Name	Quantity	Price
	Panel 609mm	2	Included
	Panel 2130mm	6	Included
	Stiffener channels 5.5mm x 2m	2	Included
	Stiffener channels 5.5mm x 3m	2	Included
	Corner Upright	4	Included
	Hardware M10 x 25mm	200	Included
	Factory cut-out all shell fittings	1	Included
	Liner Lock 3m	5	Included
	30g Plain Coloured Liner: Mid Blue, Ice Blue, Dark Grey, Light Grey, Sand, Aqua & White	1	Included
	Filtration Pack - Waterco t450 Top Mount Filter & 0.5hp Aquamite Pump	1	Included
	White Shell Fitting Pack: Skimmer (1), Inlet(1), Low Suction (1)	1	Included
USM0001-N	ULTRASWIM POOL 4.86 X 2.13 X 1.220 KIT AS LISTED ABOVE	1	£13,995.00


Delivery UK Mainland 150 mile radius from head office. All other locations POA.
IMPORTANT NOTE: a minimum of two able bodied persons required to off load pool kit.

OPTIONAL ITEMS

Code	Product Name	Quantity	Price
USM0002-N	ULTRAFLOW Propulsion Swim Package Remote Control		£8,365.00
LUX8207-N	TWIN SUPER JET Package		£4,550.00
USM0003-N	Pattern Liner Upgrade Cost		£399.00
USM0004-N	Steel Coping (Powder Coated) Profile - Below Ground: Colour Anthracite Grey		£1,315.00
USM0005-N	Steel Coping (Powder Coated) Profile - Above Ground Pool: Colour Anthracite Grey		£3,340.00
USM0006-N	Internal Seat/Step 575 X 575mm		£520.00
USM0007-N	Internal Seat/Step Liner Fabrication - Plain & Pattern		£180.00
USM0008-N	GREY Shell Fitting Upgrade Cost		£250.00
USM0009-N	XPS Insulation Wall Pack (1200 x 600 x 85mm x 25 Pcs)		£660.00
USM0010-N	Seamaid Light Package: White LED, transformer, wall fitting kit		£538.00
1319-N	Seamaid Light Chrome on Plastic Facia Upgrade		£39.50
1016-N	4.5Kw Electric Heater		£650.00
68186-N	12kW Waterco Aquaflow Electroheat Inverter - Side Mount Heat Pump		£2,555.00
USM0011-N	Felt Underlay Kit for floor only		£115.00
USM0012-N	MANUAL AQUAMATIC ABOVE GROUND COVER SYSTEM Manual Aquamatic Single Layer PVC Cover Inc. Roller, Aluminium Top Track, Tow Rope, Flat Leading Edge	See Page 162	£2,823.00
USM0014-N	As above with 6mm Encapsulated Spa Thermal Cover		£616.00
USM0013-N	Leading Edge 46mm Debris Brush Extrusion		£435.00

COPING

- Below Ground Profile
- Above Ground Profile



Tilestone Pool

EXPERIENCE THE DIVERSITY OF THE TILESTONE SWIMMING POOL RANGE

FREE STANDING POOL SHELL

100% leak-free pool structure

Experience the diversity of the Tilestone swimming pool range, available in different sizes & designs. The one-piece Tilestone Pool can be delivered fully tiled or un-tiled.

Available as a skimmer, overflow or infinity edge type pool. Our unique manufacturing process ensures 100% leak-free pool structure prior to tiling.

All Tilestone pools are fully insulated with a thermal conductivity of $0.25 \text{ W / m}^2\text{K}$. The Tilestone self-supporting 100mm box carbon steel frame enables the pool to be installed above or below ground. Contact our design team and let us help you to design the perfect pool. Sectional pool structures also available.



Delivered fully tiled or un-tiled



Installation...



Delivered directly to site in either 1 or 2 pieces



AVAILABLE AS:

- Skimmer
- Deck Overflow
- Infinity Edge
- Hydrotherapy

WARRANTY


Pool Structure	10 Years
Pool Tiles	2 Years
Max Operating Temperature	38°C

TILESTONE BENEFITS:

- No delays caused by bad weather
- No delays in building
- No pool fittings need to be installed on site
- Epoxy tiled for superior adhesion
- Epoxy grouting minimising staining
- No reliance on sub-contractors
- No structural leaks – 100% watertight
- 75% faster construction time
- Available in two-piece option
- Fully insulated Part L Standards
- Free-standing
- Skimmer, Deck Overflow & Infinity Edge pools
- An expected minimum service life of 25 years

A CHOICE OF FIVE DIFFERENT

Mosaic patterns





TILESTONE POOL


Tilestone Standard Skimmer Pools

PRICE GUIDE

Size (m)	Un-tiled	Tiled	Stainless Pack	Split Option
3 Meter Width				
6 x 3	£24,460	£33,507	£1,722	£2,395
7 x 3	£27,772	£37,975	£1,722	£2,395
8 x 3	£30,892	£42,442	£1,722	£2,395
3.8 Meter Width				
6 x 3.8	£28,374	£38,868	£1,722	£2,395
7 x 3.8	£32,070	£43,931	£1,722	£2,395
8 x 3.8	£35,766	£48,995	£1,722	£2,395
9 x 3.8	£39,463	£54,058	£1,722	£2,395
10 x 3.8	£43,158	£59,121	£1,722	£2,395
4.5 Meter Width				
10 x 4.5m	£48,105	£65,897	£2,512	£2,395
11 x 4.5m	£52,182	£71,481	£2,512	£2,395
12 x 4.5m	£56,258	£77,066	£2,512	£2,395
Product Code V applicable to above				
Aquamatic Safety Cover Housing per metre (add 1m to pool width)				£1,062
Twin Super Jet				£4,550
Ultraflow Counter Current System				£8,365
Delivery Kerbside - Crane Offload by others - approximate guide price				£4,500

FACTORY FITTED ACRYLIC WINDOW



Size (m)	Guide Price
1.80 x 0.50 x 0.05	£12,120
2.30 x 1.00 x 0.080	£32,444
1.80 x 0.50 x 0.10	£41,995



Factory fitted- Acrylic Window

IMPORTANT INFORMATION

- Pools available either tiled or untiled. Fully tiled pools include epoxy adhesive and grout.
- All pools have steel frame support, 50mm foam insulation, lifting eyes, structural calculations, CAD drawings.
- Pipework, Pool Equipment, Lights - NOT included
- Stainless Steel Fitting Pack contains: 1 x skimmer, 1 Vac Point, 2 x Inlets, 2 x low Suctions
- Due to European road width restrictions the maximum transportable width is 3.8m.
- Built to order, allow 8-10 weeks for delivery.
- All pools are delivered (kerb side only) on a trailer direct from manufacturer. Crane lift off is required.
- Product Code - V



Carbon Steel Frame

Manufactured using a 100 x 100mm Carbon Steel framework and Polyester tanking system enables the pool to be installed above or below ground in sections.



TILESTONE POOL

Tilestone Trainer Pools

Designed for the keen keep-fit enthusiast, the Trainer Pool is available in compact sizes for smaller environments or indoor projects. Simply choose the pool size and add the desired swim jet.

All standard trainer pools are designed to be installed below ground (optional above ground support available). Supplied in eight sizes, with a choice of five different mosaic tile patterns, the Trainer Pool comes complete with Kit 500 filtration equipment and factory fitted grey ABS pool fittings. Contact our design team and let us help you to design the perfect pool. See Page 26 for tile choice.



SWIM JET OPTION 1

TWIN SUPER JET (Rectangle) Includes 2 X 2.2kW (1phase) Pumps 45 cbm/hr each (90 cbm/hr in total).

Complete with: GRP Box Housing, Electric Switch Box, Piezo Buttons, 5" Wall Suctions & Plumbing Valves. Lid Housing not included.



ULTRAFLOW OPTION 2

Flush Mounted 24V motor driven propulsion system generating - 1.7m per second swim speed. For more details see page 126.

Complete with: GRP Housing, Stainless Steel Front Grille, Control Panel.



KIT 500 POOL EQUIPMENT

Every pool includes:

- Sand Filter (Hayward)
- Filter Pump (Hayward Max Flow)
- ABS Skimmer(s) - GREY
- Inlet(s) - GREY
- LED Underwater light - GREY
- Deck Box - GREY
- Electric Control Panel - single phase*
- PVC Fittings Kit - 63mm
- Flexible PVC pipe (63mm) 50 metre
- Cleaning Equipment
- Pure-flow Filter media

* Includes RCD, Timer & Light Transformer



PRICE GUIDE

Trainer Pool Size (m)	Price	Super Jet 2	Ultraflow	Stainless Steel Fitting Upgrade (Exc. Light Chrome Plastic)	Steel Frame for Above Ground installation	Slatted Bench Cover PVC (Grey or White)
2.0 x 5.0 x 1.50	£20,844	£4,550	£8,760	£1,100	£3,100	£11,357
2.3 x 4.5 x 1.50	£20,844	£4,550	£8,760	£1,100	£3,100	£11,357
2.5 x 5.0 x 1.50	£21,802	£4,550	£8,760	£1,100	£4,598	£11,578
2.5 x 6.0 x 1.50	£27,741	£4,550	£8,760	£1,100	£6,099	£11,798
3.0 x 5.0 x 1.50	£27,602	£4,550	£8,760	£1,100	£5,096	£11,798
3.0 x 6.0 x 1.50	£30,087	£4,550	£8,760	£1,100	£7,203	£12,060
3.0 x 7.0 x 1.50	£32,578	£4,550	£8,760	£1,100	£9,308	£12,372
3.0 x 8.0 x 1.50	£35,413	£4,550	£8,760	£1,100	£11,097	£12,590
Endless Fast Lane SS Support Bracket						£1,357
Endless Pool Wall Rebate 1800 x 750 (max pool length 7m)						£2,985
Product Code V applicable to above						
Delivery - POA						

TILESTONE POOL

Hydrotherapy

At Luxe, we believe every hydrotherapy pool should be tailor-made to suit your needs. Above or below ground, massage stations, air therapy, glass windows are all options that can be accommodated for.

We can work with your drawings and plans or provide concepts based on your ideas to achieve the desired result. To ensure everything is perfect with your design, our experts create full CAD drawings giving you all the dimensions you need to ensure everything will fit with precision. We can provide structural calculations for standard and bespoke designs.




CASE STUDY

Bespoke one-piece hydrotherapy pool

The following pages refer to a bespoke one-piece hydrotherapy pool sort after by ARA Architects and design consultants.

The design brief was to produce a 5.40 x 2.40m hydrotherapy pool, insulated to Part L standards, free-standing incorporating an Aquamatic Safety Cover System.





Wall Fittings - Factory Fitted

Spa Skimmer:	Stainless
Wall Inlet:	Stainless
Low Side Suction:	Stainless
Vac Point:	Stainless

Massage Stations - Factory Fitted

10 No. Massage Jets SIDE WALL (1 X 6, 1 X4) Water/air.
8 No. Massage Jets BENCH SEAT (2X4) Water/air.

Floor Hydrostation (Geyser) - Factory Fitted

330 x 330mm Square Plate Floor Hydro Station.
1.5kW Air Blower (with Silencer) for above.

Entrance Hand Rail

Custom Made Entrance handrail

LED Lighting System

WT2 Cool White LED Pool Light (Threaded) cw 20m cable.

Aquamatic Safety Cover

Thermosafe Spa cover system complete stainless steel track level lid system

GRP Housing for Aquamatic Cover

GRP Housing 2.9 x 0.45 x 0.45m




Fully tiled



Delivered in one piece



Wall hydrostations



Luminescent Tiles

TILESTONE POOL

Spa Shell Almond

GRP fully tiled spas available in mosaic or large format MDI tiles to minimise grout joints.

Self-supporting leg design included.



WARRANTY

Spa Structure:	10 Years
Spa Finish:	2 Years
Max Operating Temperature 38°C.	

**Mosaic
or Large
Format Tile
Application**

SPECIFICATION

- Interior Size - Three Sizes
- Skimmer or Overflow
- Pre-plumbed shell fittings - 12 Massage Jets
- 2 x Inlets, 2 x Suctions
- 1 x Electric touch button (deck mounted)
- LED White Light
- Choice of five tile patterns - see page 26
- Epoxy tiled and grout finish
- 50mm PU foam insulation to Part L standard



PRICE GUIDE - ALMOND SPA

Spa Size	Skimmer	Additional Cost Overflow	Skid Pack Pre-plumbed Pallet	Skid Pack GRP Box Pre-plumbed Pallet	Balance Tank Insulated 2 CBM ³
1.7 x 1.7 x 1.05	£17,200	£4,140	£3,471	£4,556	£2,455
2.0 x 2.0 x 1.05	£19,735	£4,805	£3,471	£4,556	£2,455
2.3 x 2.3 x 1.05	£21,925	£5,525	£3,471	£4,556	£2,455
2.5 x 2.5 x 1.05	£23,456	£7,764	£3,471	£4,556	£2,455
3kW Electric Spa Heater (can be installed foc in any Skid Pack)					£960
Stainless Steel Entrance Handrail					£510
Product Code V applicable to above					
Delivery - POA					

For additional spa options - see page 27. Please contact Head Office for more drawing information.

TILESTONE POOL

Spa Shell Coconut

GRP fully tiled spas available in mosaic or large format MDI tiles to minimise grout joints.

Self-supporting leg design included.


WARRANTY

Spa Structure:	10 Years
Spa Finish:	2 Years
Max Operating Temperature 38°C.	

**Mosaic
or Large
Format Tile
Application**

SPECIFICATION

- Interior Size - Three Sizes
- Skimmer or Overflow
- Pre-plumbed shell fittings - 12 Massage Jets
- 2 x Inlets, 2 x Suctions
- 1 x Electric touch button (deck mounted)
- LED White Light
- Choice of five tile patterns - see page 26
- Epoxy tiled and grout finish
- 50mm PU foam insulation to Part L standard



PRICE GUIDE - COCONUT SPA

Spa Size	Skimmer	Additional Cost Overflow	Skid Pack Pre-plumbed Pallet	Skid Pack GRP Box Pre-plumbed Pallet	Balance Tank Insulated 2 CBM ³
1.7 x 1.7 x 1.05	£15,458	£4,115	£3,471	£4,556	£2,455
2.0 x 2.0 x 1.05	£17,733	£4,806	£3,471	£4,556	£2,455
2.3 x 2.3 x 1.05	£19,992	£5,526	£3,471	£4,556	£2,455
2.5 x 2.5 x 1.05	£21,453	£6,007	£3,471	£4,556	£2,455
3kW Electric Spa Heater (can be installed foc in any Skid Pack)					£960
Stainless Steel Entrance Handrail					£510
Product Code V applicable to above					
Delivery - POA			For additional spa options - see page 27. Please contact Head Office for more drawing information.		

Spa Shell Sesame


Self-supporting leg design included.



Spa Structure: 10 Years
Spa Finish: 2 Years
Max Operating Temperature 38°C.

Mosaic or Large Format Tile Application

- Interior Size - Three Sizes
- Skimmer or Overflow
- Pre-plumbed shell fittings - 12 Massage Jets
- 2 x Inlets, 2 x Suctions
- 1 x Electric touch button (deck mounted)
- LED White Light
- Choice of five tile patterns - see page 26
- Epoxy tiled and grout finish
- 50mm PU foam insulation to Part L standard



PRICE GUIDE – SESAME SPA

Spa Size	Skimmer	Additional Cost Overflow	Skid Pack Pre-plumbed Pallet	Skid Pack GRP Box Pre-plumbed Pallet	Balance Tank Insulated 2 CBM³
4.0 x 2.0 x 1.05	£24,826	£7,208	£3,471	£4,556	£2,455
4.5 x 2.3 x 1.05	£28,174	£8,169	£3,471	£4,556	£2,455
5.0 x 2.5 x 1.05	£31,172	£9,010	£3,471	£4,556	£2,455
3kW Electric Spa Heater (can be installed foc in any Skid Pack)					£960
Stainless Steel Entrance Handrail					£510
Product Code V applicable to above					
Delivery - POA		For additional spa options - see page 27. Please contact Head Office for more drawing information.			

For additional spa options - see page 27. Please contact Head Office for more drawing information.

TILESTONE POOL

Spa Shell Thermae

GRP fully tiled spas available in mosaic or large format MDI tiles to minimise grout joints.

Self-supporting leg design included.



WARRANTY

Spa Structure:	10 Years
Spa Finish:	2 Years
Max Operating Temperature 38°C.	

**Mosaic
or Large
Format Tile
Application**

SPECIFICATION

- Interior Size - Three Sizes
- Skimmer or Overflow
- Pre-plumbed shell fittings - 12 Massage Jets
- 2 x Inlets, 2 x Suctions
- 1 x Electric touch button (deck mounted)
- LED White Light
- Choice of five tile patterns - see page 26
- Epoxy tiled and grout finish
- 50mm PU foam insulation to Part L standard



PRICE GUIDE – THERMAE GLASS SPA

Spa Size	Skimmer	Additional Cost Overflow	Skid Pack Pre-plumbed Pallet	Skid Pack GRP Box Pre-plumbed Pallet	Balance Tank Insulated 2 CBM ³
4.0 x 2.0 x 1.05	£35,639	£7,207	£3,471	£4,556	£2,455
3kW Electric Spa Heater (can be installed foc in any Skid Pack)					£960
Stainless Steel Entrance Handrail					£510
Product Code V applicable to above					
Delivery - POA			For additional spa options - see page 27. Please contact Head Office for more drawing information.		

TILESTONE

Mosaic patterns




Bali Black



Style Blue



Pearl White



Platinum Grey



Emerald Green

Mosaic Tiles

Five stock colour tiles to choose from with White, Grey, Blue and Green colour grout options.

Click to view factory finished spa



Bali Black



Style Blue



Pearl White



Platinum Grey



Emerald Green

TILESTONE POOL

Spa Options

**Skid Pack PALLET - Skimmer & Overflow**

Pre-plumbed Filtration Skid Pack on pallet Inc. Circulation Pump, 2.2kW Jet Pump, Filter, Valve control (can accommodate 3kW heater). Hayward Electric Heater Included c/w RCD, timer & transformer.

**Skid Pack GRP Box - Skimmer & Overflow**

Same Pre-plumbed Filtration kit installed in a GRP box housing. Designed to be partially installed in ground. Housing can be tiled or wood cladded by others and used as seating bench.



Handrail



3kW Spa Heater



Insulated Balance Tank



Hard Spa Cover

PRICE LIST

Product name	Price
Skid Pack - Pallet Skimmer & Overflow	£3,471.00
Skid Pack - GRP Box Skimmer	£4,556.00
Spa Handrail	£510.00
3kW Electric Spa Heater (can be installed in any Skid Pack)	£960.00
Spa Hard Cover: Almond & Coconut 2.0 x 2.0m	£1,530.00
Spa Hard Cover: Almond & Coconut 2.3 x 2.3m	£1,986.00
Spa Hard Cover: Almond & Coconut 2.5 x 2.5m	£2,485.00
Spa Hard Cover: Sesame 4.00 x 2.0m - other sizes POA	£3,495.00

MISCELLANEOUS

Plumbing & Sealants

PRICE LIST

Code	Product Name	Price
------	--------------	-------

Valves

1701-M	1.5" Double Union Ball Valve	£37.85
1702-M	2" Double Union Ball Valve	£63.45
1419-M	1.5" Three Way Ball Valve	£71.60

1.5" Pipe & Fittings

1707-M	1.5" Class 'C' Pipe - 3M lengths	£34.75
1708-M	1.5" - 45 deg. Elbow	£3.25
1709-M	1.5" - 90 deg. Elbow	£3.80
1710-M	1.5" - Tee	£6.65
1711-M	1.5" - Plain Socket Union	£12.00
1727-M	1.5" - Male-Threaded Socket Union	£12.00
1728-M	1.5" - Female-Threaded Socket Union	£11.65
1712-M	1.5" - Plain Socket	£3.30
1713-M	1.5" - P/T Socket (plain/Thr. internal socket)	£4.70
1714-M	1.5" - P/T Nipple	£2.35
1715-M	1.5" - Nipple Socket	£2.75
1716-M	1.5" - Threaded Stop Plug	£2.65
1744-M	1.5" - End Cap	£2.55
1717-M	2"-1.5" Threaded Reducer	£3.25
1718-M	2"-1.5" Plain Reducer	£3.05
1719-M	1.5" - Brass Composite Union (M) High Temp	£43.00
1720-M	1.5" - Brass Composite Union (F) High Temp	£43.00
1721-M	1.5" - Pipe Clip	£3.25

Miscellaneous

C60548-M	25-45mm Jubilee Clip	£3.50
1780-M	50mm FP/1.5" MP Socket	£6.45
1781-M	50mm FP/1.5" FP Socket	£6.45
1782-M	50mm Plain Socket	£6.45
1738-M	25M Flexitube Plumbing Coil (50mm)	£180.25
1749-M	25M Flexitube Plumbing Coil (63mm)	£268.00

PRICE LIST

Code	Product Name	Price
------	--------------	-------

Hose Tails

1722-M	1.5" Threaded Hose Tail	£2.75
1723-M	1.5" M/P Hose Tail	£2.75
1724-M	FP/ 1.5" Hose Tail	£3.90
1725-M	Threaded 1.50" - 1.25" Hose Tail	£3.55
1726-M	1.5" M/P 1.25" - 1.5" Hose Tail	£3.55
1729-M	1.5" F/P 1.25" - 1.5" Hose Tail	£3.55

2" Pipe & Fittings

1730-M	2" Class 'C' Pipe	£44.20
1731-M	2" - 45 deg. Elbow	£7.45
1732-M	2" - 90 deg. Elbow	£6.90
1733-M	2" - Tee	£9.85
1734-M	2" - Plain Socket Union	£15.25
1735-M	2" - Plain Socket	£4.85
1736-M	2" - P/T Nipple	£4.85
1737-M	2" - Nipple Socket	£4.85

Adhesives & Sealants

C754050-X	PTFE Tape 0.75" wide	£1.30
1755-M	240ml Wet & Dry ABS/PVC Glue	£23.75
1756-M	500ml Wet & Dry ABS/PVC Glue	£37.75
1757-M	Pipe Cleaner	£24.75
1758-B	Silicone Polymer Adhesive - Black	£15.95
1759-B	Silicone Polymer Adhesive- White	£15.95

MISCELLANEOUS

White Goods

PRICE LIST

Code	Product Name	Price
Concrete Pools		
1601-M	CONCRETE Inwall Surface Skimmer Body HD100SN	£183.00
1601A-M	CONCRETE Wide Angle Extension Throat HD101CS	£67.00
1602-M	CONCRETE 6" Dia. Main Drain Anti-Vortex HD33	£58.00
1603-M	Hydrostatic Relief Valve - Plastic HD34	£17.50
1604-M	Hydrostatic Relief Valve - Brass CK34S	£98.00
1605-M	Collection Tube HD35	£11.25
1606-M	CONCRETE Return Inlet Fitting HD53C	£15.40
1607-M	CONCRETE Low Suction Fitting HD54C	£15.00
1608-M	CONCRETE Vacuum Point Fitting	£12.80

Liner Pools

1601-M	Inwall Surface Skimmer Body HD100SN	£183.00
1610A-M	LINER Wide Angle Extension Throat HD101LT	£84.00
1611-M	LINER 6" Dia. Main Drain Kit ZZ0352	£75.50
1612-M	LINER Return Inlet Fitting inc backnut HD53PLT	£32.90
1613-M	LINER Low Suction Fitting inc backnut HD54PLT	£32.60
1614-M	LINER Vacuum Point Fitting inc back nut HD20PLT	£28.60
1616-M	Liner Lock 10ft Wide Back	£21.00
1617-M	Liner Lock Corners (4) wide back	£38.50
1618-M	Collar Weir Conversion Kit	£44.00
1619-M	Kornea Vacuum Plate	£17.85
1621-M	Transformer for U.W.L 12V. - 300w.	£478.00
1622-M	Deck Box	£32.00
1624-M	Automatic Water Level Unit HD108	£195.00
1628-M	Stainless Steel Grille for Main Drain CK33S	£68.00

Spares Pack

SPHD100-V	Skimmer Lid Spare Part Kit	£36.00
SPHD101LT-V	LINER Wide Angle Extension Throat	£55.00
SPHD33LT-V	Main Drain Spare Part Kit (New Type) - Liner	£60.50
SPHD33LO-V	Main Drain Spare Part Kit (Old Type) - Liner	£39.50
SPHD53LT-V	Inlet Spare Part Kit - Liner	£28.25
SPPU9L-V	Underwater Light Spare Part Kit - Liner	£73.00



1601A-M



1612-M




1624-M



SPHD33L

MISCELLANEOUS

Coping - Kafko



Kafko Aluminium Coping



Kafko 7" Plastic Coping



540108



540111

KAFKO ALUMINIUM COPING

Code	Product Name	Price
2270-M	8ft - 4" Ali Coping inc. Butt Covers / Support Brackets / Liner Clip	£105.00
2272-M	6" Radius Corners - Set of Four	£156.00
2273-M	2' Radius Corners - Set of Four	£250.00
2291-M	Ali Coping PVC Snaplock Liner Clip	£6.50
2299-M	Ali Coping Support Bracket	£5.10
2300-M	Ali Coping Joint Cover	£6.50

KAFKO 7" PLASTIC COPING

Code	Product Name	Price
2276-V	10ft Length - 7" Plastic Coping (Joint cover strip sold separately)	£267.00
2277-V	10ft Blue & White Insert Strip	£17.00
2278-V	Joint Cover Strip	£6.50
2279-V	6" Radius Corner each. (includes Retainer & Screw)	£35.50
2281-V	Kafko Coping 6" Retainer Clip	£7.50
2284-V	Complete Coping Set for pool size:- 24' x 12'	£2,391.00
2285-V	Complete Coping Set for pool size:- 28' x 14'	£2,657.00
2286-V	Complete Coping Set for pool size:- 32' x 16'	£2,924.00
2287-V	Complete Coping Set for pool size:- 36' x 18'	£3,190.00
2288-V	Complete Coping Set for pool size:- 40' x 20'	£3,456.00

KAFKO SPARE PARTS

Code	Product Name	Price
Kafko Skimmer		
540101-V	Kafko Skimmer Faceplate with Gasket	£70.00
540104-V	Kafko Skimmer Gasket	£17.00
540105-V	Kafko Skimmer Basket	£37.50
540108-V	Kafko Skimmer Lid Round	£36.00
540110-V	Kafko Skimmer Weir Conversion Kit	£44.00

Kafko Inlet

540111-V	Kafko Inlet Complete	£44.00
540112-V	Kafko Inlet Faceplate & Gasket	£12.50
540113-V	Kafko Inlet Gasket	£1.50

Kafko Main Drain

540123-V	Kafko Main Drain Faceplate	£26.50
540125-V	Kafko Main Drain Gasket	£12.50
540126-V	Kafko Main Drain Cover (not avail. source Hayward)	£43.50

Kafko Ladder

540130-V	Kafko Ladder Tread	£33.50
540131-V	Kafko Ladder Nut & Bolt - price each.	£10.50
540132-V	Kafko Ladder Bumper 1.9" - price each.	£9.50

Miscellaneous

540133-V	Kafko Escutcheon Plate (plastic) - price each.	£7.50
----------	--	-------

MISCELLANEOUS

Coping - Natural Stone

COPING

Code	Product Name	Price
300mm Plain Coping		
2251-N	Danebury Straight 600 x 300 40mm	£40.00
2252-N	Danebury 150mm Radius Corner (300mm)	£91.50
2253-N	Danebury Square Corner (300mm)	£91.50
2254-N	Danebury 300mm x 5' Rad Roman End Kit	£1,152.00
2255-N	Danebury 300mm x 4' Rad Roman End Kit	£1,075.00
300mm Groove Coping		
2256-N	Danebury Straight 600 x 300 40mm with Groove	£56.95
2257-N	Danebury 150mm Radius Corner with Groove	£107.00
2258-N	Danebury Square Corner with Groove	£107.00
225mm Plain Coping		
2230-N	Danebury Straight 600 x 225 x 40mm	£46.00
2231-N	Danebury 150mm Radius Corner (225mm)	£105.00
2232-N	Danebury Square Corner (225mm)	£105.00
2233-N	Danebury 225mm x 5' Rad Roman End Kit	£1,325.00
2234-N	Danebury 225mm x 4' Rad Roman End Kit	£1,250.00
225mm Groove Coping		
2235-N	Danebury Straight 600 x 225 x 40mm with Groove	£66.50
2236-N	Danebury 150mm Radius Corner with Groove (225mm)	£107.00
2237-N	Danebury Square Corner with Groove (225mm)	£107.00
Miscellaneous		
2261-N	Joint Mix - White Sand	£25.50

IMPORTANT NOTE

Delivery price guide - most coping set delivery charges are £95.00 on average. All delivery charges TBC.



Liners

SECTION INDEX

Kafko Liners	33
Aquaflex Liners	34
Vinyl Vac	35

POOL LINERS

Kafko Liners

Standard pool liners present visible lines on the pool floor at the seams which ultimately detract from the beauty of the pool. Our innovative **ULTRA^{SEAM}** technology elevates our liners to an entirely new category.

Kafko's exclusive manufacturing process makes the floor seam stronger and virtually invisible to the naked eye!

IMPORTANT NOTE

All vinyl liner graphics are for illustration purposes only. It is recommended by the manufacturer to view an actual vinyl sample before ordering your liner.

Colour may vary from a printed brochure.

The manufacturer reserves the right to change liner selections without notice.

Pattern alignment may vary at the location of seams or on vinyl-over step applications.

All liners are manufactured in 30g material.

40g material available (15% surcharge)

ULTRA^{SEAM}™

The strongest seams you'll NEVER see!

Ultra-Seam™

No visible floor seams.

Standard

Floor seams are visible on standard liners.



Blue Mosaic


Click to view all
available patterns.

For quotations, please email pool dimensions,
drawings etc to:


sales@paramountpools.co.uk

POOL LINERS





Aquaflex Liners




Blue Marble




Mosaic

Slate
(Pearl Range add 15%)Butterfly Blue
(Pearl Range add 15%)Butterfly Grey
(Pearl Range add 15%)



Byzance




Carrara




Persia Black

Esagano
(Pearl Range add 15%)Mosaic Wave
(Pearl Range add 15%)

Persia Blue



Persia Grey



Persia Sand

AQUAFLEX PRICE GUIDE

Size	Price	Size	Price
NSPI Hopper (3'4" sides)		Flat Bottom (4'10" sides)	
12' x 24'	£2,897.00	12' x 24'	£2,997.00
14' x 28'	£3,723.00	14' x 28'	£3,763.00
14' x 30'	£3,958.00	14' x 30'	£3,985.00
16' x 32'	£4,646.00	16' x 32'	£4,600.00
18' x 36'	£5,669.00	18' x 36'	£5,515.00
20' x 40'	£6,789.00	20' x 40'	£6,508.00
NSPI Hopper (4'0" sides)		DIY Flat bottom (3'10" sides)	
12' x 24'	£3,125.00	20' x 12'	£2,338.00
14' x 28'	£3,985.00	24' x 12'	£2,717.00
14' x 30'	£4,230.00	28' x 12'	£3,092.00
16' x 32'	£4,946.00	30' x 14'	£3,640.00
18' x 36'	£6,009.00		
20' x 40'	£7,166.00	Delivery	85.00

Note - for all Pearl liners add 15%

FELT UNDERLAY

Code	Product	Price
2897-B	Felt Underlay 25m x 2m roll	£371.00
2898-B	Felt Underlay 50m x 2m roll	£712.00
2899-B	Can Spray Adhesive (1.5 cans per 50 sqm)	£10.00
	Delivery	P.O.A

IMPORTANT NOTE

- All liners are manufactured in 30g material
- Discount Code - 'M' applies to all prices

POOL LINERS

Vinyl Vac

The Vinyl Vac does the work of two domestic vacuums and sets ANY liner. Very quiet too!



Now with
flexible suction
hose!

Note - Transformer
required.



FEATURES

- Quiet running
- Sets liners fast
- Designed to run continuously
- Easy to cut out steps - DRY!
- Sets ANY liner fast
- Does the work of two domestic vacuums

PRICE LIST

Code	Product	Price
2499-O	110 Volt Vinyl-Vac including 4" suction pipe. (110V Transformer required)	£675.00
2500-O	Vinyl-Vac 4" flexi pipe	£40.00



Filters

SECTION INDEX

Waterco	37
SM Bobbin Wound Top Mount Filter	38
Micron Filament Wound Sand Filter	39
Commercial Filters	40
SMD Commercial Filters	41
Filter Media & MPV	43
Glass Pearls Microfine Media	44
Commercial Ultravac Filter Cart	46

FILTERS

Waterco

Waterco's R&D division has led to the development of innovative products, meeting the challenges of change in the market place.

The key to Waterco's worldwide success has been its pioneering, innovative, rigorous testing and manufacturing processes that have resulted in quality assured goods being delivered every time.

It is for this reason alone that Paramount Pool Products are proud to be associated with such a company and are pleased to offer exclusively their range of inverter heat pumps, filters, Hydrostorm Plus pumps and Glass Pearl (Microfine) Media!

Images supplied by Aqua Platinum Projects




WATERCO FILTERS

SM Bobbin Wound Top Mount Filter



Micron fibreglass filters embody the latest in fibreglass winding technology.

Micron fibreglass vessels consist of an inner shell of fibreglass reinforced polyester resin wound over with fibreglass filament. Waterco's digitally controlled filament winding machine faultlessly winds continuous strands of high quality fibreglass filament under controlled tension to create a seamless one-piece vessel with refined consistency and superior quality. There are no welds or seams or special tank linings which can corrode or electrolysis.



SPECIFICATION

- Filter max working pressure 2.5 BAR
- 10 Year Warranty.
- UV Resistant
- Internal air bleed system
- Hydraulically balanced laterals to maximise water flow and filtration
- Multiport valve (4 BAR) comes c/w 1.5" & 50mm socket unions
- 1.5" MPV supplied with 20-24" Filters 2" MPV supplied with 28-32" Filters

PRICE LIST

Code	Product	Price
Waterco Filter Complete with Multiport Valve, Pressure Gauge		
1570-Y	500mm/20" Bobbin Wound Top Mount -1.5" (220122DP)	£680.55
1571-Y	600mm/24" Bobbin Wound Top Mount -1.5" (220124DP)	£811.79
1572-Y	702mm/28" Bobbin Wound Top Mount - 2" (220129DP)	£1,123.39
1573-Y	750mm/30" Bobbin Wound Top Mount - 2" (220130DP)	£1,336.49
1574-Y	800mm/32" Bobbin Wound Top Mount - 2" (220132DP)	£1,418.48

PRODUCT DETAILS

Model	Inner Dia. (mm)	Bed Depth (mm)	Filter Area (m ³)	Valve Size	Sand 16/30 (kg)	Zeoplus Glass (kg)	Dom. Flow (m ³ /hr)	Max. Pool Size (m ²)	Com. Flow (m ³ /hr)	Min. Pool Size (m ²)
SM500	500	280	0.20	50/1½	80	60	10	57	7.2	28
SM600	600	295	0.29	50/1½	160	121	14	83	10.4	41
SM702	700	300	0.40	63/2	200	151	19	115	14.4	56
SM750	750	340	0.46	63/2	220	166	22	132	16.5	64
SM800	800	420	0.50	63/2	365	203	24	144	18.00	72
Model	A	B	C	D	E	F	G	H	V	K
SM500	864	505	443	180	625	731	672	69	525	94
SM600	968	622	540	180	721	832	778	88	620	136
SM702	992	723	620	220	722	871	791	90	652	122
SM750	1132	772	620	220	867	1014	932	90	773	127
SM800	1077	810	620	220	807	956	875	90	713	111

WATERCO FILTERS


Micron Filament Wound Sand Filter



Waterco fibreglass filters are perfectly suited to the constant increases and decreases in pressure experienced by sand filters.

Accelerated cyclic testing has shown that even after simulating 20 years of use, Waterco fibreglass filters withstood cyclic wear and tear better than most other filters in its class.

Waterco is proud to show its ultimate confidence in its range of Micron fibreglass filters by offering a 10 year full tank warranty for residential installations.



SPECIFICATION

- Filter max working pressure 2.5 BAR
- 10 Year Warranty
- UV Resistant
- 8" Removable clear lid
- Internal air bleed system
- Hydraulically balanced laterals to maximise water flow and filtration
- Multiport valve (4 BAR) comes c/w 1.5" & 50mm socket unions
- Note. 1.5" MPV supplied with 20-28" Filters 2" MPV supplied with 30-36" Filters

PRICE LIST


Code	Product	Price
Waterco Filter Complete with Multiport Valve, Pressure Gauge		
1530-Y	500mm/20" Bobbin Wound Side Mount (22000820EU)	£901.00
1531-Y	600mm/24" Bobbin Wound Side Mount (22000824EU)	£960.43
1532-Y	700mm/28" Bobbin Wound Side Mount (22000828EU)	£1,152.52
1533-Y	750mm/30" Bobbin Wound Side Mount (22000830EU)	£1,500.47
1534-Y	900mm/36" Bobbin Wound Side Mount (22000836EU)	£1,976.04

PRODUCT DETAILS

Model	Inner Dia. (mm)		Bed Depth (mm)		Filter Area (m³)		Valve Size		Sand 16/30 (kg)		Zeoplus Glass (kg)		Dom. Flow (m³/hr)		Max. Pool Size (m²)		Com. Flow (m³/hr)		Min. Pool Size (m²)	
SM500	500		290		0.20		50/1½		90		74		10		56		7		43.2	
SM600	600		360		0.28		50/1½		140		115		14		81		10		60.5	
SM700	700		380		0.38		63/2		190		156		19		111		14		82.1	
SM750	750		400		0.44		63/2		210		173		21		127		16		95.0	
SM900	900		400		0.64		63/2		360		296		31		183		23		138.2	
Model	A	B	C	W	R	P	E	F	K	V	H	L	X	Y	Z	J	S	T		
SM500	464	520	815	310	215	153	594	649	100	652	585	70	743	790	715	445	485	283		
SM600	516	622	880	310	215	153	629	684	105	680	601	88	804	825	778	540	520	317		
SM700	565	719	948	321	248	178	520	601	120	728	685	90	905	750	835	620	520	317		
SM750	587	772	993	321	248	178	593	674	113	763	652	120	914	823	892	678	593	390		
SM900	687	923	1115	321	248	176	656	737	13	860	750	120	030	886	1011	678	658	453		


WATERCO FILTERS

Commercial Filters



SMD

- 1m bed depth
- Ultra smooth bobbin finish
- Available in 2.5, 4 bar, 6 bar, and 8 bar pressure ratings
- Vinylester resin coating available
- Quick connect unions up to and including SMD 2000
- Nozzle plate available upon request



SMDD

- 1.2m bed depth
- Ultra smooth bobbin finish
- Available in 2.5 bar, 4 bar, 6 bar, and 8 bar pressure ratings
- Vinylester resin coating available
- Flanged connections
- Nozzle plate version (SPDD)

PRODUCT DETAILS

Model	Filter Area (m²)	Bed Depth (mm)	Max Flow Rating		Sand (kg)	Zeoplus Glass (kg)		Discharge (m³)*	
			(30m³/hr/m³)	(40m³/hr/m³)					
SMD1050	0.87	1000	26	35	1410	1159		2.9	
SMD1200	1.13	1000	34	45	1720	1414		3.8	
SMD1400	1.54	1000	46	62	2515	2067		5.1	
SMD1600	2.01	1000	60	80	3170	2605		6.7	
SMD1600	2.01	1000	60	80	3060	2515		6.7	
SMD1800	2.54	1000	76	102	4205	3456		8.5	
SMD2000	3.14	1000	94	126	5140	4225		10.5	

Model	mm*	ins*	A	B	C	W	R	P	E	F	K	V	H	L	X	Y	Z	J	S	T
SMD1050	90	3.0	901	1077	1890	510	363	548	1100	1210	176	1587	1470	176	1805	1482	1735	1045	1100	744
SMD1200	90	3.0	977	1229	1905	510	363	548	1154	1264	176	1568	1400	176	1820	1536	1750	1045	1154	798
SMD1400	90	3.0	1083	1442	1955	510	363	548	1204	1314	218	1615	1500	218	1870	1586	1800	1202	1204	848
SMD1600	90	3.0	1184	1644	1994	510	363	548	1151	1261	218	1615	1500	218	1909	1533	1839	1202	1151	795
SMD1600	110	4.0	1765	1644	1994	943	474	629	757	419	419	1615	1470	218	1909	757	1839	1202	1200	717
SMD1800	110	4.0	1863	1839	1985	943	474	629	751	413	315	1660	1550	315	1900	751	1830	1755	1183	751
SMD2000	110	4.0	1964	2042	2063	943	474	629	758	420	245	1765	1550	245	1978	758	1908	1755	190	758

* Connection Size | *Volume after 5 min. backwash/rinse cycle

WATERCO FILTERS

SMD Commercial Filters

PRICE LIST

Code	Product	Nom. Size	Price
------	---------	-----------	-------

SMD Bobbin Wound Side Mount Filter 2.5 Bar


22501050903	SMD1050 (3"/90mm port size)	42"	£4,172.29
22501200903	SMD1200 (3"/90mm port size)	48"	£4,953.80
22501400903	SMD1400 (3"/90mm port size)	56"	£6,129.45
22501600903	SMD1600 (3"/90mm port size)	64"	£7,653.68
225016001103	SMD1600 (4"/110mm port size)	64"	£8,018.53
225018001103	SMD1800 (4"/110mm port size)	70"	£10,023.13
225020001103	SMD2000 (4"/110mm port size)	79"	£12,153.40

SMD Bobbin Wound Side Mount Filter 4.0 Bar


22501054801	SMD1050 (3"/90mm port size)	42"	£5,405.52
22501204801	SMD1200 (3"/90mm port size)	48"	£6,437.48
22501404801	SMD1400 (3"/90mm port size)	56"	£7,968.72
22501604801	SMD1600 (3"/90mm port size)	64"	£9,949.29
22501604101	SMD1600 (4"/110mm port size)	64"	£10,132.27
22501804101	SMD1800 (4"/110mm port size)	70"	£12,785.72
22502004101	SMD2000 (4"/110mm port size)	79"	£15,801.75

IMPORTANT NOTE

- Excludes MPV (4.0 Bar)



Side hatch/Lateral manhole covers




SMD OPTIONS

Code	Product	Nom. Size	Price
W22115	Sight Glass Fitted	90mm	£578.38
SSHR200	Side Service Hatch - Round	200mm	£693.02
SSHR320	Side Service Hatch - Round	320mm	£1,228.59
SSHO320	Side Service Hatch - Oval	320 x 200mm	£1,165.51
SSHO420	Side Service Hatch - Oval	420 x 320mm	£2,286.97

WATERCO FILTERS

SMD Commercial Filters



PRICE LIST

Code	Product	Nom. Size	Price
SMDD Bobbin Wound Side Mount Filter 2.5 Bar			
224975051826L	SMDD750 2"/63mm	200mm service hatch	30" £2,551.66
224990080136L	SMDD900 3"/90mm	200mm service hatch	36" £4,247.70
2249105080136L	SMDD1050 3"/90mm	200mm service hatch	42" £5,202.07
2249120043037L	SMDD1200 3"/90mm	420 x 320mm service hatch	48" £6,300.06
224914001025L	SMDD1400 4"/110mm	420 x 320mm service hatch	56" £7,647.12
224916001025L	SMDD1600 4"/110mm	420 x 320mm service hatch	64" £10,016.23
224918001525L	SMDD1800 6"/160mm	420 x 320mm service hatch	70" £12,522.77
224920001525L	SMDD2000 6"/160mm	420 x 320mm service hatch	79" £15,091.83
2240220041525L	SMDD2200 6"/160mm	420 x 320mm service hatch	87" £18,289.62
2249235015435	SMDD2350 6"/160mm	420 x 320mm service hatch	96" £25,991.79

IMPORTANT NOTE

- Excludes MPV (4.0 Bar)

4 Bar available
Prices on request

PRODUCT DETAILS

Model	Flange Size		Filter Area (m²)	Bed Depth (mm)	Max Flow Rating (30m³/hr/m³)	Max Flow Rating (40m³/hr/m³)	Sand (kg)	Zeoplus Glass (kg)	Discharge (m³)*
	mm	ins							
SMDD900	90	3	0.64	1200	19	25	1200	986	2.1
SMDD1050	90	3	0.87	1200	26	35	1665	1386	2.9
SMDD1200	90	3	1.13	1200	34	45	2045	1681	3.8
SMDD1400	110	4	1.54	1200	46	62	2840	2334	5.1
SMDD1600	110	4	2.01	1200	60	80	3685	3029	6.7
SMDD1800	160	6	2.55	1200	76	102	4975	4089	8.5
SMDD2000	160	6	3.14	1200	94	126	6090	5005	10.5
SMDD2350	160	6	4.34	1200	130	174	8480	6970	14.4
SMDD2500	160	6	4.91	1200	130	174	9630	7250	6.4

Model	mm*	ins*	A	B	C	W	R	P	E	F	K	V	H	L	X	Y	Z	J	S	T
SMDD750	63	3.0	613	772	2044	334	262	191	1586	1688	120	1780	1713	20	2011	1845	1938	678	1586	1383
SMDD900	90	3.0	824	923	2268	510	363	548	1680	1790	155	1930	1780	120	2183	2062	2113	678	1680	1324
SMDD1050	90	3.0	901	1077	2270	510	363	548	1650	1760	176	1950	1820	176	2185	2032	2115	1045	1650	1294
SMDD1200	90	3.0	977	1229	2243	510	363	548	1665	1775	176	1900	1750	176	2158	2047	2088	1045	1665	1309
SMDD1400	110	4.0	1205	1442	2313	689	556	440	1330	1465	218	1975	1800	218	2228	1774	2158	1202	1330	896
SMDD1600	110	4.0	1306	1644	2285	689	474	629	989	651	218	1950	1800	218	2200	1865	2130	1202	1421	989
SMDD1800	160	6.0	N/A	1839	2260	N/A	N/A	N/A	N/A	N/A	315	2010	1920	315	2175	N/A	2105	1755	1383	900
SMDD2000	160	6.0	N/A	2042	2398	N/A	N/A	N/A	N/A	N/A	245	2100	1920	245	2313	N/A	2243	1755	1383	900
SMDD2350	160	6.0	N/A	2575	2310	N/A	N/A	N/A	N/A	N/A	340	2118	1955	340	2330	N/A	2405	2037	1450	967
SMDD2500	160	6.0	N/A	2575	2510	N/A	N/A	N/A	N/A	N/A	355	2190	1955	340	2405	N/A	2405	2037	1494	1011

*ConnectionSize | *Volume after 5 min. backwash/rinse cycle

WATERCO FILTERS

Filter Media & MPV

See page
44 for more
details



M.P.V



25kg Filter Media



20kg Microfine Media

PRICE LIST

Code	Product	Price
MPV		
22905040-Y	Waterco MPV c/w 2.5" & 75mm connection. SMD filters only	£493.64
2290905-Y	Waterco MPV c/w 3" & 90mm connection. SMD filters only	£932.59
2291100-Y	Waterco MPV c/w 4" & 110mm Valve only	£1,464.78
2290422-Y	Waterco MPV Only 1.5" /50mm (Sweep Elbow Req'd.)	£189.75
121558-Y	1.5" Sweep Elbow for Waterco MPV	£31.92

Filter Media

1515-M	25kg Filter Sand (delivery charge applicable)	£20.25
1517-M	25kg Filter Gravel	£20.25
1498-X	20kg Micro-fine filter media 35320011UK	£45.50

IMPORTANT NOTE

- Delivery Charges Applicable - POA

WATERCO FILTERS

Glass Pearls Microfine Media



Introducing the latest enhanced filter media from Waterco. Micro-fine Media is the first environmentally friendly filter media that filters down to under 5 microns.

Laboratory tested with proven results make Micro-fine a superior media to Cut Glass, Zeolite, Diatomaceous Earth and regular 16:32 Sand media. Suitable for Domestic, Commercial and Aquaculture applications.

FEATURES

- Glass Pearls NOT crushed glass.
- Purpose made round beads .06 -.08mm dia.
- Environmentally friendly
- Filters down to less than 5 Micron
- High flow rate filtration efficiency
- Far superior to DE filters
- No filter pad cleaning required
- No media top-up ever required
- No regeneration required
- Lasts up to 10 years
- No gravel bed required
- Will not compact like sand
- Enhanced backwash flow resulting in superior cleaning.
- Less backwashing time required thus reducing valuable water waste

PRICE LIST

Code	Product	Price
1498-X	20 kg Micro-fine filter media 35320011UK	£45.50

Delivery

Pallet 5-50 Bags	£90.00
------------------	--------


Micro-Fine Media®

CASE STUDY

Leicester Hospital

"There were always problems on a Monday at the Leicester Hospital hydrotherapy pool, which led to cancellations of important appointments at the start of the week," explains Hydrospec's Managing Director, John Cheek. "The best filtration media needed to be used in this installation, as this is considered a high risk pool."



MORE INFORMATION

- www.hydrospec.co.uk
- www.leicestershospitals.nhs.uk



Waterco's fully automated SPDD1200 Nozzle Plate Filter with a 1.2m bed depth with Waterco Glass Pearl Media.

Tests confirmed that Waterco glass pearls could filter down to an impressive 3 micron and as a result were far superior in filtration than other media available, including sand and crushed glass medias.

Glass pearl media also makes maintenance easier, as it needs less frequent backwashing than other media types.

"The filtration rate is at 22m³/h/m². Plus it backwashes at only 16m³/h/m² and this fluidises the bed extremely well," comments John. Currently the backwashing process is automated and runs for less than four minutes which has reduced the water used for the backwashing process which in turn saves heated and chemically treated water.

Leicester Hospital serves over one million people living in Leicester, Leicestershire and Rutland, and its special services in cardio-respiratory diseases, cancer and renal disorders reach a further two million patients. Therefore, this 40m³ hydrotherapy pool needed to be back in action fast, and had to exceed health and safety standards in terms of water quality to ensure the risk to patients was kept to an absolute minimum. "Hospital patients use the pool five days a week, and often around 4-6 patients will be using it each hour," says John. "In November 2013 Hydrospec installed a Waterco SPDD1200 Nozzle Plate Filter with a 1.2m bed depth with Waterco Glass Pearl Media with great results.

"Micro biological tests are carried out on a weekly basis in-house. No problems have arisen since the installation and the client is very happy with it. We continue to service and maintain this site and have inspected the filter and media on several occasions and have not found any issues."



WATERCO FILTERS

Commercial Ultravac Filter Cart

Combining the unique filtration properties of the MultiCyclone Plus MC12 and Supastream self-priming pump the Ultravac is an ideal maintenance tool for commercial or large domestic applications.

Vacuuming through the MultiCyclone unit enables you to remove debris out of the pool or water feature without losing water! The cart is made from strong powder coated structural steel to meet the most demanding of environments.

The Cartridge element in the filter is made from high strength Polyester backed up with a sturdy plastic core for ultimate durability. The MultiCyclone sediment bowl is simply cleaned by opening the purge valve.



PRICE LIST

Code	Product	Price
200400-Y	Ultra Vac Portable Filter Cart	£2,659.70
62453-Y	Replacement Cartridge 75sqft/6.5m	£145.00
Delivery		£ 90.00

SPECIFICATION

- MultiCyclone Plus MC12
- 0.5hp Supastream Self-priming Pump
- 1.5" Hose Tail Adaptors x 2
- Trolley Unit
- Power Cord
- Pump-Filter
- Solid Rubber Tyres
- Fully Assembled
- RCD Plug Combination
- Box Dims. 710 x 520 1280mm
- Weight 45kgs

Pumps

SECTION INDEX




Aquamite	48
Hydrostorm Plus	49
Lacronite	50
Lacronite Eco V Three Speed	51
Turbo Spa Pump	53

WATERCO PUMPS

Aquamite

The Aquamite is a compact pump ideal for domestic swimming pools and small recirculation systems including ponds and water features.

Situated between the pump wet end & the pump motor, a mechanical seal forms a seal around the motor shaft to prevent water from running out along the shaft of the motor. Waterco's patented Secondary Seal technology protects the pump motor's end shield from any water contact, by capturing any leaks through a worn out mechanical seal and draining it out of the pump.



PRICE LIST

Code	Product		Price
1540-Y	0.33 hp Aquamite Pump	(2402033PNR-M)	£495.34
1541-Y	0.50 hp Aquamite Pump	(2402050PNR-M))	£519.73
1542-Y	0.75 hp Aquamite Pump	(2402075PNR-M)	£537.60
1543-Y	1.00 hp Aquamite Pump	(2402100PNR-M))	£578.96
1544-Y	1.25 hp Aquamite Pump	(2402125PNR-M)	£584.71

MORE INFORMATION

- Pump supplied with quick connect unions
- Warranty - 3 years wet end
- 2 years motor
- 1 year mechanical seal
- Not applicable on salt water pool

PRODUCT DETAILS

Model	HP	P _{max} (kW)	Amps	Phase	Total Length	Motor Frame	Flow Rate m³/hr
2402033	0.33	0.53	2.3	1	497	63	11.3
2402050	0.50	0.58	2.50	1	497	63	14.4
2402075	0.75	0.65	3.00	1	497	63	16.8
2402100	1.00	0.76	3.33	1	520	71	19.8
2402125	1.25	0.88	3.90	1	520	71	22.2



WATERCO PUMPS

Hydrostorm Plus

Waterco's Hydrostorm Plus Pumps are tested and certified by TÜV Rheinland. TÜV Rheinland is a government authorised testing organisation that awards the GS mark, and is respected worldwide for its strict evaluation criteria and high technical standards. TÜV marks in general are a sign of documented, objective third-party proof of features or performance of the products, systems, installations and services.



PRICE LIST

Code	Product	Price
Single Phase		
1521-Y	1.00 hp Hydrostorm 100 Plus (2405100PNR-M)	£875.64
1522-Y	1.50 hp Hydrostorm 150 Plus (2405150PNR-M))	£947.35
1523-Y	2.00 hp Hydrostorm 200 Plus (2405200PNR-M))	£1,011.06
1525-Y	3.00 hp Hydrostorm 300 Plus (2405300PNR-M))	£1,186.16

Three Phase* - 2.5" supplied with tail to suit opt. 63 or 75mm pipe

1590-Y	1.50 hp Hydrostorm 150 Plus (24051503E3EUM)	£947.35
1591-Y	2.00 hp Hydrostorm 200 Plus (24052003E3EUM)	£1,011.06
1593-Y	3.00 hp Hydrostorm 300 Plus (24053003E3EUM)	£1,157.70
1594-Y	4.00 hp Hydrostorm 400 Plus (24054003E3EUM)	£1,463.70

*Other sizes available POA

PRODUCT DETAILS

Model	HP	Pmax (kW)	Amps	Phase	Total Length	Motor Frame	Flow Rate m³/hr
Single Phase							
2405100EUM	1.00	0.98	4.6	1	541	71	19.70
2405150EUM	1.50	1.40	5.8	1	646	80	24.96
2405200EUM	2.00	1.51	6.3	1	646	80	26.56
2405300EUM	3.00	1.87	9.0	1	646	80	34.32

Three Phase

24051503EUM	1.50	1.31	2.4	3	646	80	24.10
24052003EUM	2.00	1.46	2.5	3	646	80	26.56
24053003EUM	3.00	2.20	4.1	3	646	80	34.32
24054003EUM	4.00	3.08	4.1	3	646	80	39.54

Efficient Impeller & Diffuser Design

The pump's impeller and diffuser design maximizes the hydraulic output of the pump while minimising turbulence. The pump's efficient hydraulic performance shortens run times and reduces energy consumption leading to lower operating costs.


Engineered Durability

The pump body is manufactured utilising state of the art engineering plastic moulding with a single piece strainer pot and volute for extra strength. An additional unique secondary seal protects the motor end shield from any fluid contact, eliminating corrosion.

Connections

Single phase - Pump supplied with 2" & 63mm metric quick connect unions. Warranty - 3 years wet end, 2 years motor and 1 year mechanical seal. Not applicable on salt water pools



Three phase - Pump supplied with 2.5" tail to suit opt. 63 or 75mm metric quick connect unions. Warranty - 3 years wet end, 2 years motor and 1 year mechanical seal. Not applicable on salt water pools.




DIMENSIONS

Length (mm)	Height (mm)	Width (mm)	Weight (kg)
851	340	227	10

LACRONITE



Flow Curve 100



PRICE LIST

Code	Product		Price
1535-Y	0.50 hp Lacronite	(24070050PNR-M)	£814.06
1536-Y	0.75 hp Lacronite	(24070075PNR-M)	£849.73
1537-Y	1.00 hp Lacronite	(24070100PNR-M)	£912.18
1539-Y	1.50 hp Lacronite	(24070150PNR-M)	£1,003.43

MORE INFORMATION

- Pump supplied with 1.5" & 63mm metric quick connect unions. Warranty - 3 years wet end, 2 years motor and 1 year mechanical seal. Not applicable on salt water pools.



PRODUCT DETAILS

Model	Flow Rate m³/hr		Nominal Power (HP)	Motor Input (kW)	Amps	Pump Rating
	8m	10m				
Lacronite 50	8	6	0.50	0.61	3.2	IPX4
Lacronite 75	9	8	0.75	0.78	3.7	IPX4
Lacronite 100	14	12	1	0.96	4.3	IPX4
Lacronite 125	15	14	1.25	1.10	4.9	IPX4
Lacronite 150	19	17	1.50	1.38	6.2	IPX4


DIMENSIONS

Length (mm)	Height (mm)	Width (mm)
617	381	227


LACRONITE ECO-Vs



Flow Curve 100



Flow Curve 150



PRICE LIST

Code	Product	Price
240701009 -Y	1.00 hp Lacronite Eco-VS Single Phase	£1,568.75
240701509 -Y	1.50 hp Lacronite Eco-VS Single Phase	£1,976.96
8518070 -Y	5m Communication Cable	£142.00

MORE INFORMATION

- Pump supplied with 1.5" & metric quick connect unions. Warranty - 3 years wet end, 2 years motor and 1 year mechanical seal. Not applicable on salt water pools.

PRODUCT DETAILS

Model	Flow Rate m³/hr 8m	Flow Rate m³/hr 10m	Nominal Power (HP)	Motor Input (kW)	Amps
Lacronite 100 Eco	14	12	1	0.89	6.5
Lacronite 150 Eco	19	17	1.50	1.21	8.5

DIMENSIONS

Length (mm)	Height (mm)	Width (mm)
638	381	227





WATERCO PUMPS

Turbo Spa Pump

TurboFlo is a hydraulically efficient, high performance pump designed for pools and spas with high power requirements.

It has an adjustable wet end which can be configured to suit up to five different plumbing conditions.



5 multiple plumbing configurations



PRICE LIST

Code	Product	Price
1554-Y	1.00 hp Turboflow-100 Spa Pump (2462100PNR-M)	£740.34
1555-Y	1.25 hp Turboflow-125 Spa Pump (2462125PNR-M)	£764.24
1556-Y	1.50 hp Turboflow-150 Spa Pump (2462150PNR-M)	£812.05
1557-Y	2.00 hp Turboflow-200 Spa Pump (2462200PNR-M)	£867.75
1558-Y	2.50 hp Turboflow-250 Spa Pump (2462250PNR-M)	£923.45
1559-Y	3.00 hp Turboflow-300 Spa Pump (2462300PNR-M)	£1,034.84
1560-Y	4.00 hp Turboflow-400 Spa Pump (2462400E3EUM)	£1,259.22


MORE INFORMATION

- Supplied with 2" and 63mm union connections
- Pump Warranty: 3 years wet end, 2 years motor and 1 year mechanical seal

PRODUCT DETAILS

Model	HP	Pmax (kW)	Amps	Phase	Total Length	Motor Frame	Flow Rate m³/hr
2462100EUM	1.00	0.94	4.1	1	416	71	21.36
2462125EUM	1.25	1.05	4.5	1	416	71	22.44
2462150EUM	1.50	1.40	5.9	1	445	80	27.06
2462200EUM	2.00	1.50	6.4	1	445	80	29.04
2462250EUM	2.50	1.70	7.2	1	445	80	33.30
2462300EUM	3.00	2.10	9.1	1	483	80	40.02
2462400EUM	4.00	3.10	5.7	3	508	100	45.36

Flow Curves





Heating

SECTION INDEX

Electro Heat Aquaflo XL Inverter	56
Electro Heat Ultra Inverter	58
Sizing Guide	60
Heat Pump Covers	61
Mr Perfect	62
Solar Heating	68
Gas, Oil & Electric Heating	70

WATERCO HEAT PUMPS

The most economic way to keep your pool warm!



Smart Controls

for temperature management and self-diagnosis



Inbuilt Safety Devices

for water flow, refrigerant level and compressor start-up delay



Powerful Heat Transfer

through the coiled heat exchanger maximising water contact



Dual Coil Titanium

Heat Exchanger is highly resistant to ozone, iodine, salt and chlorinated water



Scroll Compressor

for improved efficiency and high performance




Weatherproof Cabinet

for outdoor installation



R410A & R32 Refrigerant

ozone friendly and maximises performance



Large Evaporator Area

to extract more ambient heat



Warranty Residential Inverter Only

10 years - titanium heat exchanger
3 years - compressor
2 years - all other components
2 years - labour



Aquaflow XL Inverter



17-39KW Ultra Inverter



WATERCO HEAT PUMPS

Aquaflow XL Inverter Heat Pump – Side Mount



The Electro Heat XL Eco Inverter heat pump has the flexibility to vary the speed of the fan motor and compressor to maintain a constant temperature allowing it to use less energy than conventional heat pumps.

The heat pump adjusts the output from 50% to 100% depending on heat demand and environmental factors, thereby reducing energy consumption.

The fan is side mounted and the unit slim-line for ease of installation, XL has heat and cool function included.

**Heat
or Cool
Under 2 AMP
Start-up
Amperage!**

LOWER PRICE

PRICE LIST

Code	Product	kW	BTU	Phase	Price
68185-N	Aquaflow Electroheat Inverter - Side Mount	17/20	58/68,000	1	£2,500.00
Delivery (UK Mainland)					£90.00

WARRANTY

Titanium Exchanger	10 Years
Compressor	3 Years
All Other Components	2 Years
Labour	2 Years

REQUIREMENT

- Sizing chart based on 15 deg °C ambient air temperature, water temperature 26 deg °C, 70% relative humidity, no water table, average pool depth 1.35-1.5m, minimum running time 10 hrs per day. Insulated pool cover applied 20 hrs per day, sheltered location.
- Operating temperature is not running temperature. Heat output restricted at below zero degrees.

SYSTEM INFO

Non-Inverter System

Turns on and off completely to maintain temperature as the compressor runs at a fixed speed varying the output to maintain a constant temperature.

Inverter System

- At lower speed, it is quieter and more cost efficient. dB(A) Noise pressure at 10m = 32-49

NOTE

Plumbing By-pass and 600mm clearance required all models

PRODUCT DETAILS

Model Aquaflow XL		17/20kW
Phase		1
Type Breaker		C20
Air 15°/Water 26°/ RH70%	Heating Capacity (kw)	4.5 - 17
	Heating Input (kW)	0.61 - 3.62
	Normal Current (A)	2.65 - 15.7
	COP	4.70 - 7.4
Air 27°/Water 26°/ RH80%	Heating Capacity (kw)	5.3 - 20.2
	Heating Input (kW)	0.61 - 3.62
	Normal Current (A)	2.65 - 15.7
	COP	6.64 - 10.64
Power Supply (V/Ph/Hz)		230V/1Ph/50Hz
Setting Temp. Range (°C)		15°C - 40°C
Operating Temp. Range (°C)		-10°C - 43°C
Water Heat Exchanger		Titanium PVC Tank
Compressor- Panasonic		Inverter
Compressor Quantity		1
Fan Quantity		1
Water Inlet/Outlet Dimension		1.5"/50mm
Hydraulic Connection (mm)		PVC 50
Nominal Water Flow (m³/H)		6.5
Sound Pressure Level at 1m (dB(A))		50 - 59
Sound Pressure Level at 10m (dB(A))		32 - 42
Refrigerant		R32
Display		LCD
Mode		Heating/cooling/auto

DIMENSIONS & WEIGHT

Model	Width (mm)	Length (mm)	Height (mm)	Weight Kg
17/21kW	1269	370	714	67

WATERCO HEAT PUMPS

Ultra Inverter Heat Pump – Top Mount

The robust steel framed top mount fan discharge Electro Heat Ultra heat pump has the flexibility to vary the speed of the fan motor and compressor to maintain a constant temperature allowing it to use less energy than conventional heat pumps.

The heat pump adjusts the output from 50% to 100% depending on heat demand and environmental factors, thereby reducing energy consumption.



LOWER PRICES

PRICE LIST

Code	Product	kW	BTU	Phase	Price
68181-N	Electroheat Inverter - Top Mount	17/21	58,72,500	1	£2,895.00
68187-N	Electroheat Inverter - Top Mount	31/39	105/119,000	1	£5,625.00
Delivery (UK Mainland)					£90.00

WARRANTY

Titanium Exchanger	10 Years
Compressor	3 Years
All Other Components	2 Years
Labour	2 Years



31/39kW inverter - 68187

PRODUCT DETAILS

Model	17/21 kW	31/39kW
Phase	1	1
Type Breaker	C20	C40
Air 15°/Water 26°/RH70%	Heating Capacity (kW)	4.6 - 17.2
	Heating Input (kW)	0.62 - 4.05
	Normal Current (A)	2.70 - 17.6
	COP	4.25 - 7.45
Air 27°/Water 26°/RH80%	Heating Capacity (kW)	5.46 - 21.0
	Heating Input (kW)	0.62 - 4.05
	Normal Current (A)	2.70 - 17.6
	COP	5.25 - 8.2
Power Supply (V/Ph/Hz)	230V/1Ph/50Hz	230V/1Ph/50Hz
Setting Temp. Range (°C)	15°C - 40°C	15°C - 40°C
Operating Temp. Range (°C)	-10°C - 43°C	-10°C - 43°C
Water Heat Exchanger	Titanium PVC Tank	Titanium PVC Tank
Compressor	Inverter	Inverter
Compressor Quantity	1	1
Fan Quantity	1	2
Water Inlet/Outlet Dimension	1.5"	1.5"
Hydraulic Connection (mm)	PVC 50	PVC 50
Nominal Water Flow (m³/H)	6.5	12
Sound Pressure Level at 1m (dB(A))	50 - 59	50 - 59
Sound Pressure Level at 10m (dB(A))	32 - 42	32 - 42
Refrigerant	R32	R32
Display	LCD	LCD
Mode	Heating/cooling	Heating/cooling

REQUIREMENT

- Sizing chart based on 15 deg °C ambient air temperature, water temperature 26 deg °C, 70% relative humidity, no water table, average pool depth 1.35-1.5m, minimum running time 10 hrs per day. Insulated pool cover applied 20 hrs per day, sheltered location.
- Operating temperature is not running temperature. Heat output restricted at below zero degrees.

SYSTEM INFO

Non-Inverter System

Turns on and off completely to maintain temperature as the compressor runs at a fixed speed varying the output to maintain a constant temperature.

NOTE

Plumbing By-pass and 600mm clearance required all models

DIMENSIONS & WEIGHT

Model	Width (mm)	Length (mm)	Height (mm)	Weight (kg)
Ultra 17/21kW	860	850	1106	122
Ultra 31/39kW	1450	702	950	180

WATERCO HEAT PUMPS

Heat Pump Sizing Guide

GUIDE NOTES

- Sizing chart based on 15 deg °C ambient air temperature, water temperature 26 deg °C, 70% relative humidity, no water table, average pool depth 1.35-1.5m, minimum running time 10 hrs per day. Insulated pool cover applied 20 hrs per day, sheltered location.
- Sizing chart is an approximate guide only, results may vary depending on the region, temperature and climate change.
- Operating temperature is not running temperature. Heat output restricted at below zero degrees.

SIZING CHART - MAY TO SEPTEMBER

Size Imperial	24' X 12'	28' X 14'	30' X 14'	32' X 16'	38' X 16'	40' X 20'
Size Imperial	7.3 X 3.7m	8.5 X 4.3m	9 X 4.3m	9.8 X 5m	11.5 X 5m	12.2 X 6m
Aquaflow XL Inverter - Side Mount	12/17kW	17kW	17kW	17kW	17kW	-
Ultra Inverter - Top Mount	17kW	17kW	17kW / 24kW	17kW / 24kW	24/31kW	24/31kW

SIZING CHART - APRIL TO OCTOBER

Size Imperial	24' X 12'	28' X 14'	30' X 14'	32' X 16'	38' X 16'	40' X 20'
Size Imperial	7.3 X 3.7m	8.5 X 4.3m	9 X 4.3m	9.8 X 5m	11.5 X 5m	12.2 X 6m
Aquaflow XL Inverter - Side Mount	17kW	17kW	17kW	-	-	-
Ultra Inverter - Top Mount	17kW	17kW	24kW	24kW	24/31kW	24/31kW

Pool Temperature - The normal range would be between 25-27°C for fairweather swimming, for temperatures in excess of this (28-30°C) we recommend increasing to the next unit size.

Swimming Season - The season or time of the year in which the pool will be used. Most domestic pools operate between May to September. Extended season is April to October.

Daily Use - It is paramount all pools are covered with a heat retention or safety cover blanket when not in use. If left uncovered, you would use far more energy than what an ASHP would save you.

Over-Spec - Where possible, we recommend installing the largest affordable heat pump. For example, if your pool requires 100kW of energy to maintain your temperature at X (under ideal air temperatures). A 24kW heat pump when delivering maximum power input (5.88kW) will run for 4.16 hours to heat your pool (100/24kW). This means you would consume approximately 25kW of energy.

A 17kW heat pump with a power input of 3.62kW will run for 5.88 hours to heat your pool (100/17kW). This means you would consume approximately 21.28kW of energy. Whilst the energy consumption is almost the same, the larger heat pump can heat up the pool nearly 30% quicker (17kW) 4.16hrs - (24kW) 5.88hrs = 29.25%. This means that you can maximise your COP by heating during the warmest part of the day, rather than running the heat pump over a longer period when the air temperature may not be at its optimum.

WATERCO

Heat Pump Covers



Waterco - Condensation Trays

NOTE

Condensation Tray & Hose Connector

All heat pumps are free-draining. Condensation trays are ideal for indoor environments or where condensation is to be contained or hidden.



Waterco - Winter Covers

PRICE LIST

Code	Product	Price
Waterco		
68170-N	Heat Plus: Condensation Tray and Hose Connector	£35.00
Waterco - Winter Cover		
68142-N	Aquaflow Winter Cover 19kW - 23kW	£90.00
68148-N	Heat Plus Winter Cover 31kW - 44kW	£90.00

INVERPAD® by AQUARK®

Mr Perfect

Introducing MR PERFECT, a new modern heat pump with a difference. Utilising InverPad Turbo an innovative and unique patented technology for swimming pool heat pumps.

For the first time in the pool industry, Mr Perfect utilises the most advanced silent technology by way of a Turbofan, which is combined with aerodynamic optimisation and the best noise cancelling technologies to set a new milestone in noise level. You can hardly hear any mechanical noise. Furthermore, InverPad Turbo was developed to run in the harshest conditions. Thanks to TurboFan's new airflow system, it increases the heat exchange area and maximises heat output to guarantee an excellent performance under cold weather conditions. Enjoy swimming all year long throughout the four seasons!



AIR OPERATION**-15°C****50%****HEATING OUTPUT**

UNDER HARSH CONDITIONS


**4 SEASONS SWIMMING**
MR. PERFECT**WARRANTY
OPTIONS**

Mr Perfect heat pump comes with an automatic 5 Year Parts Only Warranty extended to 12 Years on the Compressor and Heat Exchanger! For an additional cost an optional 3 or 5 Year labour warranty is available.

Applicable to UK mainland only.



MR. PERFECT



Twisted titanium heat exchanger 40% higher efficiency



Mitsubishi twin-rotary DC compressor



EEV Technology: Increase COP by 20%



Full electrical system protection: 180V-260V and soft start



Heat to 40°C
Cool to 12°C



Extended Season. Reverse Cycle Defrost operating down to -15°C

AIR OPERATION

-15°C

50%


HEATING OUTPUT

UNDER HARSH CONDITIONS



Advanced Controller

The improved controller provides simple operation with advanced data monitoring. It also combines full panel tempered glass and responsive back lighting for a highly sophisticated appearance.



Built-in Wi-Fi

With built-in Wi-Fi and the smart app InverGo, you can get all the features in the controller of your heat pump, plus much more.



Side Vented

Side vented air grilles make for perfect air distribution and minimum vibration.

Double Season

Extend your pool season by two and enjoy swimming for most of the year.



11kW



22kW

GO DOUBLE

Double Value

A 22kW heat pump doubles your pool season. Therefore, it doubles your pool investment return.



11kW



22kW



Sizing



		MP220	MP270	MP320	MP320S	MP410S
Technology		InverPad® Turbo (Patented)				
Operating air temperature (°C)		-15°C~42°C				
Advised pool volume (m3) *		45~85	50~95	60~120	60~120	85~160
 Performance	Air 27°C / Water 27°C / Humidity 80%					
	Heating capacity (kW) Turbo Mode	22.5	26.5	31.5	31.5	40.5
	Heating capacity (kW) Perfect Mode	18.0	20.6	26.8	26.8	34.5
	COP range	15.5~7.4	15.2~7.3	16.0~7.2	15.8~7.2	16.0~7.0
	Average COP at 50% Speed	11.8	11.5	11.6	11.6	11.5
	Air 15°C / Water 26°C / Humidity 70%					
	Heating capacity (kW) Turbo Mode	15.0	18.0	21.8	22.1	29.0
	Heating capacity (kW) Perfect Mode	12.6	14.4	18.0	18.0	23.9
	COP range	8.2~5.1	7.9~5.2	8.0~5.2	8.0~5.0	8.3~5.1
	Average COP at 50% Speed	7.0	6.8	6.9	7.0	7.0
 Components	Compressor	Mitsubishi Twin-Rotary DC Compressor				
	Fan motor	Turbofan				
	Casing	Aluminium Alloy				
	Power supply	230V 1Ph		400V 3Ph		
 Sound	Sound level at 1m dB(A) *	39.5~49.8	39.8~50.2	40.3~50.8	40.5~50.9	40.6~51.3
	Sound level by 50% speed 1m dB(A) *	43.0	43.1	45.1	45.6	45.7
	Sound level at 10m dB(A) *	19.5~29.8	19.8~30.2	20.3~30.8	20.5~30.9	20.6~31.3
 Others	Rated input power (kW)	0.45~3.33	0.54~4.00	0.59~4.36	0.60~4.42	0.78~5.80
	Input power at 50% Speed (kW)	0.90	1.06	1.30	1.29	1.71
	Rated input current (A)	1.96~14.48	2.35~17.39	2.56~18.96	0.86~6.41	1.13~8.41
	Advised water flux (m³/h)	6~9	8~10	10~12	10~12	12~18
	Water connection (inch)	1.5	1.5	1.5	1.5	1.5
 Dimensions	Net dimensions LxWxH (mm)	980*504*756	1135*514*756	1029*512*1107	1029*512*1107	1139*512*1106
	Net weight (kg)	91	114	136	142	160

Remarks: * Advised pool volume assumes the following conditions:

- Private pool use
- Pool has been installed below ground
- Water table below pool construction depth
- Average water depth 1.30m
- Thermal cover applied 20 hours per day
- Filtration cycle 12-24 hours per day dependent on summer/extended season usage
- For all year-round heating application multiple units, please use reference guide on following page and discuss with your pool dealer for advice. Back-up heating may be required.
- dB(A) sound levels do not include surrounding ambient noise

MR. PERFECT



How Aquark Inverpad Turbo Pool Heat Pump Brings Zero Mechanical Noise

Inverpad Turbo Super Power of Mr. Perfect

Heat Pump Mr. Perfect The 1st Turbofan Inverter Pool Heat Pump

ALL HEATERS SUPPLIED WITH THE FOLLOWING ITEMS



Canvas Winter Cover



32 AMP Isolator



32 AMP Quick Disconnect



Stock Colour: Dark Grey

PRICE LIST

Code	Product	kW	Phase	Price
HEAT PUMP				
MPC220-N	Aquark Mr Perfect Heat Pump	22	1	£3,950.00
MPC270-N	Aquark Mr Perfect Heat Pump	27	1	£4,520.00
MPC320-N	Aquark Mr Perfect Heat Pump	32	1	£5,100.00
MPC320-3-N	Aquark Mr Perfect Heat Pump	32	3	£5,380.00
MPC410-3-N	Aquark Mr Perfect Heat Pump	41	3	£6,355.00

Warranty Packages

MPC220 3YRW-N	Aquark - Three Year Parts & Labour Warranty	£570.00
MPC270 3YRW-N	Aquark - Three Year Parts & Labour Warranty	£675.00
MPC320 3YRW-N	Aquark - Three Year Parts & Labour Warranty	£765.00
MPC320(3) 3YRW-N	Aquark - Three Year Parts & Labour Warranty (3ph)	£806.00
MPC410(3)3YRW-N	Aquark - Three Year Parts & Labour Warranty (3ph)	£955.00
MPC220 5YRW-N	Aquark - Five Year Parts & Labour Warranty	£765.00
MPC270 5YRW-N	Aquark - Five Year Parts & Labour Warranty	£900.00
MPC320 5YRW-N	Aquark - Five Year Parts & Labour Warranty	£1,020.00
MPC320(3) 5YRW-N	Aquark - Five Year Parts & Labour Warranty (3ph)	£1,075.00
MPC410(3) 5YRW-N	Aquark - Five Year Parts & Labour Warranty (3ph)	£1,271.00

Delivery Kerbside Only (UK Mainland) - Goods must be signed for.

FOC



POOLSOLAR

SOLAR COLLECTORS

- ✓ 5 year warranty
- ✓ Utilise the sun's natural energy
- ✓ Extend your swimming season
- ✓ Easy to install on any surface
- ✓ EPDM High quality rubber
- ✓ Maintenance free



IMPORTANT INFORMATION

A maximum working pressure should not be above 1.5 BAR (22psi). A solar heat retention cover must be applied to the swimming pool overnight and when the pool is not in use to prevent heat loss.

If installing Poolsolar on a ground surface i.e. for small above ground or splasher type pools please be aware that Poolsolar is not designed for heavy traffic. Make sure that all pipework to and from the solar collector can be drained for the winter period.

4m² box contains

- 4 solar collectors 0.33m wide x 3m long (4m²)
- 8 meter nylon band to attach the headers and the absorber
- 2 adapters 50 mm (ABS)
- 2 threaded adapters and stops 1 1/2" (ABS)
- 2 reducing sockets (ABS)
- Packaged weight 15kg
- Box dimensions: 400 x 360 x 385mm

5m² box contains

- 3 solar collectors 0.33m wide x 5m long (5m²)
- 10 meter nylon band to attach the headers and the absorber
- 2 adapters 50 mm (ABS)
- 2 threaded adapters and stops 1 1/2" (ABS)
- 2 reducing sockets (ABS)
- Packaged weight 18kg
- Box dimensions: 400 x 360 x 385mm

Sizing Chart

How many boxes do I need?

Some pool sizes result in requiring an additional half box, but this is not possible to supply. Therefore, we have shown the minimum and optimum number of rolls required.

Important Notes:- You will need to purchase enough solar matting to cover 50% of the pool surface area.

If a heat retention cover is not to be applied overnight you will need to double the quantities below.

Make sure your circulation pump has adequate flow to reach solar matting that is installed at roof level.

Inground Pools



				NO. OF BOXES REQUIRED	
Length		Width	sqft	sqm	
24'	x	12'	288	26.76	3-4
26'	x	13'	338	31.40	4
28'	x	14'	392	36.42	4-5
30'	x	14'	420	39.02	5
30'	x	15'	450	41.81	5
32'	x	16'	512	47.57	6
36'	x	18'	648	60.20	7-8
40'	x	20'	800	74.32	9

Above Ground Pools

19'	x	12'	228	21.18	2
23'	x	12'	276	25.64	2-3
30'	x	15'	450	41.81	4
38'	x	18'	594	55.18	5-6

Round

12' Dia		113	10.50	1	1
15' Dia		117	16.41	2	1-2
18' Dia		255	23.63	2-3	2
21' Dia		346	32.16	3	2-3



PRICE LIST

Code	Product	Price
1416-B	Poolsolar 4m² Box Kit 'A' - includes 3m x 33cm x 4 ROLLS	£365.00
1415-B	Poolsolar 5m² Box Kit 'B' - includes 5m x 33cm x 3 ROLLS	£399.00
1417-B	Poolsolar Vacuum Breaker (for installations above 4m high)	£55.00
1419-M	3-Way Valve	£71.60
1418-B	Roof Support Angle per 2m length	£11.00
1410-B	300ml Roof Fixing Paste (2 x tubes per 4m² & 5m² Box)	£16.50
1420-B	Electric Solar Control System	£950.00
1541-Y	.50 hp Aquamite Booster Pump 7000lit / 1540 gls	£519.73
1422-B	Booster Pump Control Sensor	£440.00
	Delivery - per box	£25.00
	Delivery - pallet (up to a maximum of 10 boxes)	£90.00



2m Roof Support Angle



Electric Solar Control Valve

HEATING MISC.

Gas, Oil & Electric Heating



Electro Evolution 2



Genie

PRICE LIST

Code	Product			Price	
Gas Heater Genie					
0918-N	Genie Condensing Heater		68 000	20kW Output	£3,665.00
0919-N	Genie Condensing Heater		122 000	35kW Output	£4,045.00
0920-N	Genie Condensing Heater		165 000	50kW Output	£4,950.00
Oil Heaters					
0932-T	Certikin Oil Heater		90 000	26Kw	£4,458.00
0933-T	Certikin Oil Heater		150 000	44Kw	£5,360.00
0934-T	Certikin Oil Heater		175 000	51Kw	£5,830.00
0935-T	Certikin Oil Heater		239 000	70kW	£6,880.00
Heat Exchangers					
1100-M	55 000 B.T.U.				£522.00
1101-M	100 000 B.T.U.				£550.00
1102-M	130 000 B.T.U.				£595.00
1103-M	170 000 B.T.U.				£625.00
1104-M	230 000 B.T.U.				£784.00
1105-N	Digital Thermostat				£208.00
1720-M	1.5" - Brass Composite Union (F) High Temp				£43.50
Electro Electric Heater					
1010-N	Phase 1	3Kw	Electro Evolution 2 Titanium	E2-1-3	£641.00
1016-N	Phase 1	4.5kW	Electro Evolution 2 Titanium	E2-1-4	£649.00
1011-N	Phase 1	6Kw	Electro Evolution 2 Titanium	E2-1-6	£656.00
1012-N	Phase 1	9Kw	Electro Evolution 2 Titanium	E2-1-9	£708.00
1013-N	Phase 1	12Kw	Electro Evolution 2 Titanium	E2-1-12	£731.00
1014-N	Phase 1	15Kw	Electro Evolution 2 Titanium	E2-1-15	£830.00
1015-N	Phase 1	18Kw	Electro Evolution 2 Titanium	E2-1-18	£909.00



Images supplied by Chiswell Pools

SECTION INDEX

Seamaid Universal Flat Light	72
Seamaid Ecoproof replacement Par 56 LED Bulb	73
Seamaid Renovation Kit	73
Seamid Mini Lights	74
Seamaid Above Ground Pool LED Light	74
Seamaid Radio Control	75
Watertec Stainless LED Lighting	76
Watertec WT1 Push-Fit LED Light	78
Watertec WT1.5 Push-Fit LED Light	79
Watertec WT2 Thread-Fit LED Light	80
Watertec WT3 Push-Fit LED Light	82
Watertec WT4 Push-Fit LED Light	83
Watertec WT5 Thread LED Light	84
Watertec WT5 Push-Fit LED Light	85
Watertec Optional Extras	93
Watertec Control Systems	94

Lighting

LED LIGHTING

Universal Flat Light for Liner or Concrete Inground Pools




The Universal Flat Light comprises of a sealed LED bulb and light facia that screws into a (specified) 1.5" inlet fitting (supplied separately).

Suitable for new concrete or liner installations only. Note- Flat Light is a moulded unit, bulb cannot be separated!

It is our recommendation that one White LED (13.5W) light is supplied per 25 sqm of pool surface area. RGB is designed for mood lighting therefore we would recommend one RGB light per 15-20 sqm dependant on personal choice.

AVAILABLE IN WHITE
OR RGB:



PRICE LIST

Code	Product	Price
1325-B	13.5W WHITE Universal LED Flat light ONLY (502860)	£268.00
1313-B	19W RGB Universal LED Flat light with R/Control (502877)	£287.00
1314-B	Universal Wall Fitting Kit cw Deck Box & Conduit	£135.00
1315-B	LED 12v 100W Transformer	£135.00
1319-N	Plastic metallic finish facia ring for Seamaid	£39.50
WT8890-N	Procopi Inlet Fitting for Liner or Concrete Pool 1.5"	£46.50

INFORMATION

- 13.5 White: 1650 Lumens
- 18W RGB: 510 Lumens - 270 LED
- 11 different colours
- 5 automatic lighting sequences

LED LIGHTING

Ecoproof replacement Par 56 LED Bulb

Available in attractive display packaging, the replacement light will replace any standard PAR56 type bulb.

It is our recommendation that one White LED (24W) light is supplied per 25 sqm of pool surface area. RGB is designed for mood lighting therefore we would recommend one RGB light per 15-20 sqm dependant on personal choice.



INFORMATION

- Available in White or RGB.
- Tough Polycarbonate Housing.
- Tough Polycarbonate Lens.
- Will replace any old or new Par56 Bulbs.
- Connects directly to existing supply cable; large or small.
- Renovation Kit available to replace old light systems no longer in existence.

PRICE LIST

Code	Product	Price
1323-B	13.5W WHITE Ecoproof Replacement LED Bulb (PAR 56) - Bulb Only (502655)	£109.50
1317-B	18W RGB Ecoproof Replacement LED Bulb (PAR 56) with R/Control. (502679)	£178.75

LED LIGHTING

Renovation Kit

A renovation kit designed to replace old existing lights using a traditional made Par56 type LED bulb.

Renovation Kit comprises of White ABS clamp plate, fixings and stainless screws.



Click to watch our Youtube video

INFORMATION

- Available for White or RGB Ecoproof Bulbs.
- Adapts to most light niches.

PRICE LIST

Code	Product	Price
1335-B	Ecoproof White LED Light Retro Kit - bulb sold separately. (502372)	£45.00

LED LIGHTING

Mini - LED Lights

Mini LED projectors have been specially developed to highlight specific areas of a pool i.e. step areas, ponds or fountains.



FEATURES

- Available in RGB or White
- No 'niche' required
- Polycarbonate Lens
- Ideal for pool & spa construction
- Ideal for retro fit installations
- Transformer required
- 2 Year Guaranteed

DETAILS

- Size 125mm dia x 43mm
- White 400 Lumens 4.5W
- RGB 130 Lumens 5.5W
- Requires Seamaid Inlet Fitting
- Requires Transformer
- Can be used with a remote control system

PRICE LIST

Code	Product	Price
1320-B	Mini LED Light 125mm Dia. WHITE (500859)	£107.50
1321-B	Mini LED Light 125mm Dia. RGB (500866)	£151.00
1315-B	LED 12v Transformer	£135.00
WT8890-N	Procopi Inlet Fitting for Liner or Concrete Pool 1.5"	£46.50

LED LIGHTING

Above Ground Pool LED Lighting

RGB Above Ground Light is secured onto the pool wall utilising the inlet fitting that is already installed in your swimming pool.

Dependant on the age and model of the pool, the inlet may not be suitable and a replacement necessary.

Supplied with 6m of cable that is attached to a Transformer-plug (which must be connected indoors). If you need to extend the cable please contact a qualified electrician. These lights are not suitable for above ground pools with flexible PVC walls. Each product fulfills the EC and Rohs requirements and is distributed with a 24 month guarantee.



PRICE LIST

Code	Product	Price
1318-B	Above Ground Pool RGB LED Light (500699)	£196.00

LED LIGHTING

Remote Control

This remote control can operate up to 5 lights depending on pool shell structural inference.

We recommend purchasing a One Channel Radio Remote Control Switch Unit (120W / AC 12V).



LED LIGHTING

1-4 Channel Radio Control Switch Boxes

Available in 1 or 4 channels the Seamaid radio remote switch unit is the ideal solution to lighting a swimming pool. It can control a white lamp or manage a global lighting system.

Electrics are housed in a waterproof strengthened PVC box for outside use. It is possible to connect up to 10 Seamaid projectors without modification. The end user can either synchronize all the projectors (model 1 channel unit) or create different coloured sequences in the pool/pond (model 4 channel unit). Easy to install: Works on the 12VAC power supply of the projectors. Divide the wattage by the number of lights i.e. 120W divide by 24W = 5 lights.



PRICE LIST

Code	Product	Price
Remote Controls		
1333-B	2 - Button Remote Control for 1 channel radio remote 501474	£21.75
1338-B	4 - Button Remote Control for 4 channel radio remote for 501481	£21.75
Switch Boxes		
1337-B	1 - Channel Radio Remote Control Switch Unit (120W / AC 12V) -500743	£92.00
1334-B	4 - Channel Radio Remote Control Switch Unit (240W / AC 12V) -500750	£142.00




Images supplied by Pools By Design

WATER-TEC

Stainless LED Lighting

With LED now becoming the industry standard, Water-tec can offer the very latest in constant voltage LED technology!

Milled from a solid block of 316L grade stainless steel, the WT series offers a high lumination, elegant flush fitting light. Fixing application could not be easier due to either push-fit or threaded connection into ABS pipe, inlets or custom-made wall niches.



FEATURES

- ✓ No Drivers required
- ✓ Easy to swap LEDs
- ✓ Quicker Installation
- ✓ No need to replace complete light
- ✓ Choice of Warm, Cool and Constant Colours


Click to watch
our Youtube video

WATER-TEC

Constant Voltage Range

Introducing a new 24V Constant Voltage lighting system from Watertec that requires no drivers and the facility to swap LEDs (onsite) with a detachable faceplate! Available with Warm/Cool & Static Colours. DMX compatible. For more details, scan the QR code or call the sales team.

316L Stainless Light



NO drivers required



WAGO Connectors



Optional static
colours available
in RGB & warm
or cool white



STAINLESS LED LIGHTING



WT1 Push-Fit 2" Medium Pool Light

85mm Dia fascia - CONSTANT VOLTAGE.

The WT1 push fit LED lamp offers high lumination set in an extremely elegant flush fitting housing with a 316L stainless steel face.

The WT1 offers 100% controllability, near zero heat projection and extreme reliability. Standard stock colour = Cool White. Warm White made to order.

Optional: Spa Niche available



PRODUCT DETAILS

Model	WT1 Concrete
White	(5700K Cool White) (3000K Warm White) - 6W
White Lumens	(990lm Cool) (750lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	3-5 sqm (see lighting chart)
Fixing Method	Push-fit into 2" ABS Pipe

PRICE LIST

Code	Product	Price
WT4444 CV-N	WT1 Constant Voltage ST WHITE PUSH-FIT (7W) LED Pool Light cw 20m cable.	£308.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT4446 ST-N	Spa Niche for WT1	£129.00

Now with
Replaceable
LEDs
No Need
for Drivers

SUITABLE FOR:



- Concrete Pools Only

STAINLESS LED LIGHTING

WT1.5 Push-Fit 1.5" Medium Pool Light – 85mm Dia fascia - CONSTANT VOLTAGE.

The WT1.5" push fit LED lamp offers high lumination set in an extremely elegant flush fitting housing with a 316L stainless steel face.

The WT1.5" offers 100% controllability, near zero heat projection and extreme reliability. Standard stock colour = Cool White. Warm White made to order.



PRODUCT DETAILS

Model	WT1.5 Concrete
White	(5700K Cool White) (3000K Warm White) - 6W
White Lumens	(990lm Cool) (750lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	3-5 sqm (see lighting chart)
Fixing Method	Push-fit into 1.5" ABS Pipe

PRICE LIST

Code	Product	Price
WT 4442 CV-N	WT1.5- Constant Voltage ST White PUSH-FIT (6W) 316 stainless steel. Supplied with 20m cable.	£321.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	

Now with
Replaceable
LEDs
No Need
for Drivers

SUITABLE FOR:


- Concrete Pools Only

STAINLESS LED LIGHTING

WT2 Thread-Fit Concrete Medium Pool Light – 106mm Dia fascia - CONSTANT VOLTAGE.

Manufactured to the same specification as the WT1 the WT2 has an in-built external thread to fit any 1.5" BSP threaded inlet.

Offering high lumination and an elegant fluted, 316L stainless steel face. Standard stock colour = Cool White. Warm White made to order.



Suitable for all 1.5" BSP Concrete Inlet Fittings

PRODUCT DETAILS

Model	WT2 Concrete
White	(5700K Cool White) (3000K Warm White) - 6W
White Lumens	(990lm Cool) (750lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	3-5 sqm (see lighting chart)
Fixing Method	Screw-fit 1.5" BSP Inlet

PRICE LIST

Code	Product	Price
WT5555 CV-N	WT2 Constant Voltage ST WHITE THREAD-FIT (6W) LED Pool Light (Threaded) cw 20m cable.	£321.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT8891-N	Pipe Wall Fitting Kit- all lights	£34.00

Now with
Replaceable
LEDs
No Need
for Drivers

SUITABLE FOR:



- Concrete Pools Only

STAINLESS LED LIGHTING

WT2 Thread-Fit Liner Medium Pool Light – 87mm Dia fascia - CONSTANT VOLTAGE.

An adapted version of the WT2, this light has been designed to fit any 1.5" BSP threaded liner faceplate inlet.

All Liner WT2 are supplied with a complimentary ABS silver coloured Certikin liner faceplate. Standard stock colour = Cool White. Warm White made to order.



Certikin grey faceplate (supplied) for Liner Inlet

PRODUCT DETAILS

Model	WT2 Liner
White	(5700K Cool White) (3000K Warm White) - 6W
White Lumens	(990lm Cool) (750lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	3-5 sqm (see lighting chart)
Fixing Method	Screw-fit 1.5" BSP Inlet

PRICE LIST

Code	Product	Price
WT5557 CV-N	WT2 Constant Voltage ST WHITE THREAD-FIT (6W) LINER LED Pool Light cw 20m cable.	£321.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT8891-N	Pipe Wall Fitting Kit- all lights	£34.00

Now with
Replaceable
LEDs
No Need
for Drivers

SUITABLE FOR:

- Liner Pools Only


STAINLESS LED LIGHTING

WT3 Push-Fit Small Spa/Step Light

55mm Dia fascia - CONSTANT VOLTAGE.

The WT3 light has been designed to light up Spa or Step areas and can be supplied with either a round or square fascia.

Standard stock colour = Cool White. Warm White made to order.



PRODUCT DETAILS

Model	WT3 Concrete
White	(5000K Cool White) (3000K Warm White) - 2W
White Lumens	(350lm Cool) (300lm Warm)
Static Colour	Red 150lm Green 175lm Blue 185lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	0.75 sqm (see lighting chart)
Fixing Method	Push-fit 1.25" / 37mm I/D PN12 ABS Pipe

PRICE LIST

Code	Product	Price
WT6666 CV-N	WT3 Constant Voltage ST WHITE PUSH-FIT (3W) LED Pool Light cw 20m cable.	£227.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT8891-N	Pipe Wall Fitting Kit- all lights	£34.00

SUITABLE FOR:

- Concrete Pools Only

Now with
Replaceable
LEDs
No Need
for Drivers

STAINLESS LED LIGHTING

WT4 Push-Fit Main Pool Light

130mm Dia fascia - CONSTANT VOLTAGE.

The WT4 is ideal for new concrete pool installations. Designed to push fit into a plastic delrin housing niche (sold separately).

Standard stock colour = Cool White. Warm White made to order.



PRODUCT DETAILS

Model	WT4 Concrete
White	(5700K Cool White) (3000K Warm White) - 10W
White Lumens	(2500lm Cool) (2000lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	5-7 sqm (see lighting chart)
Fixing Method	Push-fit 87mm dia Wall Niche. Sold Separately

PRICE LIST

Code	Product	Price
WT7777 CV-N	WT4 Constant Voltage ST WHITE (10W) LED Pool Light cw 20m cable	£591.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT7779-N	WT4-Niche only with 2" socket	£142.00
WT8891-N	Pipe Wall Fitting Kit- all lights	£34.00

SUITABLE FOR:

- Concrete Pools Only

Now with
Replaceable
LEDs
No Need
for Drivers

STAINLESS LED LIGHTING

WT5 Thread-Fit Universal Main Pool Light for Concrete or Liner Pools –150mm Dia fascia - CONSTANT VOLTAGE.

The WT5 UNIVERSAL light is ideal for new or retro installations. Designed to screw into a dedicated 1.5" BSP Procopi Inlet (sold separately).



The WT5 can also replace Adagio PLA 100 or 170 type lights (24V transformer required). Standard stock colour = Cool White. Warm White made to order.



with Fresnel Lens



Procopi Thread Fit 1.5" BSP



1.5" Procopi Inlet Fitting Required



PRODUCT DETAILS

Model	WT5 Universal Concrete & Liner
White	(5700K Cool White) (3000K Warm White) - 6W
White Lumens	(1200lm Cool) (1000lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	5-7 sqm (see lighting chart)
Fixing Method	Screw fit 1.5" BSP Procopi Inlet

PRICE LIST

Code	Product	Price
WT8888 CV-N	WT5 Constant Voltage ST UNIVERSAL WHITE THREAD-FIT (10W) LED Pool Light cw 20m cable	£591.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT8890-N	Procopi Inlet Fitting for Liner or Concrete Pool 1.5"	£46.50
WT8891-N	Pipe Wall Fitting Kit - all lights	£34.00

Now with
Replaceable
LEDs
No Need
for Drivers

SUITABLE FOR:

- Concrete, GRP & Liner Pools

STAINLESS LED LIGHTING

WT5 Push-Fit Main Pool Light for Concrete – 150mm Dia fascia

– CONSTANT VOLTAGE.

The WT5 light is ideal for new or retro installations. Designed to push-fit into 2" ABS/PVC pipe.



Standard stock colour = Cool White. Warm White made to order.



with Fresnel Lens



Push-fit 2" - pipe



PRODUCT DETAILS

Model	WT5 Concrete
White	(5700K Cool White) (3000K Warm White) - 6W
White Lumens	(1200lm Cool) (1000lm Warm)
Static Colour	Red 400lm Green 550lm Blue 350lm
Current	24V DC Constant
Cable Dia.	6mm
White Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Static Colour Cable	2-Core 0.5mm ² wire size, 16/0.2mm
Driver	NOT REQUIRED
Light Coverage	5-7 sqm (see lighting chart)
Fixing Method	Push-fit 2" - pipe

PRICE LIST

Code	Product	Price
WT8886 CV-N	WT5 Constant Voltage ST PUSH-FIT UNIVERSAL WHITE (10W) LED Pool Light cw 20m cable	£591.00
	Static Colour Available in Red, Green or Blue - same price. Made to order.	
WT8891-N	Pipe Wall Fitting Kit - all lights	£34.00

Now with
Replaceable
LEDs
No Need
for Drivers

SUITABLE FOR:


- Concrete Pools Only

WATER-TEC

LED Coverage

The below lighting diagrams are to be used as a guide only. Specifying lighting for a swimming pool has many variables. It is important to establish the intensity of light required within the pool and how many lights are installed to determine this. The colour of the pool finish i.e. using dark tiles and the ambient light used for lighting the room must also be considered.


RGB (Red, Green & Blue) LED lighting has a much lower luminosity and is often used for 'mood type' lighting therefore, we suggest reducing the chart output figures by 50-75% dependent on whether single or multiple colours are used.



5M



WT1/1.5 & 2
**FULL LIGHT
COVERAGE**
3 x 3m



WT4 & 5
**FULL LIGHT
COVERAGE**
5 x 5m



WT3
STEP LIGHT
0.75m



STAINLESS LED LIGHTING

Replacement LEDs - CONSTANT VOLTAGE.



Optional static colours
available in RGB &
warm or cool white

PRICE LIST

Code	Product	Price
WT3000 CV-N	WT1/WT5 Replacement LED Kit Static Colour: COOL WHITE. Includes lenses, Oring & Heat Seal	£46.00
WT3001 CV-N	WT1/WT5 Replacement LED Kit Static Colour: WARM WHITE. Includes lenses, Oring & Heat Seal	£46.00
WT3002 CV-N	WT1/WT5 Replacement LED Kit Static Colour: RED. Includes lenses, Oring & Heat Seal	£46.00
WT3003 CV-N	WT1/WT5 Replacement LED Kit Static Colour: GREEN. Includes lenses, Oring & Heat Seal	£46.00
WT3004 CV-N	WT1/WT5 Replacement LED Kit Static Colour: BLUE. Includes lenses, Oring & Heat Seal	£46.00
WT3100 CV-N	WT1.5/WT2 Replacement LED Kit Static Colour: COOL WHITE. Includes lenses, Oring & Heat Seal	£46.00
WT3101 CV-N	WT1.5/WT2 Replacement LED Kit Static Colour: WARM WHITE. Includes lenses, Oring & Heat Seal	£46.00
WT3102 CV-N	WT1.5/WT2 Replacement LED Kit Static Colour: RED. Includes lenses, Oring & Heat Seal	£46.00
WT3103 CV-N	WT1.5/WT2 Replacement LED Kit Static Colour: GREEN. Includes lenses, Oring & Heat Seal	£46.00
WT3104 CV-N	WT1.5/WT2 Replacement LED Kit Static Colour: BLUE. Includes lenses, Oring & Heat Seal	£46.00
WT3200 CV-N	WT3 Replacement LED Kit Static Colour: COOL WHITE. Includes lenses, Oring & Heat Seal	£46.00
WT3201 CV-N	WT3 Replacement LED Kit Static Colour: WARM. Includes lenses, Oring & Heat Seal	£46.00
WT3202 CV-N	WT3 Replacement LED Kit Static Colour: RED. Includes lenses, Oring & Heat Seal	£46.00
WT3203 CV-N	WT3 Replacement LED Kit Static Colour: GREEN. Includes lenses, Oring & Heat Seal	£46.00
WT3204 CV-N	WT3 Replacement LED Kit Static Colour: BLUE. Includes lenses, Oring & Heat Seal	£46.00
WT3300 CV-N	WT4 Replacement LED Kit Static Colour: COOL WHITE. Includes lenses, Oring & Heat Seal	£63.00
WT3301 CV-N	WT4 Replacement LED Kit Static Colour: WARM WHITE. Includes lenses, Oring & Heat Seal	£63.00
WT3302 CV-N	WT4 Replacement LED Kit Static Colour: RED. Includes lenses, Oring & Heat Seal	£63.00
WT3303 CV-N	WT4 Replacement LED Kit Static Colour: GREEN. Includes lenses, Oring & Heat Seal	£63.00
WT3304 CV-N	WT4 Replacement LED Kit Static Colour: BLUE. Includes lenses, Oring & Heat Seal	£63.00

STAINLESS LED LIGHTING

Junction Boxes (Kaiflex)

- CONSTANT VOLTAGE.

Designed to keep poolside light cabling to a minimum with easy gel filled WAGO connections.


Simply connect a 24v DC supply using 2mm SWA armoured cable to the IP66 rated box installed beneath paving surround and placed central to the poolside. Then use our 0.5" IP68 rated flexible conduit to connect to the back of light niches or wall fitting.

IP66 Rated Connection Box
(1-6 Way)Wago
ConnectionsKaiflex flexible
conduit (max 7 m)SWA cable to plant
room - 100 m max

Click to watch our
Kaiflex guide

ALL JUNCTION BOXES INCLUDE:

- IP68 conduit gland connectors
- Gel filled terminal blocks
- Silica gel pouch
- Reducing bushes from 2" to 0.5"
- 20 mm gland IP68 for SWA connection
- 16 mm gland IP68 for regular 2 mm flex

W3 step lights
drivers not required

PRICE LIST

Code	Product	L	W	D	Price
Kaiflex Poolside Junction Box (No Drivers Required)					
WT3400 CV-N	1 Way Constant Current IP68 Universal Junction Box for WT 1-1.5-2-3-4-5	240mm	190mm	110mm	£86.00
WT3401 CV-N	2 Way Constant Current IP68 Universal Junction Box for WT 1-1.5-2-3-4-5	240mm	190mm	110mm	£137.00
WT3402 CV-N	3 Way Constant Current IP68 Universal Junction Box for WT 1-1.5-2-3-4-5	240mm	190mm	110mm	£197.00
WT3403 CV-N	4 Way Constant Current IP68 Universal Junction Box for WT 1-1.5-2-3-4-5	240mm	190mm	110mm	£247.00
WT3404 CV-N	5 Way Constant Current IP68 Universal Junction Box for WT 1-1.5-2-3-4-5	290mm	240mm	110mm	£287.00
WT3405 CV-N	6 Way White/Static Colour Kaiflex Pre-wired Deck Box for 6 x WT1-2-5	290mm	240mm	110mm	£317.00

STAINLESS LED LIGHTING

Kaiflex Conduit

– SUITABLE FOR ALL JUNCTION BOXES



WT9021



WT9022




WT9516

STAINLESS LED LIGHTING

Poolside Cover Trays

– SUITABLE FOR ALL JUNCTION BOXES

Poolside Deck Box Cover Trays to suit 15-50mm tile/stone finish



PRICE LIST

Code	Product	Price
Kaiflex 0.5" Flexible Conduit		
WT 9021-N	Kaiflex 30.5m x 0.5" Flexible Conduit (IP68) (Max. Install length 7m)	£100.00
WT 9022-N	Kaiflex P602 0.5" Threaded Connecting Gland Spare Part	£3.50
WT 9516-N	Kaiflex Black Adaptor for IP Junction Box	£15.00
WT 9023-N	WT1-5 Reducing Kit (2" - 1.5"/1.5" - 0.75"/0.75" - 0.5")	£10.00
WT 9024-N	WT3 Reducing Kit (1.25" - 1"/1" - 0.75"/0.75" - 0.5")	£10.00
Poolside Deck Box Stainless Cover Trays 15-50mm		
PP33015-N	Poolside Deck Box Stainless Cover Tray Depth 15mm	£234.50
PP33040-N	Poolside Deck Box Stainless Cover Tray Depth 40mm	£249.50
PP33050-N	Poolside Deck Box Stainless Cover Tray Depth 50mm	£257.50
PPLK-N	Lifting Key (Plated Steel)	£15.00

STAINLESS LED LIGHTING

Pre 2023 WT Stainless LED Lighting


PRICE LIST

Code	Product	Price
WT4444 ST-N	WT1 ST Push-fit WHITE (7W) LED Pool Light cw 20m cable. Driver Required.	£308.00
WT4446 ST-N	Spa Niche for WT1	£129.00
WT4442 ST-N	WT1.5" ST Push-fit WHITE (7W) LED Pool Light cw 20m cable. Driver Required.	£321.00
WT5555 ST-N	WT2 ST WHITE (7W) LED Pool Light (Threaded) cw 20m cable. Driver required	£321.00
WT5557 ST-N	WT2 ST WHITE (7W) Thread-fit LINER LED Pool Light cw 20m cable. Driver required.	£321.00
WT6666 ST-N	WT3-WHITE Push-fit (3W) LED Pool Light cw 20m cable. No Driver Required	£227.00
WT7777 ST-N	WT4-WHITE Push-fit (14W) LED Pool Light cw 20. Separate Driver required	£591.00
WT7779-N	WT4-Niche only with 2" socket	£142.00
WT8888 ST-N	WT5 ST UNIVERSAL WHITE Thread-fit (10W) LED Light cw 20m cable. Inlet, Separate Driver reqd.	£591.00
WT8886 ST-N	WT5 ST UNIVERSAL WHITE Push-fit (10W) LED Light cw 20m cable. Driver required	£591.00



STAINLESS LED LIGHTING

Pre 2023 Kaiflex Poolside Driver - Deck Box

PRE-WIRED, SUITABLE FOR **INDOOR OR OUTDOOR** APPLICATIONS.

ALL DRIVER BOXES INCLUDE:

- Pre-wired drivers (excluding WT3)
- IP68 conduit gland connectors
- Gel filled terminal blocks
- Silica gel pouch
- Reducing bushes from 2" to 0.5"
- 20 mm gland IP68 for SWA connection
- 16 mm gland IP68 for regular 2 mm flex

PRICE LIST

Code	Product	Price
Kaiflex Poolside Driver Deck Box WHITE/STATIC COLOUR For WT1-2-5		
WT 9232-N	2 Way White/Static Colour Kaiflex Pre-wired Deck Box for 2 x WT1-2-5	£320.00
WT 9228-N	3 Way White/Static Colour Kaiflex Pre-wired Deck Box for 3 x WT1-2-5	£354.00
WT 9229-N	4 Way White/Static Colour Kaiflex Pre-wired Deck Box for 4 x WT1-2-5	£485.00
WT 9230-N	5 Way White/Static Colour Kaiflex Pre-wired Deck Box for 5 x WT1-2-5	£594.00
WT 9231-N	6 Way White/Static Colour Kaiflex Pre-wired Deck Box for 6 x WT1-2-5	£708.00
Kaiflex Poolside Driver Deck Box WHITE/STATIC COLOUR For WT3		
WT9241-N	3 Way White/Static Colour Kaiflex Pre-wired Deck Box for WT3	£260.00
WT9242-N	4 Way White/Static Colour Kaiflex Pre-wired Deck Box for WT3	£347.00
WT9243-N	5 Way White/Static Colour Kaiflex Pre-wired Deck Box for WT3	£380.00
WT9244-N	6 Way White/Static Colour Kaiflex Pre-wired Deck Box for WT3	£390.00
Kaiflex Poolside Driver Deck Box WHITE/STATIC COLOUR For WT4		
WT 9233-N	2 Way White/Static Colour Kaiflex Pre-wired Deck Box for 2 x WT4	£320.00
WT 9234-N	3 Way White/Static Colour Kaiflex Pre-wired Deck Box for 3 x WT4	£354.00
WT 9235-N	4 Way White/Static Colour Kaiflex Pre-wired Deck Box for 4 x WT4	£476.00
WT 9236-N	5 Way White/Static Colour Kaiflex Pre-wired Deck Box for 5 x WT4	£594.00
WT 9237-N	6 Way White/Static Colour Kaiflex Pre-wired Deck Box for 6 x WT4	£708.00

IP66 BOX DIMENSIONS:

6 way	290mm	240mm	110mm	3 way	240mm	190mm	110mm
5 way	290mm	240mm	110mm	2 way	240mm	190mm	110mm
4 way	240mm	190mm	110mm				

STAINLESS LED LIGHTING

Pre 2023 Indoor Pre-wired Driver Boxes

Allowing for quick and simple installation for pre-wired White & Static Colour driver boxes.

Complete with PCB and fuseable links for added protection preventing any costly short-circuit issues.



PRICE LIST

Code	Product	Price
Single White/Static Colour Driver		
WT 9670-N	1 Way White/Static Colour Driver only IP54 for 1 x WT1-2-5	£32.00
WT 9671-N	1 Way White/Static Colour Driver only IP54 for 1 x WT4	£41.00
Single White/Static Driver - Potted Box For Deck Box Application (56 X 23 X 41mm)		
WT 9672-N	1 Way White/Static Colour Driver IP68 In Potted Box for 1 x WT1-2-5	£43.00
WT 9673-N	1 Way White/Static Colour Driver IP68 In Potted Box for 1 x WT4	£54.00
White/Static Driver Box For WT1-2-5		
WT 9674-N	2 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 2 x WT1-2-5	£191.00
WT 9675-N	3 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 3 x WT1-2-5	£279.00
WT 9676-N	4 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 4 x WT1-2-5	£380.00
WT 9677-N	5 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 5 x WT1-2-5	£453.00
White/Static Driver Box For WT4		
WT 9681-N	2 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 2 x WT4	£193.00
WT 9682-N	3 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 3 x WT4	£279.00
WT 9683-N	4 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 4 x WT4	£380.00
WT 9684-N	5 Way White/Static Colour IP65 Wired Boxed Driver including PCB for 5 x WT4	£440.00
White/Static WT3 PCB Terminal Box		
WT 9680-N	WT3 White/Static Colour PCB IP65 Terminal Box up to 5 x lights maximum	£172.00

STAINLESS LED LIGHTING

Optional Extras



1 Way White Driver WT9670 & WT9671



RGB Single Driver WT9600



1 Way White Driver Potted Box WT9672 & WT9673



WT3 Terminal Box WT9680



WT5 Procopi 1.5" Inlet WT8890



Certikin 1.5" Inlet WT1606



Pipe Wall Fitting Kit WT8891



Deck Box WT8892



5 way junction box including Magic-gel. WT9515



Gel Block for deck boxes WT8893



PSU 24V 40W Transformer WT9223



PSU 24V Transformer WT9224 - WT9227



PSU 24V Transformer with Cabinet WT9225 - WT9226



Spa Niche for WT1-push fit WT4446 ST-N

PRICE LIST

Code	Product	Price
WT 8890-N	Procopi 1.5" Inlet for WT5	£46.50
WT 1606-N	Certikin Concrete Inlet	£15.40
WT 8891-N	Pipe Wall Fitting Kit- all lights	£34.00
WT 8892-N	Hayward Deck Box	£35.00
WT 9515-N	5-Way Junction Box c/w 18 no. Gel Crimps & Magic Gel Size 185 x 120 x 90mm	£105.00
WT 8893-N	Gel Connection Box 35 x 30 x 25mm	£7.50
WT 9223-N	40W PSU (transformer 24V) for single lamp (sealed unit)	£69.00
WT 9224-N	150W PSU (transformer 24V) without Cabinet	£103.00
WT 9225-N	150W PSU (transformer 24V) with Cabinet ...H300 x W200 x D135mm	£240.00
WT 9227-N	350W PSU (transformer 24V) without Cabinet	£150.00
WT 9226-N	350W PSU (transformer 24V) with Cabinet ...H300 x W200 x D135mm	£343.00
WT 4446-N	Nylon Spa Niche for WT1-Push Fit L 155 x D 57mm including back-nut.	£129.00

LED LIGHTING

Control Systems



ON/OFF SWITCH

- Hard Wired (24V) Supplied by pool dealer.
- Supplied by: Pool dealer/electric contractor.
- Suitable for: White or RGB Lights
- Application: Indoor or Outdoor (IP rated switch required).



DMX Driver WT9300

DMX DRIVER

- Hard Wired (24V).
- Supplied by: Specialist Contractor.
- Suitable for: White or RGB Lights.
- Application: Indoor or Outdoor.
- Description: DMX drivers are for use with DMX home automation system supplied. Please contact head office to discuss your requirements.

WT9338 RGB Remote Control & Receiver



RGB CONTROL UNIT:

- RGB Remote Control unit with wall mounted indoor receiver.
- RF or WIFI compatible.
- Range 15m

PRICE LIST

Code	Product	Price
DMX Driver		
WT9300-N	DMX Driver (with interface board)	£135.00
RGB Remote Control		
WT9338-N	RGB Remote Control with IP54 Receiver (wall mounted - indoor)	£135.00



RGB IPHONE/ANDROID CONTROL APP:

Information:

- Supplied by: Watertec.
- Suitable for: RGB Lights only.
- Application: Indoor or Outdoor.
- Range 10-30m dependent on location.
- Description: RGB Home Bluetooth unit (supplied with IP65 rated housing) enables operator to set up and control up to five different light applications which can be saved to individual Iphone and Android (some may not be compatible) users.

Custom settings available:

- Colour Wheel- choose and save individual colours.
- Various Pre-set Colour Modes available.
- Custom make colours with various light outputs.
- Camera- match the LED light to a picture
- Music- LED lights will change to music selected in your playlists.
- Mic - LED lights will change in time when you sing or talk into your phone.



Dimmer Control
Indoor WT 9339



Dimmer Control
Outdoor WT 9342



Dimmer Control
Indoor WT 9340



Dimmer Control
Outdoor WT9341

DIMMER PATRICE: WHITE

- Hard Wired (24V).
- Supplied by: Watertec.
- Suitable for: White Lights
- Application: Indoor or Outdoor.
- Description: White Dimmer control enables operator to turn lights on/off by touch pad. The intensity circle reduces lumination from 100-10%.

DIMMER PATRICE: RGB

- Hard Wired (24V).
- Suitable for: RGB Lights.
- Application: Indoor or Outdoor.
- Description: RGB Dimmer control enables operator to turn lights on/off, select individual colours or use a colour wheel to produce desired colour.

PRICE LIST

Code	Product	Price
RGB Iphone/Android Control		
WT9335-N	RGB Iphone/Android Control App	£135.00
Touch Dim Control		
WT9339-N	WHITE Touch Dim control patrice (no housing).	£135.00
WT9342-N	WHITE Touch Dim control patrice in Waterproof Housing	£247.00
WT9340-N	RGB Touch Dim control Patrice (no housing)	£135.00
WT9341-N	RGB Touch Dim control Patrice in Waterproof Housing	£247.00

DIMENSIONS

Depth (mm)	Height (mm)	Width (mm)
Touch Dim Control		
35	80	80
Waterproof Housing		
80	135	125



Stainless Steel

PDF drawings for all items are available for download, please visit www.paramountpools.co.uk

SECTION INDEX

Marpiscine Products	97
Shell Fittings - Skimmer	100
Shell Fittings - General	104
Surface Mount Buttons	108
Underwater Buttons	109
Seat Plates	110
Floor Plates	111
Lounger Plates	112
Tubular Loungers	113
Body Stations	114
Water Fountains	116
Wall Fountains	120
Spa Fittings	122
Air Blowers	123

STAINLESS STEEL PRODUCTS

Marpiscine Products

Italy's finest Stainless Steel range of 316 'L' grade fittings from Marpiscine.

For over twenty-five years, Marpiscine have been manufacturing and distributing high grade stainless steel products worldwide. Accredited with ISO 9001 Status they offer high quality products to suit the domestic or commercial market.

There are many other water features and pool fittings not listed here. A pdf brochure is available on request.

Why Grade 316L?... the low carbon version of 316 is immune from sensitisation (grain boundary carbide precipitation). Thus it is extensively used in heavy gauge welded components (over about 6mm). The austenitic structure also gives these grades excellent toughness, even down to cryogenic temperatures. Compared to chromium-nickel austenitic stainless steels, 316L stainless steel offers higher creep, stress to rupture and tensile strength at elevated temperatures.

Marpiscine products are suitable for use in Salt Water pools. However, they will not be responsible for any salt corrosion or staining issues. It is imperative that all pools are fully Earth Bonded and a Sacrificial Anode installed. Regular maintenance and salt dosages must be maintained within the manufacturers guidelines.

A number of our pool fittings are now available in Duplex stainless steel. Duplex steel has a high amount of chromium and a slight amount of nickel. It combines both austenitic (chromium-nickel) and ferritic (chromium only) molecular structures and offers a higher resistance to corrosion. Therefore it is recommended for use in desalination plants, marine and salt chlorinator applications. Duplex products are considerably higher in cost and manufactured to order. Please contact us for details.



IMPORTANT NOTE

Delivery Charges: Due to the vast number of stainless steel items on offer it is not possible to stock all items. Therefore, all non-stock items will be subject to carriage charge - please check with sales office prior to ordering.

All bespoke or high priced items will require 50% deposit with order.

For all Concrete fittings a suitable waterproof membrane should be applied such as Hydrotite (www.rom.co.uk).



MARPISCINE PRODUCTS

Shell Fitting - Skimmer

No more unsightly skimmer lids carved into the pool surround!

This unique skimmer has a front loading skimmer basket incorporating a stainless steel buoyancy controlled weir flap. Elegant in design this skimmer will add a touch of class to any pool. Available for liner or concrete pools. Separate vacuum point required.



Max-flow Basket Design

No skimmer lid visible!




Front loading basket



Optional Autofill System





DIMENSIONS


Model	L1 (mm)	L2 (mm)	L3 (mm)	Width (mm)	Depth (mm)	CMP p/hr
19122-P	475	470	394	206	153	6
19124-P	674	669	592	206	153	8



Concrete Skimmer
19122-B



Spa Skimmer
19119-B



PRICE LIST

Code	Product	Price
19122-P B	Stainless Steel Skimmer (6 cbm p/hour) - Concrete 400mm wide	£925.00
19122-AFP B	Stainless Steel Skimmer (6 cbm p/hour) - Concrete 400mm wide with AUTOFILL (Control Unit Sold Separately)	£1,231.00
19124-P B	Stainless Steel Skimmer (8 cbm p/hour) - Concrete 600mm wide	£1,040.00
19124-AFP B	Stainless Steel Skimmer (8 cbm p/hour) - Concrete 600mm wide with AUTOFILL (Control Unit Sold Separately)	£1,346.00
19123-P B	Stainless Steel Skimmer (6 cbm p/hour) - Liner 400mm wide	£1,017.00
19123-AFP B	Stainless Steel Skimmer (6 cbm p/hour) - Liner 400mm wide with AUTOFILL (Control Unit Sold Separately)	£1,323.00
19125-P B	Stainless Steel Skimmer (8 cbm p/hour) - Liner 600mm wide	£1,133.00
19125-AFP B	Stainless Steel Skimmer (8 cbm p/hour) - Liner 600mm wide with AUTOFILL (Control Unit Sold Separately)	£1,439.00
19131 B	Control System for AUTOFILL Marpiscine Skimmer (Solenoid not included)	£580.00
19119 B	Stainless Steel SPA Skimmer (6.5cbmp/hour) with front loading basket- Concrete	£782.00
EX 19122-P5 B	Skimmer Basket 400mm Only	£464.00
EX 19124-P5 B	Skimmer Basket 600mm Only	£500.00

MARISCINE PRODUCTS

Shell Fitting – Wall Inlet

Concrete Inlet
17021Concrete 4-hole Inlet
17060-61 (Liner 17065)Concrete Petal Adj. Inlet
17115-17Conc. Butterfly Inlet
17046Concrete Inlet Square
17209-17210Concrete 19-hole Inlet
17215-17Liner 19-hole Inlet
17120-17122Liner Inlet
17023-170252" Inlet Liner Cover Plate
17023CP B

Shell Fitting – Designer Inlet

Napoli
17804Bologna
17806Roma
17802Firenze
17812Milano
17810Venezia
17808

PRICE LIST

Code	Product	Price
Wall Inlet		
17019 B	Inlet (inc eyeball) - Concrete 2" male thread. 6 m/ch	£164.00
17021 B	Inlet (inc eyeball) - Concrete 3" male thread. 13 m/ch	£241.00
17060 B	Inlet (4 hole eyeball) - Concrete 1.5" 3 m/ch	£191.00
17061 B	Inlet (4 hole eyeball) - Concrete 2" 5 m/ch	£212.00
17065 B	Inlet (4 hole eyeball) - Liner 2" 5 m/ch	£274.00
17115 B	Inlet (19 hole x 7mm dia) - Concrete 2" Male Thr. - 6 m/ch	£123.00
17117 B	Inlet (19 hole x 7mm dia) - Concrete 3" Male Thr. - 10 cm/ch	£166.00
17046 B	Inlet - Adjustable Butterfly 2" 16m/ch Concrete	£140.00
17209 B	Square Inlet (inc eyeball) - Concrete 2" 6 m/ch	£179.00
17210 B	Square Inlet (inc eyeball) - Concrete 3" 13 m/ch	£264.00
17215 B	Square Inlet (19 hole x 7mm dia) - Concrete 2" Male Thr. - 6m/ch	£133.00
17217 B	Square Inlet (19 hole x 7mm dia) - Concrete 3" Male Thr. - 13.5 m/ch	£182.00
17120 B	Inlet (19 hole x 7mm dia) - Liner 2" Male Thr. - 6 m/ch	£152.00
17122 B	Inlet (19 hole x 7mm dia) - Liner 3" Male Thr. - 10 m/ch	£234.00
17023 B	Inlet (inc eyeball) - Liner 2" 6 m/ch	£222.00
17023CP B	2" Inlet Liner Cover Plate	£28.00
17025 B	Inlet (inc eyeball) - Liner 3" 13 m/ch	£321.00

Designer Inlet

17814 B	Napoli Inlet - Concrete 95mm Dia - 2" Male Thread - 6 m/ch	£210.00
17816 B	Bologna Inlet - Concrete 95mm Dia - 2" Male Thread - 6 m/ch	£154.00
17882 B	Roma Inlet - Concrete 95mm Dia - 2" Male Thread - 6 m/ch	£243.00
17832 B	Firenze Inlet - Concrete 95mm Dia - 2" Male Thread - 6 m/ch	£174.00
17820 B	Milano Inlet - Concrete 95mm Dia - 2" Male Thread - 6 m/ch	£246.00
17818 B	Venezia Inlet - Concrete 95mm Dia - 2" Male Thread - 6 m/ch	£273.00
	1.5" Designer Inlets available on request (non-stock item)	P.O.A



ABS Puddle Flange 2" x 350mm
PM120323



Metric- Imperial Reducer
1771 B



2" Thr. - 2" Female Plain
1772 B

PRICE LIST

Code	Product	Price
Puddle Flange Connection		
PM120323 B	2" ABS Puddle Flange - length 350mm	£14.00
1771 B	50mm - 1.5" Metric to Imperial Shim Reducer	£6.40
1772 B	2" Female Thr. Socket to 2" Female Plain connection.	£5.70

MARISCINE PRODUCTS

Shell Fitting – Floor Inlet



Concrete Plate Adj. Inlet
17033-34



Liner Plate Adj. Inlet
17034



Concrete Floor Adj. Inlet
17050-52



Concrete Floor Inlet Fixed
17052-53




Concrete Floor Inlet Fixed
17054-55



Liner Floor Inlet Thread
17048



BARI Floor Inlet Concrete
17082-83



BARI Floor Inlet Concrete
17084-85



GENOVA Floor Inlet Concrete
17080-81



GENOVA Floor Inlet Concrete
17095-96

PRICE LIST

Code	Product	Price
Floor Inlet		
17033 B	Floor Inlet (adjustable plate) - Concrete 2" 145mm Dia 8 m/ch	£203.00
17034 B	Floor Inlet (adjustable plate) - Liner 2" 145mm Dia 8 m/ch	£266.00
17050 B	Floor Inlet - Adjustable Butterfly (fixed for 50/63 pipe) Concrete 120mm Dia 3-4 m/ch	£160.00
17051 B	Floor Inlet - Adjustable Butterfly (fixed for 75/90 pipe) Concrete 145mm Dia 4-6 m/ch	£180.00
17052 B	Floor Inlet - (fixed for 50/63 pipe) Concrete 115mm Dia 4 m/ch	£123.00
17053 B	Floor Inlet Kaiser Type - (fixed for 50/63 pipe) Concrete 135mm Dia 6 m/ch	£144.00
17054 B	Floor Inlet Kaiser Type - (fixed for 50/63 pipe) Concrete 102mm Dia 6 m/ch	£164.00
17055 B	Floor Inlet Kaiser Type - (fixed for 50/63 pipe) Concrete 130mm Dia 10 m/ch	£191.00
17048 B	Floor Inlet - Adjustable Butterfly Liner 2" Thread 120mm Dia 16 m/ch	£140.00
17082 B	BARI Floor Inlet - (for 50/63 pipe) Concrete 95mm Dia 4 m/ch	£192.00
17083 B	BARI Floor Inlet - (for 75/90 pipe) Concrete 105mm Dia 6 m/ch	£215.00
17084 B	BARI Floor Inlet - (for 50/63 pipe) Concrete 90mm Dia 4 m/ch	£192.00
17085 B	BARI Floor Inlet - (for 75/90 pipe) Concrete 95mm Dia 6 m/ch	£192.00
17080 B	GENOVA Floor Inlet - (for 50/63 pipe) Concrete 95mm Dia 4 m/ch	£192.00
17081 B	GENOVA Floor Inlet - (for 75/90 pipe) Concrete 105mm Dia 6 m/ch	£215.00
17095 B	GENOVA Floor Inlet - (for 50/63 pipe) Concrete 90mm Dia 4 m/ch	£192.00
17096 B	GENOVA Floor Inlet - (for 75/90 pipe) Concrete 95mm Dia 6 m/ch	£192.00

MARISCINE PRODUCTS

Shell Fitting - Wall Suction



Concrete Vac Fitting 2"
17028



Square Vac Fitting 2"
17015



Liner Vac Fitting 2"
17029



Concrete Fountain Suction
17129-17131



Liner Fountain Suction
17133-17136



Spa/Pool Wall Suction
17600

Shell Fitting - Wall Drains & Covers



120 - 180mm Dia. Butterfly Grid
17086-17089



260 - 430mm Dia. Plate Grid
17200-17203



Wall Drain Concrete
17436-17438



Wall Drain Liner
17422-17444



Wall Safety Cover Grilles
17424-17426



Safety Cover Grilles
Concrete 17700-17800

PRICE LIST

Code	Product	Price
------	---------	-------

Wall Suction


17028 B	Vac Point - Concrete 2" (with 1.5" Thr. for hose tail).	£149.00
17015 B	Vac Point - Square Concrete 2" (with 1.5" Thr. for hose tail).	£187.00
17029 B	Vac Point - Liner 2" (with 1.5" Thr. for hose tail).	£213.00
17129 B	Fountain 2" Low Suction Concrete Male Thread 6 m/ch	£154.00
17130 B	Fountain 3" Low Suction Concrete Male Thread 13.5 m/ch	£201.00
17131 B	Fountain 4" Low Suction Concrete Male Thread 21 m/ch	£248.00
17133 B	Fountain 2" Low Suction Liner Male Thread 6 m/ch	£256.00
17135 B	Fountain 3" Low Suction Liner Male Thread 13.5 m/ch	£307.00
17136 B	Fountain 4" Low Suction Liner Male Thread 21 m/ch	£373.00
17600 B	Spa/Pool 2.5" Suction for Concrete/GRP inc 2" adaptor - 15m/ch (Non-Marpiscine Product)	£351.00

Wall Drains & Covers

17086 B	Butterfly Wall Mounted Safety Grid - Concrete 120mm Dia - 25 m/ch	£203.00
17087 B	Butterfly Wall Mounted Safety Grid - Concrete 145mm Dia - 40 m/ch	£262.00
17089 B	Butterfly Wall Mounted Safety Grid - Concrete 180mm Dia - 50 m/ch	£315.00
17200 B	Circular Plate Wall Mounted Safety Grid - Concrete 260mm Dia OD Internal Hole	£287.00
17201 B	Circular Plate Wall Mounted Safety Grid - Concrete 315mm Dia OD Internal Hole	£358.00
17202 B	Circular Plate Wall Mounted Safety Grid - Concrete 380mm Dia OD Internal Hole	£460.00
17203 B	Circular Plate Wall Mounted Safety Grid - Concrete 430mm Dia OD Internal Hole	£542.00
17436 B	Wall Mounted Suction Drain 300 x 300 x 100mm 3" Pipe 25 m/ch - CONCRETE	£1,474.00
17437 B	Wall Mounted Suction Drain 350 x 350 x 100mm 4" Pipe 40 m/ch - CONCRETE	£1,580.00
17438 B	Wall Mounted Suction Drain 450 x 450 x 100mm 5" Pipe 80 m/ch - CONCRETE	£1,896.00
17442 B	Wall Mounted Suction Drain 300 x 300 x 100mm 3" Pipe 25 m/ch - LINER	£1,896.00
17443 B	Wall Mounted Suction Drain 350 x 350 x 100mm 4" Pipe 40 m/ch - LINER	£2,106.00
17444 B	Wall Mounted Suction Drain 450 x 450 x 100mm 5" Pipe 80 m/ch - LINER	£2,317.00
17424 B	Wall Mounted Safety Cover Grille 300 x 300 x 23mm 25 m/ch - CONCRETE	£440.00
17425 B	Wall Mounted Safety Cover Grille 350 x 350 x 23mm 40 m/ch - CONCRETE	£521.00
17426 B	Wall Mounted Safety Cover Grille 450 x 450 x 23mm 80 m/ch - CONCRETE	£557.00
17700 B	Wall Mounted Safety Cover Grille 871 x 478 190 m/ch - CONCRETE	£1,032.00
17800 B	Wall Mounted Safety Cover Grille 1096 x 478 250 m/ch - CONCRETE	£1,200.00

MARPISCINE PRODUCTS

Shell Fittings - Floor Drains



Square Main Drain
Concrete 20101-20114
Liner 20102-20115



Round Main Drain
Concrete 20099-20120
Liner 20100-20121



Deck Overflow Drain
Concrete 17092
Liner 17094



Pipe Drain
17090-17091



IMPORTANT NOTE

Larger sizes available for all drains and cover grilles – please contact sales office

PRICE LIST

Code	Product		Price
Square Main Drain			
20101 B	Concrete Square Main Drain 200mm x 200mm cw grille cover - 2" F connection	21.7 m/ch	£325.00
20103 B	Concrete Square Main Drain 250mm x 250mm cw grille cover - 3" F connection	37.2 m/ch	£393.00
20105 B	Concrete Square Main Drain 300mm x 300mm cw grille cover - 4" F connection	59.5 m/ch	£527.00
20099 B	Concrete Round Main Drain 170mm dia. 2" F connection	18 m/ch	£244.00
20120 B	Concrete Round Main Drain 220mm dia. 2.5" F connection	25 m/ch	£328.00
20102 B	Liner Square Main Drain 200mm x 200mm cw grille cover - 2" F connection	21.7 m/ch	£426.00
20104 B	Liner Square Main Drain 250mm x 250mm cw grille cover - 3" F connection	37.2 m/ch	£509.00
20106 B	Liner Square Main Drain 300mm x 300mm cw grille cover - 4" F connection	59.5 m/ch	£660.00
20100 B	Liner Round Main Drain 170mm dia. 2" F connection	18 m/ch	£310.00
20121 B	Liner Round Main Drain 220mm dia. 2.5" F connection	25 m/ch	£426.00
Overflow Drain			
17092 B	Concrete Deck Overflow Drain 151 x 81 x 84mm		£151.00
17094 B	Liner Deck Overflow Drain 151 x 81 x 84mm		£204.00
Pipe Drain			
17090 B	Pipe Drain 108mm dia. Suitable for 63/75mm pipe		£95.00
17091 B	Pipe Drain 130mm dia. Suitable for 90/110mm pipe		£119.00

CONTROL BUTTONS

Surface Mount Buttons

These stylish pneumatic switches are ideal for controlling a number of applications such as swim jets, fountains and jacuzzi etc.



Pneumatic Button (1)
17296



Pneumatic Button (2)
17297



Pneumatic Button (3)
17298



LED Electric Button (1)
17314



LED Electric Button (2)
17315



LED Electric Button (3)
17316

PRICE LIST

Code	Product	Price
Pneumatic Buttons		
17296 B	SS Pneumatic Button x 1 Concrete	£174.00
17297 B	SS Pneumatic Button x 2 Concrete	£246.00
17298 B	SS Pneumatic Button x 3 Concrete	£317.00
LED Electronic Button		
17314 B	SS Electronic Square LED Button X 1 (with timer) - Concrete 12 AC/DC	£276.00
17315 B	SS Electronic Square LED Button X 2 (with timer) - Concrete 12 AC/DC	£440.00
17316 B	SS Electronic Square LED Button X 3 (with timer) - Concrete 12 AC/DC	£665.00


IMPORTANT NOTE

Electrical control panel available see product 29603 (1phase) & 29604 (3phase).

CONTROL BUTTONS

Underwater Buttons

These push buttons are ideal for controlling a number of applications from within the pool.



LED Electric Button
Concrete 17317 Liner 17318



17300 Chrome on plastic pneumatic
push button



Stainless Steel Pneumatic Push Button
17319

IMPORTANT NOTE

- 12V Underwater control system with or without LED lit buttons.
- Available in smooth finish only.
- Electrical control unit 29605 (1phase) or 29606 (3phase) required per button/pump unit max 3hp.
- Marpiscine electric box (sold separately) for all push button controls available in single or three phase.



Piezo Button Only
17309

PRICE LIST

Code	Product	Price
Electronic Button		
17317 B	SS Electronic Round LED Button (with timer) - Concrete 12 AC/DC	£542.00
17318 B	SS Electronic Round LED Button (with timer) - LINER 12 AC/DC	£583.00
Electric Control Unit		
29603 B	Electric Control Unit for Pneumatic Buttons- Single Phase	£368.00
29604 B	Electric Control Unit for Pneumatic Buttons- Three Phase	£338.00
29605 B	Electric Control Unit for Piezo LED Buttons- Single Phase	£368.00
29606 B	Electric Control Unit for Piezo LED Buttons- Three Phase	£338.00
Miscellaneous		
17309 B	Piezo Button (LED) with 5m Cable	£174.00
17300 B	Chrome on plastic ABS Pneumatic Button	£70.00
17319 B	Stainless Steel Pneumatic Push Button (Thr. Dia 41mm)	£307.00



29603-29606 Marpiscine electric box
(sold separately) One box required per pump
(max 3hp)



HYDRO-AIR

Seat Plates



75140-75142
Fixed Plate





75180-75182
Removable Plate

PRICE LIST

Code	Product		Price
150mm Concrete			
75140 B	Hydro-massage Rectangle Floor/Seat Plate 500mm x 150mm Concrete	50 M/ch	£818.00
75141 B	Hydro-massage Rectangle Floor/Seat Plate 750mm x 150mm Concrete	70 M/ch	£972.00
75142 B	Hydro-massage Rectangle Floor/Seat Plate 1500mm x 150mm Concrete	100 M/ch	£1,309.00
220mm Concrete			
75180 B	Hydro-massage Rectangle Floor/Seat Plate 500mm x 220mm Concrete	60 M/ch	£920.00
75181 B	Hydro-massage Rectangle Floor/Seat Plate 750mm x 220mm Concrete	80 M/ch	£1,074.00
75182 B	Hydro-massage Rectangle Floor/Seat Plate 1500mm x 220mm Concrete	100 M/ch	£1,513.00
220mm Liner			
75143 B	Hydro-massage Rectangle Floor/Seat Plate 540mm x 220mm Liner	60 M/ch	£1,051.00
75144 B	Hydro-massage Rectangle Floor/Seat Plate 750mm x 210mm Liner	80 M/ch	£1,262.00
75145 B	Hydro-massage Rectangle Floor/Seat Plate 1500mm x 210mm Liner	100 M/ch	£2,001.00

HYDRO-AIR

Floor Plates



Hydro Square Plates
Concrete & Liner



Hydro Round Plates
Concrete & Liner

PRICE LIST

Code	Product		Price
Square Floor Plate - Concrete			
75125 B	Hydro-massage Square Floor Plate 330mm x 330mm Concrete	70 M/ch	£1,534.00
75127 B	Hydro-massage Square Floor Plate 500mm x 500mm Concrete	95 M/ch	£1,943.00
75129 B	Hydro-massage Square Floor Plate 750mm x 750mm Concrete	130 M/ch	£3,476.00
Square Floor Plate - Liner			
75126 B	Hydro-massage Square Floor Plate 330mm x 330mm Liner	70 M/ch	£1,840.00
75128 B	Hydro-massage Square Floor Plate 500mm x 500mm Liner	95 M/ch	£2,413.00
75130 B	Hydro-massage Square Floor Plate 750mm x 750mm Liner	130 M/ch	£4,089.00
Circular Floor Plate - Concrete			
75115 B	Hydro-massage Circular Floor Plate 320mm dia Concrete	70 M/ch	£1,636.00
75116 B	Hydro-massage Circular Floor Plate 500mm dia Concrete	95 M/ch	£1,943.00
Circular Floor Plate - Liner			
75117 B	Hydro-massage Circular Floor Plate 320mm dia Liner	70 M/ch	£2,045.00

HYDRO-AIR


Lounger Plates



75110 Single Air Bed



75111 Double Air Bed



75112 - Liner Single Air Bed



75132 Wide Massage Bed

PRICE LIST

Code	Product	Price
75110 B	Single Air Bed 150mm wide Concrete	£1,636.00
75111 B	Double Air Bed 270mm wide Concrete	£2,556.00
75112 B	Single Air Bed 210mm wide Liner	£3,987.00
75132 B	Wide Massage Bed 400mm Concrete	£3,369.00

OTHER

Other grille sizes available – please contact sales office




HYDRO-AIR Tubular Loungers

IMPORTANT NOTE

Air Plate Required



Tubular Lounger Small
75201



Tubular Lounger Medium
75202


PRICE LIST

Code	Product	Price
75201 B	Tubular Lounger Day Bed – Small 600 x 1800mm – Air Plate Reqd.	£8,268.00
75202 B	Tubular Lounger Day Bed – Medium 1200 x 1800mm – Air Plate Reqd.	£10,358.00
75203 B	Tubular Lounger Day Bed – Large 2000 x 1800mm – Air Plate Reqd.	£18,172.00


HYDRO-AIR

Body Station

75210 Hydro Station Combination



75213 Hydro Station With Seat Combination





75200



75115

PRICE LIST

Code	Product	Price
75200 B	Hydro Body Station 800 x 660mm 70 m/ch Concrete	£4,600.00
75210 B	Hydro Body Station 800 x 660mm with 330mm dia. Floor Plate 140 m/ch Concrete	£6,031.00
75213 B	Hydro Body Station with SEAT 800 x 660mm with 330mm dia. Floor Plate 140 m/ch	£8,586.00
Air Blower Not Included		

POOL SURROUND

Water Fountains



71103 - 71105 Nozzle Fountain



71079 - 71082 Fan Fountain



71801 - 71804 Spherical Fountain




71231 - 71232 Heron Fountain

IMPORTANT NOTE

- Drawings available, please contact head office.
- Base plate sold separately.
- All Spherical Fountains include Base Plate

PRICE LIST

Code	Product	Price
Nozzle Fountain		
71103 B	Nozzle Fountain - Nozzle dia 27mm x 60mm pipe dia 15 m/ch	£867.00
71104 B	Nozzle Fountain - Nozzle dia 033/42mm x 89mm pipe dia 32 m/ch	£1,055.00
71105 B	Nozzle Fountain - Nozzle dia 042/48mm x 114mm pipe dia 38 m/ch	£1,284.00
71103a B	Base Plate	£154.00
71104a B	Base Plate	£154.00
71105a B	Base Plate	£205.00
Fan Fountain		
71079 B	Fan Fountain - 200mm jet width x 60mm pipe dia. 20 m/ch	£1,454.00
71080 B	Fan Fountain - 300mm jet width x 76mm pipe dia. 25 m/ch	£1,607.00
71081 B	Fan Fountain - 400mm jet width x 89mm pipe dia. 38 m/ch	£1,961.00
71082 B	Fan Fountain - 500mm jet width x 114mm pipe dia. 50 m/ch	£2,229.00
71079a B	Base Plate	£154.00
71080a B	Base Plate	£205.00
71081a B	Base Plate	£256.00
71082a B	Base Plate	£307.00
Spherical		
71801 B	Spherical Fountain - 500mm high - 170mm nozzle 18 m/ch	£1,313.00
71802 B	Spherical Fountain - 700mm high - 250mm nozzle 25 m/ch	£1,840.00
71803 B	Spherical Fountain - 500mm high - 120mm nozzle 8 m/ch	£1,186.00
71804 B	Spherical Fountain - 500mm high - 170mm nozzle 10 m/ch	£1,278.00
Heron Fountain		
71231 B	Heron Fountain with Nozzle 27-33mm Medium 15 m/ch	£1,630.00
71232 B	Heron Fountain with Nozzle 33-48mm Maximum 25 m/ch	£1,707.00
71231a B	Base Plate	£205.00
71232a B	Base Plate	£307.00



POOL SURROUND


Water Fountains



71118 - 71120 Halfmoon Fountain



71300 - 71800 Cobra Fountain




71117 Barbados Fountain



72700 Barbados Neck Jets



71050 Umbrella Fountain



71211 - 71213 Mushroom Fountain

PRICE LIST

Code	Product	Price
Halfmoon Fountain		
71118 B	Halfmoon Fountain - 325mm jet width, 75mm pipe, 32 m/ch	£2,296.00
71119 B	Halfmoon Fountain - 500mm jet width 90mm pipe, 46 m/ch	£3,126.00
71120 B	Halfmoon Fountain - 625mm jet width 90mm pipe, 57 m/ch	£3,553.00
71118a B	Base Plate 325mm	£205.00
71119a B	Base Plate 500mm	£307.00
71120a B	Base Plate 625mm	£409.00

Cobra Fountain

71300 B	300mm jet width	£2,176.00
71500 B	500mm jet width	£2,914.00
71650 B	650mm jet width	£3,578.00
71800 B	800mm jet width	£4,208.00
71300a B	Base Plate 300mm	£307.00
71500a B	Base Plate 500mm	£307.00
71650a B	Base Plate 650mm	£409.00
71800a B	Base Plate 800mm	£460.00

Barbados Fountain

71117 B	300mm jet width Height 500mm, 2" pipe, 15 m/ch	£1,738.00
71117a B	Base Plate 300mm	£307.00

Barbados Neck Jet

72700 B	Barbados Neck Jet 820 x 820 x 360mm 2" pipe. 20 m/ch	£1,840.00
---------	--	-----------

Mushroom Fountain

71211 B	Mushroom Fountain - 800mm x 114mm pipe dia. 46 m/ch	£3,317.00
71212 B	Mushroom Fountain - 1000mm x 140mm pipe dia. 46 m/ch	£4,273.00
71213 B	Mushroom Fountain - 1200mm x 168mm pipe dia. 60 m/ch	£4,700.00
71020 B	Base Plate 800mm	£585.00
71021 B	Base Plate 1000mm	£585.00
71030 B	Base Plate 1200mm	£653.00


Umbrella Fountain

71050 B	Water Umbrella Fountain - 170mm dia. with plate. 60 m/ch 3" pipe	£2,965.00
71051 B	Water Umbrella Fountain - 220mm dia. with plate. 100 m/ch 4" pipe	£3,680.00

Watch our
video

IMPORTANT NOTE

- Drawings Available
- Base plate sold separately.



POOL SURROUND

Wall Fountains



72600 - 72601 Ugello Wall Fountain





72650 - 72653 Fountain Fan

IMPORTANT NOTE


Straight wall fountains available with vertical or horizontal pipe entry.



73121 - 73125 Fountain Curve



Cod.	A	B	C	ØD	E	Portata/Flow rate
	mm	mm	mm	Pollici / Inch	mm	mc/h
73121	300	155	213	1" 1/2 - F	85	15
73122	500	155	213	2" - F	85	20





Cod.	Tipo Type	L	P	PM	B	ØA	Portata Flow Rate
		mm	mm	mm	mm	mm	
73105	VA 33	330	430	280	8	1" 1/2 F	10 mc/h
73106	VA 50	500	470	320	8	2" F	15 mc/h
73107	VA 75	750	470	320	8	2" F	22 mc/h
73108	VA 100	1000	470	320	8	2" 1/2 F	30 mc/h

731105 - 731108 Fall Fountain Straight

POOL SURROUND

Wall Fountains


 Watch our
video



Cod.	Tipo Type	L	P	PM	B	ØA	Portata Flow Rate
Verticale stretta Vertical tight	73109	VB 20	200	200	100	8	1" 1/2 F 8 mc/h
	73110	VB 30	300	250	150	8	1" 1/2 F 10 mc/h
	73111	VB 40	400	350	250	8	1" 1/2 F 12 mc/h
	73112	VB 50	500	400	300	8	2" F 15 mc/h

73109 - 73112 Fall Fountain Straight 90deg. Rtn



PRICE LIST

Code	Product	Price
Ugello Wall Fountain		
72600 B	Ugello Wall Fountain - Nozzle 27mm x 60mm pipe dia 10/12 m/ch	£583.00
72601 B	Ugello Wall Fountain - Nozzle 27mm x 89mm pipe dia 15/18 m/ch	£696.00
Fan Wall Fountain		
72650 B	Fan Wall Fountain - 120mm jet width 8/10 m/ch	£757.00
72651 B	Fan Wall Fountain - 170mm jet width 10/15 m/ch	£880.00
72652 B	Fan Wall Fountain - 250mm jet width 20/25 m/ch	£1,207.00
72653 B	Fan Wall Fountain - 400mm jet width 25/30 m/ch	£1,431.00
Fall Wall Fountain Curve		
73121 B	Fall Wall Fountain Curve - 300mm jet width 15 m/ch	£900.00
73122 B	Fall Wall Fountain Curve - 500mm jet width 20 m/ch	£1,021.00
73123 B	Fall Wall Fountain Curve - 750mm jet width 30 m/ch	£2,351.00
73124 B	Fall Wall Fountain Curve - 1000mm jet width 40 m/ch	£2,719.00
73125 B	Fall Wall Fountain Curve - 1250mm jet width 50 m/ch	£3,046.00
Fall Wall Fountain Straight		
73105 B	Fall Wall Fountain Straight - 330mm jet width 10 m/ch	£793.00
73106 B	Fall Wall Fountain Straight - 500mm jet width 15 m/ch	£984.00
73107 B	Fall Wall Fountain Straight - 750mm jet width 22 m/ch	£1,483.00
73108 B	Fall Wall Fountain Straight - 1000mm jet width 30 m/ch	£1,943.00
Fall Wall Fountain Straight 90 Degree Return		
73109 B	Fall Wall Fountain Straight 90 deg RTN - 200mm jet width 8 m/ch	£691.00
73110 B	Fall Wall Fountain Straight 90 deg RTN - 300mm jet width 10 m/ch	£763.00
73111 B	Fall Wall Fountain Straight 90 deg RTN - 400mm jet width 12 m/ch	£839.00
73112 B	Fall Wall Fountain Straight 90 deg RTN - 500mm jet width 15 m/ch	£984.00



73105 - 73108 Fountain Straight

WELLNESS

SPA Fittings



Spa Wall Inlet
17001



Concrete Air Inlet
17035



Concrete 2" Air Inlet
(22 holes) 17070



Concrete 0.75" Air Inlet
(7 holes) 17077

PRICE LIST

Code	Product	Price
Spa Inlet		
17001 B	Spa Inlet -hydro orientable jet - Concrete 1.5" - other sizes available	£230.00
Air Inlets		
17035 B	Air Inlet 125mm dia 30m/ch - other sizes and Liner version available	£179.00
17070 B	Air 22 Hole Inlet - Concrete 2" - other sizes available	£154.00
17077 B	Air 7 Hole Inlet - Concrete 3/4" - other sizes available	£51.00



MECHANICAL

Air Blowers



Marpiscine - Air Blower



Waterco Air Blower

PRICE LIST

Code	Product	Price
282410-X	900W Airflow Blower 26.6 m/ch Air Blower c/w air switch & thermal cutout - 2" suction (non-Marpiscine product)	£438.00
85101 B	1.1kW (220) - 70 m/ch Air Blower for grille 0320	£1,072.00
85102 B	1.1kW (230/400) - 70 m/ch Air Blower for grille 0320	£967.00
85103 B	1.5kW (220) - 95 m/ch Air Blower for grille 500 & hydro air single bed	£1,301.00
85104 B	1.5kW (230/400) - 95 m/ch Air Blower for grille 500 & hydro air single bed	£1,139.00
85105 B	2.2kW (220) - 130 m/ch Air Blower for grille 625/750 & hydro air double bed	£2,014.00
85106 B	2.2kW (230/400) - 130 m/ch Air Blower for grille 625/750 & hydro air double bed	£1,842.00
85107 B	3kW (230/400) - 190 m/ch Air Blower	£2,014.00
85108 B	4kW (230/400) - 220 m/ch Air Blower	£2,293.00
85109 B	5kW (400) - 500 m/ch Air Blower	£3,561.00
85110 B	7.5kW (400) - 600 m/ch Air Blower	£3,944.00

IMPORTANT NOTE

Air flow rates based in 1200mm water depth. Air loop must be installed.



Counter Current Swim Units

SECTION INDEX

Twin Super Swim Jet	125
Ultraflow	126

LUXE POOLS

Twin Super Swim Jet

Luxe Pools Swim Jets can be supplied as complete kits with GRP housing or bought as individual jets only.

Double nozzle 316L stainless steel jet includes an in-built pneumatic on/off button, suction grille and handle bar. Suitable for GRP or Concrete pools.



TWIN SUPER JET

TWIN SUPER JET (Rectangle)
Includes 2 X 2.2kW (1phase) Pumps
45 cbm/hr each, Pneumatic Switch
Box, Piezo Buttons, 5" Wall Suctions
(2) & Plumbing Valves.



Standard Kit



GRP Box (optional)

PRICE LIST

Code	Product	Price
Swim Jet Kit		
LUX8207 N	TWIN SUPER JET (Rectangle) Includes 2 X 2.2kW (1phase) Pumps 45 cbm/hr each, Pneumatic Switch Box, Piezo Buttons, 5" Wall Suctions (2) & Plumbing Valves.	£4,550.00
LUX8210 N	RECTANGLE Luxe Double Nozzle Stainless Steel Swim Jet - Body Only	£2,370.00
Miscellaneous		
LUX8217 N	Luxe GRP Box Housing 1300 x 900 x 800mm	£825.00
	Pallet Delivery	£90.00

LUXE POOLS

Ultraflow FLUSH Mounted Propulsion System



A self-contained propulsion swim unit that can be installed in Concrete or Liner pool construction.

Luxe have incorporated 'Ultraflow' technology to produce a 24V controlled, realistic river smooth like current, with variable speed delivering up to 400 cubic metres of water per hour (normal 3hp swim jets produce 45cbm/phr).

A robust GRP housing is supplied with universal fittings and an attractive stainless steel grille enabling a flush fitting installation within the pool wall.


Sleek, flush design



Specification:

- 160nM 24V Motor
- 1.5kW Motor
- 2.85 HP
- 16 AMP (Type B) breaker
- Gross weight inc. pallet 150kg
- GRP Housing weight 125kg
- Fixing – within pool shell

Ultraflow Counter Current Unit



Information:

- Concrete & Liner Pools Flush Fitting
- Variable Speed
- Remote Control
- 316L Stainless Steel Front Grille
- Up to 1.8m per second swim speed

INFORMATION

- Concrete & Liner Pools Flush Fitting
- Variable Speed
- Remote Control
- 316L Stainless Steel Front Grille
- 1.8m per second swim speed
- Try before you buy service available
- Recommended swim area required is 4 x 2m, tiled or vinyl swim lane

SPECIFICATION

- 160nM 24V Motor
- 1.5kW Motor
- 2.85 HP
- 16 AMP
- Gross weight inc. pallet 150kg
- GRP Housing weight 125kg
- Fixing - within pool shell

WARRANTY

- Electric Motor: 2 Years
- Electric Control Panel 2 Years
- 316L Stainless Grating :10 Years
- GRP Housing 10 Years
- Remote Control
- RF Control 1 Year

1200 x 650mm Flush Grille



LED Speed Display



Variable Speed Control



LUXE POOLS

Ultraflow FLUSH Mounted Propulsion System



PRICE LIST

Code	Product	Price
ULT2000-N	Ultraflow GRP Housing, 316L Stainless Steel Flush Fitting Front Grille, Face Plate & Gaskets. Suitable for Concrete or Liner Pools	£3,500.00
ULT2001-N	Ultraflow 24V Propulsion Motor & Stainless Support Fixing	£2,095.00
ULT2002-N	Ultraflow 24V Variable Speed Control Panel with Remtote Control	£3,165.00
Total Above		£8,760.00
Optional		
ULT2005-N	Ultraflow LED Speed Display c/w 12 data cable	£575.00
ULT2004-N	Replacement Variable Key Fob including processor (non-waterproof)	£85.00
ULT2006-N	Replacement RF Key Fob (old Type)	£135.00
ULT2007-N	Replacement Piezo Button	£174.00
ULT2003-N	Upgrade charge to convert Three-Speed Control Panel to Variable Speed with Remote Control	£1,000.00
	Pallet Truck Delivery	£90.00



Purpose built demonstration pool...

GET IN CONTACT TODAY

Contact your dealer today to arrange a trial swim in our showroom located in Hook, Hampshire (2 mins from Junction 5 on the M3) before you commit to buying.

t: 01256 748 380

e: sales@paramountpools.co.uk

w: paramountpools.co.uk



TRUSTONE | ULTRA-FLOW
**COUNTER CURRENT
POOL SYSTEM**

- Free-standing pool shell
- Delivered in one-piece
- Fully tiled
- Pre-plumbed
- PU Foam insulated



Cleaning

SECTION INDEX

Aqua Fingers	131
Aqua Cover Cleaner	132
Aqua Descaler	133
Aqua Floc	134

UNIQUE & PATENTED

Aqua Fingers

The unique Patented Aqua Fingers® micro-fibre pool brush is a revolutionary cleaning tool for swimming pool surfaces and automatic pool covers.

Designed to replace the conventional bristled pool brush it is far easier and quicker as more surface area is covered using a high-density microfibre chenille attachment.

Unlike rigid pool brooms, Aqua Fingers® pivots and tilts its curved underbelly, allowing better contact at different angles of operation. The head can be moulded into shape enabling you to quickly sweep and clean curved corners, ridges, crevices and steps on smooth pool surfaces thanks to a flexible design, that easily manoeuvres around tight spots and awkward areas.



Click to see
in action

PRICE LIST

Code	Product	Price
AQU5001 X	Aquafinger (WC 313300)	£41.18
AQU5002 X	Aquafinger Replacement Cover (WC 31331)	£27.66

CLEANING TREATMENTS


Aqua Cleaner

Powerful and premium cleaner that will remove dirt, grime, grease etc and is biodegradable.

- For use on all fabric type safety covers.
- Makes 25 Litres! Highly concentrated can be used at a ratio of 5:1 or neat for stubborn or inground dirt.
- Restores the appearance of fabric pool covers.
- Can be used for many other applications such as Garden Furniture, Patio Surrounds, Glass Fencing etc.
- Designed to be used with swimming pools with minimal impact on water chemistry.
- Sold by pallet



FOR USE ON ALL FABRIC TYPE SAFETY COVERS



PRICE LIST

Code	Product	Price
AQU5003 N	Aqua Cleaner 5 Litre	£48.50

CLEANING TREATMENTS

Aqua Descaler


A powerful & easy to use descaler which removes calcium deposits.

- For use on all slatted PVC and Polycarbonate type covers.
- Regular use prevents the build up of calcium / scale.
- Helps to remove dirt & grime.
- Designed to be used with swimming pools with minimal impact on water chemistry.
- Can be used on indoor and outdoor swimming pool covers.
- Sold by pallet



We recommend using Aqua Floc to improve water clarity after treatment PTO

FOR USE ON ALL PVC & POLYCARBONATE SLATTED COVERS



PRICE LIST

Code	Product	Price
AQU5004 N	Aqua Descaler 5 Litre	£55.00

CLEANING TREATMENTS

Aqua Floc

Ideal for clearing general cloudy water following Aqua descaler or Aqua cleaner treatment.

- Specifically designed to be used in low pH water conditions after descaling treatment on slatted covers.
- Ideal for clearing any type of cloudy pool.
- 100ml Treats 10,000 Litres
- Add directly to pool water
- Sold by pallet



PRICE LIST

Code	Product	Price
AQU5006 N	Aqua Floc 1 Litre (Liquid Cationic Floculant)	£27.25



Accessories

SECTION INDEX

Brush Heads	136
Vacuums	137
Nets & Rakes	137
Rollers & Thermometers	138

POOL MAINTENANCE

Brushes



SW8210-X



SW8220-X



SW8240-X



SW8275-X



SW8270-X

PRICE LIST

Code	Product	Price
SW8210-X	18" Plastic Pool Brush Curved	£11.80
SW8220-X	18" Deluxe Aluminium Backed Pool Brush	£22.10
SW8240-X	10" Algae Brush Stainless Steel Bristles	£23.95
SW8275-X	Multi Purpose Scrub Brush (colour varies)	£8.50
SW8270-X	Scrub Pad	£8.50

ACCESSORIES

Vacuums



SW8140-X



SW8127-X



SW8150-X



SW8039-X



SW8028-X




SW8040-X



SW80900-X



1.5" Shrink Wrapped Vacuum Hose



2962-M

PRICE LIST

Code	Product Name	Price
SW8140-X	Triangular Liner Vacuum Head with Swivel Adaptor	£23.75
SW8127-X	Liner Clear Super Aero Weighted Vacuum Head	£29.25
SW8150-X	14" Wheeled Concrete Vacuum Head (with Side Brushes)	£31.30
SW8028-X	Aluminium Frame Leaf Net	£17.80
SW80900-X	Heavy Duty Aluminium Leaf Net	£28.10
SW8040-X	Professional Deep Bag Leaf Rake	£28.10
SW6330-X	30' Vacuum Hose with Swivel Cuff 1.5"	£89.65
2962-M	Hose Joiner for 1.25" & 1.5" flexible hoses	£6.80



C058130-X



SW9205-X



SW9240-X



SW9245-X



SW53000-X

Below Ground Roller Handle Set

Includes All Straps & Hardware to attach to solar blanket. Tube sold separately (SW54000)



SW54000-X

Roller Tube Only

For 5200 & 5300 Rollers

PRICE LIST

Code	Product Name	Price
C058130-X	Accessory & Hose Caddy	£10.00
SW9205-X	Chrome on Cast Aluminium Thermometer	£16.60
SW9240-X	Large Print 10" x 3" Thermometer	£6.30
SW9299-X	10" Jumbo Scoop Thermometer	£5.20
SW9245-X	Floating Thermometer	£8.65
SW53000-X	Inground Roller Handle Set cw Strap Pack	£143.75
SW54000-X	3" Roller Tube (21ft) for Roller Handles	£215.00
SW54010-X	Replacement Wheel for 52000/53000	£29.90
SW54020-X	Roller Hub for 52000/53000	£17.25
SW54030-X	Support Bracket (Yolk) for 52000/53000	£17.25

Covers

SECTION INDEX

Thermo-Blanket	140
Monaco Premier Roller	142
Monaco Commercial Roller	143
AquaCover Slatted Covers	145
Aquamatic Safety Covers	156
Aquamatic Insulated Safety Covers	164
Aquamatic Above Ground Roller	162
Aquamatic Spares	166
Aquamatic Replacement Rope Kits	169



Withstands temperatures from -30 / +70°C

POOL & SPA COVER ONLY

Thermo Pool Blanket

The Thermo-blanket pool & spa cover incorporates a 6mm closed cell cross-linked polyethylene foam sheet for ensuring high insulation properties making it ideal for domestic pools, swim spas or hydrotherapy pools.

Thermo-blanket can withstand temperatures from -30 / +70°C. and is suitable for use on outdoor/indoor pools. Research has shown that an uncovered pool can lose as much as 5°C heat in a five hour period, installing a Thermo-blanket can reduce heat loss in the same period to as little as 0.65°C. It is widely accepted that a Heat Retention Cover is the single most effective means of reducing swimming pool energy consumption. They can also reduce your Water Treatment costs by reducing chemical evaporation and reduce humidity and condensation in an indoor environment. Unlike, foam type heat retention covers, the Thermo-blanket does not absorb water.

SPECIFICATION

- Welded in one metre increments
- Weight 1.33kg per SQM
- Available in eight different colours (colour swatch available on request)
- Available in sections for free-form pools
- Suitable for domestic and commercial applications
- Will not absorb water!

IMPORTANT NOTE:

The cover can be supplied in one-piece for roller mechanisms or in hemmed sections for free-form shaped pools.

All covers are welded in increments between 500-1000mm

PRICE LIST

Code	Product	Price
18000-N	Thermo-blanket price per SQM	£69.50
18001-N	Shaped Covers price per SQM	£89.25
18002-N	Weld-on Strap handles each	£4.00
18010-N	Leading Edge Tow Bar	POA

HSTT REPORT

Tog Value

Employing the services of an independent test laboratory, the results as featured below indicate the different tog values.

The tog is a measure of thermal resistance of a unit area, also known as thermal insulance. It is commonly used in the textile industry and often seen quoted on, for example, duvets and carpet underlay.


Thermal insulation (BS 4745:2005 Single plate method) - Samples were tested by an independent laboratory company HSTT Services after conditioning in the standard atmosphere of $(20 \pm 2) ^\circ\text{C}$ and $(65 \pm 5) \%$ relative humidity for at least 24 hours. Each test specimen was tested three times, being allowed to re-condition between measurements.

400 Micron Solar Cover Single Layer	Foam Insulation Encapsulated PVC
0.29	2.53
0.25	2.28
0.28	2.28
Mean: 0.27	Mean: 2.37

The uncertainty of measurement of the test is estimated to be approximately ± 0.3 tog. For comparison a typical jumper has a tog value of .30, a duvet 4-15 tog. A tog is $0.1 \text{ m}^2\text{K/W}$. In other words, the thermal resistance in togs is equal to ten times the temperature difference (in $^\circ\text{C}$) between the two surfaces of a material, when the flow of heat is equal to one watt per square metre.



AVAILABLE IN 8 COLOURS:



See Page 142 for Roller Systems

INTOPOOL HEAVY DUTY ROLLERS

Monaco Premier Roller

The following features are standard on all our domestic reels:

- 4" anodised aluminium, telescopic tube with castellations for optimum strength.
- Stands made from 1¾" stainless steel for extra stability. Unique yoke support has coaster bearings to make winding on covers even easier.

Included:

- Adjustable feet for installing on uneven floors. One steering wheel knob-handle for additional ease of cover removal.
- 5-spoke, stainless steel steering wheel with soft grip.
- Factory fitted SmartGear

Weights:

- Small Reel 29kg for pool size up to 4.50m wide and no more than 9m long using Thermo-blanket.
- Large Reel 30kg for pool size up to 6.40m wide and no more than 11m long using Thermo-blanket.



INTOPOOL HEAVY DUTY ROLLERS

Monaco Premier Ultimate Roller

For large domestic pools and for pools that have foam heat retention covers where extra strength is required.

- Instead of a 4" diameter telescopic tube it has a 7" diameter telescopic tube.
- It comes with a factory fitted SmartGear as standard
- For pool size up to 23' wide (7.00m) and no more than 16.75m using Thermo-blanket

Stand Options

- All our reels come with the following stand options at no extra cost.
- Regular stand
- Floor mount
- Wall mount
- For Mobile reels (extra cost for castor pack)
- Our castors are 3" swivel braked castors, made from polypropylene so won't rust. Pack of 6, including inserts.
- Weight of castor pack:
- On reel +1kg
- Retro fit P&P weight 2kg



INTOPOOL HEAVY DUTY ROLLERS

Monaco Commercial Roller

Monaco Commercial Reels retain the same high quality features and style of our Monaco range.

It is the only commercial reel on the UK market that comes with a 7" diameter telescopic tube as standard.

- Reel Features & Sizes: commercial
- 7" anodised aluminium, telescopic tube with castellations for extra strength
- Fixed or mobile stand made from 2" stainless steel
- 5" heavy duty, swivel braked castors, made from polypropylene so won't rust
- Crank handle with stainless fittings



Optional Extra

Our Commercial SmartGear, 3 to 1 reduction gearbox. As a health and safety feature, if a SmartGear is installed the crank handle can be disengaged so that when the cover is being pulled on to the pool the handle won't rotate; it simply hangs down freely.

Stand Options:

- Floor mount
- Wall mount
- Highly polished stainless steel stanchions to bespoke height

IMPORTANT NOTE:

All commercial electric reel systems are manufactured using a stainless steel bearing in the drive system for smooth and quiet running

PRICE LIST

Code	Product Name	Price
Monaco Premier Roller c/w Fitted Smartgear		
18003-N	Monaco Premier Roller (MON/D/PRE/15) for pools up to 4.50m wide using Thermo-Blanket. Max length 9m	£1,567.00
18004-N	Monaco Premier Roller (MON/D/PRE/21) for pools up to 6.40m wide using Thermo-Blanket. Max length 11m	£1,658.00
Monaco Premier Ultimate Roller		
18005-N	Monaco Ultimate (MON/D/PRE/ULT) for pools up to 7m wide using Thermo-blanket. Max length 16.75m	£2,232.00
Monaco Commercial Roller		
18006-N	Monaco Commercial Roller for use with Thermo-blanket	POA
18007-N	Monaco Electric Reel System	POA
Castor Set		
18008-N	Domestic Castor Set for Reel System	£155.00
18009-N	Commercial Castor Set for Reel System	£244.00



The logo features the letters 'T&A' in a bold, grey, sans-serif font, with a blue horizontal bar underneath. Below this, the words 'AquaCover' are written in a black, serif font, with a red swoosh underline under 'Aqua'. A registered trademark symbol (®) is at the end.

T&A
AquaCover®

A photograph of a wooden pool deck with several lounge chairs. A blue slatted pool cover is visible on the left side of the pool. The background shows a lake and distant hills under a clear blue sky.

Slatted cover systems

AQUACOVER

Slatted Covers

Since 1995 T&A has been producing high end quality pool covers and has grown to be one of the leading manufacturers in Europe. Thanks to our constant investing in innovation and product development, we succeed in maintaining our market leader position. We manufacture swimming pool covers that meet and exceed your demands and all this with an unprecedented level of service and quality.

**RELIABILITY**

Through years of experience, we have gained a tremendous expertise that we can draw from as far as looking for solutions to new challenges is concerned. This makes us unique in the market. On top of this, we have 15.000 m2 of production and warehousing space with sufficient stock to keep our lead times short and reliable.

**QUALITY**

To ensure T&A quality, we test our raw materials and sub-assemblies before production and all finished goods will have passed by the experienced eye of our quality controllers before being installed with the customer.

**WARRANTY**

We grant a 3 year warranty on the finished product. A network of skilled professionals will take care of the planning, installation and maintenance of the cover. This will guarantee you a carefree enjoyment of your pool cover.



TECHNICAL

We offer a wide range of motors, from external electric over tubular motors to hydraulic drives for bigger pools. This means that our products are suited for private as well as bigger public pools. For all stainless steel parts, we make use of the AISI 316L/316Ti stainless steel. To complete the technical picture we have designed a control box that can be integrated in an already set up home automation system or that can be connected to an intelligent pool control system.



SLATS

The slats are the most important part of a pool cover. T&A has 2 kinds of slats in its range : the standard profile of 60 x 14 mm with 3 sealed air chambers and the slightly larger premium profile of 67,5 x 16,5 mm with 4 sealed air chambers. The first one is available in both PVC and PC, the latter only in PC. Our slats are safe, insulating , durable and made out of high end raw materials. They can be obtained in different colours to suit the look and feel of your pool, terrace or garden.



TRI- AND QUADRO-EXTRUSION

Our slats are manufactured following the tri-and quadro- extrusion process. Using this method, all of our slats are covered with a UV protective layer making our polycarbonate slats much more UV resistant, resulting in an increase of life expectancy by half a life cycle. A polycarbonate slat is much more resistant to high and low temperatures than PVC slats. This makes polycarbonate slats suitable for use in every country regardless of the climate.



Scan QR code to get insight to the company

AQUACOVER

Slat Options

PVC OPAQUE

60 x 14mm



White

PVC SOLAIRE

60 x 14mm



Transparent

PC SOLAR


60 x 14mm



Transparent

PREMIUM


67.5 x 16.5mm



Solar




Beige




Solar




Alu-look



Blue




Blue



Solar



Alu-look



Grey

IMPACT RESISTANCE

Polycarbonate slats are much more resistant to impact than PVC slats. All of our slats are tested in Switzerland where one has to have all materials for outside use tested on impact resistance to hail. AquaTop PC slats meet the HW3 norm, which means as much as a 100% resistance to hail showers with up to 30 mm hail stones. Our larger Premium Clean Profile slats even meet the mechanical resistance of the HW4 norm, thus resistant to hail stones up to 40 mm diameter. Hence the conclusion that our slats are not only very impact resistant but also safe and durable.

SEALING

All of our slats are sealed with caps that are either glued or ultrasonically welded. In the case of welded caps, we have a range of click parts in several dimensions to compensate for possible differences in the width of the pool. In addition to optimal quality, reliability and durability, slats with welded end caps also ensure a neat finish and a modern look.




Excellence through Innovation

Advantages of our newest polycarbonate slats in "Black", "Titanium" or "Gold" version


- Minimal growth of algae because of the blocking of sunlight in the hinge point thanks to the patented technology of Quadro-Extrusion
- Lower visibility of condensation through the use of a selective colour pigment
- Suitable for new pool construction and replacement covers




Click to
watch video



Black



Titanium



Gold

WARRANTY

Our slats are profiles with sealed air chambers. This results in a higher buoyancy compared to solid profiles. As to the insulating properties they can both be put on the same level. When opting for a hollow slat you can choose for a solar version which is not an option for solid slats. Our brand new polycarbonate profiles offer high impact resistance and consequently also hail resistance, combined with solar, anti-algae and anti-condensation qualities. When you choose an AquaTop cover, you are buying the best technology on the market! These slats are available in the "Black", "Titanium" and "Gold" version and offer your pool a stylish and aesthetic character.

AQUACOVER


Cover Options

**SHOWROOM**


We have a dedicated showroom facility in Hampshire, available by appointment through your dealer, so you can view and see various models.

CLASSIC LINE


Opting for an integrated cover represents the epitome of classic design. This version seamlessly blends into a separate roller cover pit, providing an aesthetic appeal that complements your style. The finishing touch is entirely customisable, offering a choice between the natural warmth of wood or the timeless elegance of stone. AquaCover has ingeniously developed special brackets and guide wheels to accommodate pools with a high water level, ensuring both functionality and aesthetic harmony.

**RENO LINE**

Concealed beneath a bench at the pool's base, the cover offers the distinct advantage of maximising the entire length of your pool for optimal use. This proves to be an ideal solution, particularly during renovations. The housing can be customised with a variety of finishes, including liner, mosaic, or tiles. Alternatively, AquaCover provides the option of a vinylester finish in the RAL color of your preference, ensuring seamless integration with your aesthetic vision.


**BEACH LINE**

A growing number of individuals are choosing the option to install the cover beneath the initial step of their staircase, thereby establishing a shallow water zone that can be utilized as a tranquil relaxation area.

**EXCLUSIVE LINE****Fixed Panel**

The innovative mechanism is discreetly housed at the bottom of the pool, ensuring a seamless integration into your swimming pool. With strategic design, a cover panel, intentionally slightly smaller than the rollo pit, is employed. This intentional size difference not only conceals the mechanism effectively but also facilitates the creation of a practical passageway. This thoughtfully engineered feature allows for the smooth and effortless rolling and unrolling of the cover, adding both convenience and sophistication to your pool experience.

AquaCover®




ELEGANT LINE

If you prefer a subtle integration of your pool cover, this option is ideal for you. The pool cover will be seamlessly incorporated below the water level into the rear wall of your pool. A closing panel will conceal the cover compartment, designed at a slight angle to prevent water from stagnating. You have various choices to finish the covering panel, including options like liner, mosaic, natural stone, or vinylester, all available in a RAL colour of your preference.

TOP MOUNT COVERS


Top One

Our basic model. An insulating slatted cover at an interesting price, easy to install and operate thanks to an integrated key switch.




Top One Solar

You're already the proud owner of a pool but you want a cover that can be installed rapidly and easily? Here's EcoTop Solar for you. Easy to install and with the built in solar panel and battery, you can have it work standalone.



Top One Comfort

Is a movable variant of the EcoTop. By putting the cover on a rail it can be moved backwards when using the swimming pool. The high end finishing will turn it into a comfortable bench to relax and enjoy the sun or keep an eye on the children.



You want to close the pool? Just slide the mechanism towards the pool and roll off the cover.


Nova Top solar

Nova Top prides itself on offering a unique installation experience with five distinct variants. Gone are the days of compromising – now, you can choose the variant that perfectly aligns with your preferences, ensuring a pool cover that complements your lifestyle.







AQUACOVER

Pit Options



AquaCover®





PARAMOUNT
POOL PRODUCTS

Pool Safety Covers



AQUAMATIC
POOL SAFETY COVERS



**WORLDWIDE
LEADERS**

AQUAMATIC Safety Covers

All Aquamatic safety covers are assembled and tailor-made to your specific requirements here in the UK including the fabric material!

Along with four dedicated service and installation crews we believe that we offer a service that is unparalleled in the industry. Please contact us for a quotation or scan QR code to access online quotation form.

ASSEMBLED IN THE UK

Paramount Pool Products have been importing the Aquamatic cover system into the UK since 1995. Due to the overwhelming demand a commercial decision was taken in 1998 to assemble each cover to order here in the UK. In addition, the fabrics are also manufactured under licence here in the UK.

Having all the component parts in stock and a fleet of installation crews enable us to offer an expedient and reliable service that we believe is unmatched within the industry.



Click to read our
Aquamatic brochure



Click to access online
quotation form.



DEDICATED STAFF

Installation, service and assembly staff are all employed by Paramount. All our staff members are subjected to rigorous training program ensuring a premium service is delivered at all times.



TRAINING SEMINARS

We offer dedicated training seminars to enable your pool engineers to learn all the service requirements for the Aquamatic system. Contact head office to register your details



SHOWROOM

We have a dedicated showroom facility at our head office based in Hampshire. Available by appointment, we welcome you and your client to view and see various models in operation.




ACCREDITED

The Aquamatic cover system complies with the Conformity Assessed (UKCA) conformity certificate within the scope of the Supply of Machinery (Safety) Regulations and making sure it meets all of the essential health and safety requirements which is applicable for products sold within Great Britain replacing the CE mark.



EXTENSIVE WARRANTY

One of the most reliable and quickest covers on the market and with a 20 year limited warranty on the drive mechanism, you can see why Aquamatic is the popular choice.






No other pool cover gives you more options than Aquamatic. Whatever the size or shape of your outdoor pool, we can provide you with a safety cover system that will suit both your style and budget.

Aquamatic cover systems are ideal for installing in indoor or outdoor environments due to the pool being completely sealed making the pool safe and free from unwanted debris.

The cover will also turn your pool into a large passive solar collector and will help raise the pool water temperature, cutting down on evaporation loss to substantially reduce running costs.

Careful consideration should be taken if you are considering purchasing a 'Slatted' type cover, please bear in mind that this type of cover is NOT classed or has been approved as a safety cover.

More maintenance will be required to descale the slats and debris removal from surrounding trees for this type of cover system.



The Aquamatic Safety Cover can be applied to any domestic pool size or shape. By offering a choice of above or below the surface mounting it offers you either a cover which disappears into a surface mounted cabinet with no disruption to existing paving; or, by making a pit construction, allows for the cover to be stored below deck level.

ABOVE GROUND INSTALLATION

An above Ground Installation is ideal for situations where the surrounding deck area, e.g. paving, is not to be disturbed and saves on the inconvenience and added expense of not having to build a below ground pit housing.

The cover can be retracted into either a flush or surface mounted tracking into an above ground housing that is fixed to the surface of the surrounding deck area (a good solid base is required).

BELOW GROUND INSTALLATION

The cover is retracted through either top, flush or inwall mounted tracking into a storage pit, below deck level. Pit Construction (330/405mm dependent on cover size) is made either by using number 7 Neuton concrete blocks, no RSJ lintel is required.


Inwall tracking enables you to conceal the tracking extrusion within the parameters of the pool wall. The cover is retracted through the inwall tracks and enters the pit housing over the pool wall structure, not the coping edge.

Track options


Top Track: Above & Below




Flush Track: Above & Below



Concrete Inwall Track: Below Only



Liner Inwall Track: Below Only





HOUSING - POLYMER OR COMPOSITE WOOD

Two types of maintenance free materials are available for creating a bench housing.



POLYMER

Made from 100% virgin, high impact, Polystyrene Resin which is available in four different colours. Very durable, lightweight, and require no maintenance.

COMPOSITE WOOD

Unlike pure wooden decking which needs to be maintained, stained and sealed regularly, composite decking is made from a composite of recycled plastics and real wood fibres that is very low maintenance and resistant to stains, mould, mildew, cracking, splitting and warping. Available in five different colours.

White

Buff

Charcoal

Terracotta



NEW!



NEO TIMBER

Enclosed in a four-sided, protective capping, the Advanced range provides users with the guarantee of superior resistance to the hazards that come with everyday outdoor life – no matter the season. An affordable, lightweight capped composite decking has arrived and it's guaranteed to look right at home in your garden.

Grey

Teak

Chocolate

Charcoal

Antique



BENEFITS OF NEO TIMBER

POLYMER

PAll composite wood finishes for lid housings and surface mounted benches are made from Neo Timber®. Unlike pure wooden decking which needs to be maintained, stained and sealed regularly, composite decking is made from a composite of recycled plastics and real wood fibres that is very low maintenance and resistant to stains, mould, mildew, cracking, splitting and warping.

The advantages of using composite decking vs wood, makes Neo Timber® a perfect choice for our lid system and pool surrounds.

Very Low Maintenance

All our boards are hard-wearing and easy to maintain.

No Rotting Or Warping

A unique material composition resistant to the damaging effects of moisture build-up.

25 Year Residential Warranty

High-quality, long-lasting products with a 25-year warranty.

10 Year Commercial Warranty

A solid 10-year commitment of durable decking for commercial applications.

No Treatment Required

No need to paint, oil, stain or seal the deck boards.

No Splintering

The material composition ensures long-term safety and assurance.


Strength And Durability

Unlike timber, our boards retain their strength and durability throughout their life.

Eco-Friendly

A long-lasting material composed of a blend of recycled plastic and wood fibres.

Find out more



Ideal for
small pools
and Swim
Spas!



Aquamatic Above Ground Manual Roller System


Manually operated designed to remove Aquamatic **Thermo-blanket** pool & spa covers using aluminium roller tube and surface mounted top track system.

ROLLER SYSTEM


The Above Ground Roller System comprises of an aluminium roller tube connected via white ABS locking device at each end fixed to polished stainless steel leg supports that are secured to pool surround. The fabric material travels back and forth through dome mounted aluminium tracks secured to paving preventing debris entering the pool and minimising heat loss.

The cover is manually pulled onto the pool/spa by 20mm marine grade rope and taken off by a stainless/plastic handle device.

Demonstration Model Available at Head Office



Optional Debris Brush



Marine Grade Pull Cord

- | | | |
|-----------------------|-------------------------|-----------------|
| • Standard PVC | Aquamatic Material | Max Size 8 x 3m |
| • ThermaFoil | Encapsulated 2.5mm Foil | Max Size 7 x 2m |
| • ThermaFoam | Encapsulated 6mm Foam | Max Size 7 x 3m |

**IMPORTANT NOTE:**

This is NOT an approved safety cover system. The toptrack receptor must be installed no more than 50mm from pool edge.

Roller Support Stands must be secured to a concrete foundation.

Sliders and Endstop Guides to be replaced annually.

Click to view cover in operation!

WARRANTY

Roller System	5 Years
Fabric Material (Prorated)	5 Years
Hems	2 Years
Brush Extrusion, Running Gear	1 Year

PRICE GUIDE based on supply only, ex works. Please contact head office for all other sizes.

Pool Size (m)	Roller System (Single Layer AQM Fabric)	Add ThermaFoil	Add ThermaFoam	Add Debris Brush Extrusion
5.0 x 2.0	£2,797	£338	£476	£479
5.0 x 2.5	£2,910	£415	£584	£479
6.0 x 2.5	£3,082	£489	£688	£479
5.0 x 3.0	£3,060	£492	£692	£479
6.0 x 3.0	£3,203	£579	£816	£479
7.0 x 3.0	£3,386	£667	£939	£479
8.0 x 3.0	£3,570	£755	NA	£479

Product Code N applicable to above

Delivery - £200

AQUAMATIC

Insulated Safety Covers

THERMA-FOIL SAFE POOL COVER


The Therma-safe pool cover is manufactured using a unique three-layer lamination process comprising of original PVC 630gm safety fabric and Therma-foil made from 2.5mm of polyethylene foam coated with a metalised barrier providing excellent insulation properties.

Extensively tested for over two years Therma-safe offers a tough thermal insulation cover suitable for use on new indoor and outdoor pool applications up to 9m.

THERMA-FOAM SAFE SPA COVER

The Therma-safe spa cover is manufactured using the same lamination process but incorporates a 6mm closed cell cross-linked polyethylene foam sheet for ensuring high insulation properties on higher temp environments such as a swim spa or hydrotherapy pool.

Therma-safe can withstand temperatures from -30 / +70°C. and is suitable for use on outdoor/indoor pool or spa up to 6m in length.



NOTE

Standard Aquamatic pit housing size must be increased to accommodate cover.

TOG RATING RESULTS

Employing the services of an independent test laboratory, the results as featured below indicate the difference in tog values.

The tog is a measure of thermal resistance of a unit area, also known as thermal insulance. It is commonly used in the textile industry and often seen quoted on, for example, duvets and carpet underlay.

Thermal insulation (BS 4745:2005 Single plate method)

Samples were tested by an independent laboratory company HSTT Services after conditioning in the standard atmosphere of $(20 \pm 2) ^\circ\text{C}$ and $(65 \pm 5) \%$ relative humidity for at least 24 hours. Each test specimen was tested three times, being allowed to re-condition between measurements.

	1	2	3	Mean
PVC Aquamatic Fabric Single Layer	<0.1	<0.1	<0.1	<0.1
400 Micron Solar Cover Single Layer	0.29	0.25	0.28	0.27
Therma-foil Encapsulated PVC	1.11	1.74	1.06	1.30
Foam Insulation Encapsulated PVC	2.53	2.28	2.28	2.37

The uncertainty of measurement of the test is estimated to be approximately ± 0.3 tog. For comparison a typical jumper has a tog value of .30, a duvet 4-15 tog!

BENEFITS

Therma-safe covers can reduce heat loss by up to 85%. Research has shown that an uncovered pool can lose as much as 5°C heat in 5 hours, installing a Therma-safe cover can reduce heat loss in the same period to as little as 0.65°C. It is now widely accepted that installing a Heat Retention Cover is the single most effective means of reducing swimming pool energy consumption. However the benefits of installing a Heat Retention Cover do not stop there, they can also reduce your Water Treatment costs by reducing chemical evaporation and reduce humidity and condensation in the pool building

Regardless of pool size, Therma-safe saves on heating costs and reduces chemical usage that would otherwise be lost through evaporation. It is proven that pool owners can save up to 23% on energy bills with a heat retention cover.

Life Expectancy

Aquamatic fabric material has a life expectancy of approximately 7-10 years and all have a seven year pro-rated warranty. Apart from UV and wear & tear, the most common cause for a reduced fabric life span is the incorrect use of pool chemicals. Having an Aquamatic cover substantially reduces the amount of chemical required to sanitise the pool water as approximately two thirds of all organic matter is prevented from entering the pool. The cover also restricts up to 90% of light from entering the pool thus preventing algae from growing!

Fabric Material

The cover fabric used for all UK installations is a (BS3424/5A) 630g/m² flexible plasticised PVC material. The fabric has a high gloss lacquer on both sides and contains a high tensile polyester scrim reinforcing layer to enhance tear strength. This lacquered finish will also enable the fabric to be cleaned far easier compared to other non-lacquered fabrics.

Water Absorption

Whilst the PVC outer layers remain in good condition both the Thermo-safe Pool and Spa insulated materials do not come in contact with water. The insulation material is encapsulated and sealed within individual sections.


ABOUT THERMA-FOIL

Therma-Float Ltd specialises in the development of high-performance insulated materials and laminates for use in the harshest and most demanding environments routinely encountered by offshore workers, mariners and militaries throughout the world.

Therma-Float has also worked on specific projects including: the Breitling Orbiter 3 and ICO Global Challenge Round the World Balloons, Life Raft Insulated Flooring, EN 393 Approved Ultra-thin buoyancy materials, Radiant barriers and "breathable" thermal insulation materials for apparel.

When you purchase or are issued an item made from Therma-Float®, they understand that you expect total product quality and performance. With Therma-Float® you receive the knowledge and experience that comes from a committed team of scientists, engineers and product experts.

STANDARD COLOURS



A tog is 0.1 m²K/W. In other words, the thermal resistance in togs is equal to ten times the temperature difference (in °C) between the two surfaces of a material, when the flow of heat is equal to one watt per square metre.

AQUAMATIC

Aquamatic Spares

PRICE LIST

Code	Product	Price
AQM1001-N	Cover Pump 240 V supplied with 20m Cable	£350.00
AQM1002-V	Replacement AQM Cover Pump Cable per metre	£2.75
AQM1003-V	Waterproof Joiner for AQM Cover Pump Cable	£23.50
AQM1004-V	Cover Pump 7.5m Flexible Hose Kit	£34.00
AQM1005-V	Cover Pump 10m Flexible Hose Kit	£40.00
AQM1015-V	Cover Pump 30m Flexible Hose Kit	£96.00
AQM3001-V	Cover Pump Plug & Socket	£105.00
AQM1006-V	5 Litre Super Cover Cleaner	£48.50
AQM1008-V	5 Litre Hydraulic Oil - Grade ISO 32	£35.25
AQM1007-V	500ml Silicone Spray	£9.32
AQM1226-V	Stainless Steel Key Switch Complete	£200.00
AQM1207-V	Key Switch Complete	£94.75
AQM1208-V	Key Switch Mechanism Only	£80.95
AQM1209-V	Key No. 455	£9.35
AQM1101-V	Slider - For Top, Flush, Inwall	£41.20
AQM1102-V	Heavy Duty Slider – Commercial	£90.20
AQM1103-V	Slider Screw each. (4 required per slider)	£4.15
AQM1105-V	Leading Edge Bracket - Top Track	£81.50
AQM1106-V	Leading Edge Bracket - Flush Track	£147.00
AQM1107-V	Leading Edge Bracket - Inwall	£80.75
AQM1115-V	End Stop Guide – Right - Top Track	£51.50
AQM1116-V	End Stop Guide – Left – Top Track	£51.50
AQM1117-V	End Stop Guide – Right - Flush Track	£70.00
AQM1118-V	End Stop Guide – Left – Flush Track	£70.00
AQM1119-V	End Stop Guide – Right - Inwall Track	£68.00
AQM1120-V	End Stop Guide – Left – Inwall Track	£68.00
AQM1108-V	Pulley Wheel	£28.85
AQM1109-V	Threaded Pulley Wheel	£32.30
AQM1110-V	Returned Pulley Complete - Top Track	£83.00
AQM1111-V	Returned Pulley Complete - Flush Track	£72.00
AQM1112-V	Returned Pulley Complete - Inwall Track	£41.50
AQM1203-V	Solenoid Coil Type A	£48.40
AQM1204-V	Solenoid Coil Complete Head with 2 x Solenoid	£495.00
AQM1205-V	Solenoid Coil Type D	£46.20
AQM1206-V	Solenoid Coil Type E	£76.45

IMPORTANT NOTE

Important Note: 240v Cover pump must be protected by a 10ma RCD.



AQM1001



AQM1003



AQM1006



AQM1008



AQM1007



AQM1226



AQM1207



AQM1101



AQM1102



AQM1103



AQM1115



AQM1116



AQM1117



AQM1118



AQM1119



AQM1120



AQM1108



AQM1109



AQM1110



AQM1111



AQM1112



AQM1208



AQM1203



AQM1205



AQM1204



AQM1300



AQM1004

AQUAMATIC

Aquamatic Spares



AQM1212



AQM1201



AQM1202



AQM1013



AQM1014

PRICE LIST


Code	Product	Price
AQM1201-V	Compensator	£80.75
AQM1202-V	Leading Edge End Cap	£27.80
AQM1212-V	Replacement Hems Per ft. (per side)	£11.50
AQM1213-V	Aluminium Track (Receptor not included)	£11.35
AQM1013-N	1 HP Air Blower	£482.00
AQM1014-N	Chrome On Brass Air Inlet	£65.00
AQM1214-V	3" Track Screw (316 Stainless Steel)	£3.50
AQM1215-V	2" Standard Track Screw (316 Stainless Steel)	£2.60
AQM1216-V	E/Z Pole each	£110.00

PRICE LIST


Code	Product	Price
AQM1217-V	E/Z Ratchet each	£60.00
AQM1218-V	Slider Bolt Set (nut, bolt, washer)	£8.25
AQM1219-V	Patch Adhesive 8oz	£50.00
AQM1220-V	Patch Adhesive 32oz	£85.00
AQM1221-V	Patch Material - per square foot colour	£3.50
AQM1222-V	Set Hyd. Hose Extension Fittings	£35.00
AQM1223-V	Pair Hyd. Hoses per ft. Run	£7.00
AQM1224-V	Set pre-fitted Hydraulic Hose ends	£31.35
AQM1300-N	Hydraulic Power Pack	£3210.00

AQUAMATIC

Replacement Tracks



Inwall Track - Liner



Inwall Track - Concrete



Flush Track



Top Track

PRICE

Price on application - please contact head office.

AQUAMATIC

Aquamatic Replacement Cover Rope Kits



ROPE CALCULATION:

- To work out the length of rope for the Non Drive Side (NDS): $2 \times \text{Track Length} + 2 \times \text{Track Width} + 20\text{ft} / 6.10\text{m}$
- To work out the length of rope for the Drive Side (DS): $2 \times \text{Track Length} + 1 \times \text{Track Width} + 20\text{ft} / 6.10\text{m}$


IMPORTANT NOTE

When calculating rope measurement it is important to use 'track' measurements and NOT pool dimensions. Round all measurements up!

When replacing rope cord(s) we recommend buying an AQM Service Kit if Sliders have not been changed within 12 months.

COVER CABLE PRICE LIST

Code	Product	Price
AQM1211-V	Cover Rope/Cable per ft.	£0.55
AQM1225-V	Cover Rope/Cable per metre.	£1.80



AQM Service Kit

AQM SERVICE KIT

Code	Product	Price
AQM1303-V	INWALL Track - Aquamatic Service Kit comprising of: 2 x Sliders, 8 x Slider Screws, Left & Right End guides.	£251.60
AQM1304-V	FLUSH Track - Aquamatic Service Kit comprising of: 2 x Sliders, 8 x Slider Screws, Left & Right End guides	£255.60
AQM1305-V	Top Track - Aquamatic Service Kit comprising of: 2 x Sliders, 8 x Slider Screws, Left & Right End guides	£218.60

Conversion Table

CONVERSION TABLE		
Conversion	Action	
Feet to Metres	multiply by	0.3048
Metres to Feet	multiply by	3.2808
Yards to Metres	multiply by	0.9144
Metres to Yards	multiply by	1.09361
Square Metres to Square Feet	multiply by	10.7639
Square Feet to Square Metres	multiply by	0.092903
Cubic Feet to Cubic Metres	multiply by	0.0283168
Cubic Metres to Cubic Feet	multiply by	35.3147
Cubic Metres to Gallons (Imperial)	multiply by	219.969
Gallons (Imperial) to Cubic Metres	Divide by	219.969
Gallons (Imperial) to Litres	multiply by	4.546
Litres to Gallons (Imperial)	multiply by	0.22
Pounds to Kilograms	multiply by	0.4536
Kilograms to Pounds	multiply by	2.20462
Area		
Surface area of a circle =	3.14 x Radius Squared	
Heat		
1,000 BTU	=	0.293 Kilowatt/hour
10,000 BTU	=	1 Therm
Power		
Horse power to Watts	multiply by	0.7457
Watts to Horse power	multiply by	0.00135962

IP CODING - IP XX	
Solid Particle Protection	
0	No protection
1	Protect against the object >50mm ex.: carelessly touch by hands
2	Protect against the object >12.5mm ex.: carelessly touch by fingers
3	Protect against the object >2.5mm ex.: tools, thick wires & etc.
4	Protect against the object >1.0mm ex.: most wires, thin screws, ants & etc.
5	Dust protection. Ingress amount interfering operation is not allowed.
6	Dust tight. No ingress is allowed.

IP CODING - IP XX	
Liquid Ingress Protection	
0	No protection
1	Protect against vertically dripping water.
2	Protect against vertically dripping water while specimen sloped at 15°.
3	Protect against spraying water at any angle up to 60° from vertical.
4	Protect against splashing water from any direction. Limit ingress is permitted.
5	Protect against water projected with low pressure from any direction. Limit ingress is permitted.
6	Protect against water projected with high pressure from any direction. Limit ingress is permitted.
7	Protect against continuous immersion in water up to 1m for 30min. Limit ingress is permitted.
8	Protect against continuous immersion in water with depth deeper that 1m.
9K	Protect against close-range high pressure (80~100bar), high temperature (80°C) water jet from any direction.

PARAMOUNT POOLS

Pricing & Delivery Information

All prices effective from 1st January 2024 to 31st December 2024

All prices are exclusive of VAT.

All prices are recommended retail.

All prices are ex works, Head Office Address.

All prices are in pounds sterling (£). Paramount Pool Products reserve the right to make alterations without notification. E. & O. E.

All images, photographs & illustrations are for guidance only. Colours and patterns may vary to actual products shown.

CARRIAGE COSTS - SMALL ITEMS

	Next Day	By 12:00	By 10:30	Saturday	Saturday by 12:00	Saturday by 10:30
1kg Doc Pack	£15.00	£25.00	£28.00	£30.00	£40.00	£45.00
5kg Doc Pack	£18.00	£28.00	£30.00	£32.00	£42.00	£48.00
Parcel up to 10 kg	£20.00	£30.00	£35.00	£36.00	£45.00	£50.00
Parcel up to 30 kg	£25.00	£35.00	£40.00	£47.00	£55.00	£60.00
Per kg over 30 kg	£0.85	£0.85	£0.85	£0.75	£0.85	£0.85
Jersey 5kg Doc	£25.00	•	•	•	•	•
Jersey up to 10kg	£35.00	•	•	•	•	•
Jersey per kg over 10kg	£1.80	•	•	•	•	•

CARRIAGE COSTS - LONG ITEMS

	Next Day	By 12:00	By 10:00	Saturday
Parcel up to 10 kg	£20.00	£25.00	£27.00	£35.00
Parcel up to 20 kg	£28.00	£30.00	£32.00	£45.00
Per kg over 20kg	£0.50	£0.46	£0.51	£0.52
Jersey up to 10 kg	£37.00	•	•	•
Jersey up to 20kg	£42.00	•	•	•
Jersey per kg over 20kg	£1.80	•	•	•
Pallet Rate 1-2 Days	£90.00			

To view our terms & conditions of sale
please visit www.paramountpools.co.uk

Freight Charges

Next Day Delivery - please ensure that your order is sent to us by 2.00 pm. We cannot guarantee that all received orders are shipped in very busy periods on the same day. Please check with sales staff to avoid disappointment. Delivery Recognisability - without exception all delivery services are provided in good faith but are not guaranteed and are at the customer's risk and are not the essence of the contract. NO CLAIMS CAN BE ENTERTAINED ON YOUR BEHALF FOR DAMAGED OR MISSING GOODS THAT HAVE BEEN SIGNED FOR IN GOOD CONDITION OR GOODS SIGNED FOR AS UNCHECKED AS THIS IS DONE SO AT THE LIABILITY OF THE CUSTOMER. No consequential liability can be accepted for goods delivered late or damaged via our own transport or carrier agents. Any damage reported after three days will not be accepted under any circumstances.

Delivery

Kerbside Delivery - all deliveries are Kerbside only. It is the responsibility of the Paramount's customer to ensure adequate assistance to offload. Whilst Paramount Pools and their drivers and staff will assist wherever possible with unloading, Paramount has a legal duty under Health and Safety law to protect their employees safety and thus it is the customer's responsibility to provide assistance, with handling equipment, unless prior arrangement has been made and agreed with Paramount Pools. As a result Paramount Pools will not be liable for any costs in relation to handling difficulties.

Returns

Goods Return Procedures - Any company wishing to return goods for restocking, replacement, credit etc. please visit www.paramountpools.co.uk to download 'return note form'.



PARAMOUNT
POOL PRODUCTS

GET IN CONTACT TODAY

t: 0044 (0)1256 748 380

e: sales@paramountpools.co.uk

w: paramountpools.co.uk

Register your company and
location so visitors to our
website can find you locally!

paramountpools.co.uk

